

2022

ACCESS DOOR

TRADE PRICE GUIDE





MEMBER OF



MORRIS GROUP
INTERNATIONAL

[illegible]

 WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

RECESSED DRY WALL ALUMINUM ACCESS DOORS


Access door and frame shall be fabricated from .080 aluminum extrusion with 0.625 inch drywall inserted into door panel with a mill finish. The door shall have a spring loaded hinge pin that allows door panel to open to 90°, and also allows for door panel to be removed from frame. Latch is a concealed touch type. Finish shall be a mill finish and drywall is ready to be finished to match surrounding wall or ceiling surface.

PRODUCT FUNCTION:

Recessed Dry Wall Aluminum Access Doors are ideally suited for new installations or for remodeling, in walls and ceilings to accommodate 5/8 inch drywall, the frame can be reversed to accommodate 1/2 inch drywall while maintaining an invisible, architecturally pleasing appearance.

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
ADW 12" x 12"	2	5.75 lbs	\$381.00	Not Available
ADW 16" x 16"	2	10.25 lbs	\$410.00	Not Available
ADW 18" x 18"	2	13 lbs	\$436.00	Not Available
ADW 24" x 24"	2	23 lbs	\$542.00	Not Available
ADW 24" x 36"	2	34.5 lbs	\$651.00	Not Available

MODEL NUMBER:
ADW SERIES*NEW



- Latch is a concealed touch type
- Other options available - see inside back cover

LIGHTWEIGHT ALUMINUM INSULATED ACCESS DOORS


Access door and frame shall be fabricated from a 0.064 inch thick aluminum door panel and 0.094 inch thick aluminum extruded frame with a mill finish. Doors to have concealed pin hinge. Door will include 3/4 inch Type 3 Expanded Polystyrene (EPS) Foil Lined Insulation, with a 3.18 R Value. Latch shall be screwdriver operated cam latch. Unit will include 1/8 x 3/8 inch closed cell neoprene gasket.

PRODUCT FUNCTION:

Lightweight Aluminum Insulated Doors are ideally suited for new installations or for remodeling on walls or ceilings.

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
AI 8" x 8"	1	2 lbs	\$187.00	Not Available
AI 10" x 10"	1	2.5 lbs	\$194.00	Not Available
AI 12" x 12"	1	3 lbs	\$200.00	Not Available
AI 14" x 14"	1	4 lbs	\$213.00	Not Available
AI 18" x 18"	1	5 lbs	\$246.00	Not Available
AI 24" x 24"	1	8 lbs	\$326.00	Not Available
AI 24" x 36"	2	11 lbs	\$426.00	Not Available
AI 24" x 48"	2	14 lbs	\$470.00	Not Available
AI 30" x 30"	2	11 lbs	\$434.00	Not Available
AI 36" x 36"	2	14.5 lbs	\$506.00	Not Available

MODEL NUMBER:
AI SERIES*NEW



- SDL - Screw Driver Latch standard
- Other options available - see inside back cover

**MODEL NUMBER:
AP SERIES**


- SDL - Screw Driver Latch standard
- Other options available - see inside back cover

ACOUSTICAL PLASTER ACCESS DOORS

Access door and frame shall be fabricated from 16 gage, galvanized steel with a prime coat finish suitable for painting. The door shall be recessed 0.625 inch and be lined with metal lath. The frame shall have a 3 inch wide metal lath on all four sides. Hinge shall be concealed type. Latch shall be screwdriver operated.

PRODUCT FUNCTION:

Doors are designed to install flush with the plaster surface assuring an attractive finish. Doors are recessed 5/8 inch and lined with a metal lath to allow plaster of surrounding surfaces to fill in the face of the door.

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
AP 12" x 12"	1	7 lbs	\$117.00	Priced on Application
AP 12" x 24"	2	13.5 lbs	\$177.00	P.O.A.
AP 18" x 18"	2	14 lbs	\$179.00	P.O.A.
AP 24" x 24"	4	20.5 lbs	\$223.00	P.O.A.
AP 24" x 36"	5	24.5 lbs	\$349.00	P.O.A.

**MODEL NUMBER:
AT SERIES**


- SDL - Screw Driver Latch standard
- GB - Galvanized Bead — add **\$97.00**
- Other options available - see inside back cover

ACOUSTICAL TILE ACCESS DOORS

Access door shall be fabricated from 16 gage and frame from 12 gage, galvanized steel with a prime coat finish. Door shall be recessed 0.625 inch to accept acoustical tile or gypsum board. Hinge shall be concealed type. Latch shall be screwdriver operated.

PRODUCT FUNCTION:

The doors are designed for use with acoustical tile or gypsum board walls and ceilings. The door is engineered to install flush, virtually concealed. Door is recessed 5/8 inch to accept acoustical tile or gypsum board.

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
AT 8" x 8"	1	4 lbs	\$58.00	Priced on Application
AT 12" x 12"	1	5.5 lbs	\$66.00	P.O.A.
AT 12" x 24"	2	9.5 lbs	\$102.00	P.O.A.
AT 16" x 16"	2	8.5 lbs	\$97.00	P.O.A.
AT 18" x 18"	2	10 lbs	\$102.00	P.O.A.
AT 24" x 24"	4	16 lbs	\$130.00	P.O.A.
AT 24" x 36"	5	24.5 lbs	\$181.00	P.O.A.
-GB			\$97.00	P.O.A.

CEILING FIRE-RESISTANT ACCESS DOORS

Access door frame shall be fabricated from 16 gage steel. Access door panel shall be fabricated from 18 gage steel. Door shall be recessed 1.5 inches to accept ceiling tile. Hinge shall be continuous piano type. Latch shall be screw-driver operated.

PRODUCT FUNCTION:

The doors are designed for use in a suspended dry wall ceiling as part of a fire rated ceiling assembly. The CFR Series door itself IS NOT FIRE RATED. However, the combination of steel and fire rated tile maintains the fire-resistant quality of the ceiling assembly. The door is 1-1/2 inch thick to accommodate dual layered ceiling tile.

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
CFR 12" x 12"	1	7.3 lbs	\$113.00	Priced on Application
CFR 18" x 18"	2	12.5 lbs	\$134.00	P.O.A.
CFR 24" x 24"	2	21.8 lbs	\$160.00	P.O.A.
CFR 22" x 30"	4	26 lbs	\$186.00	P.O.A.

MODEL NUMBER: CFR SERIES



- SDL - Screw Driver Latch standard
- Other options available - see inside back cover

DUCT ACCESS DOORS

Access door and frame shall be fabricated from 24 gage, galvanized steel. The door shall be 1 inch thick, double wall construction and insulated. Frame shall have knock-over edges for attaching to duct. Hinge shall be a continuous piano type. Cam latch shall be self-tightening and hand operated.

PRODUCT FUNCTION:

Doors are designed to provide access to equipment installed within ducts. The door panels are insulated and gaskets between the panel and frame will ensure tight seals without obstruction in the air system.

MODEL NUMBER: DT SERIES



NOMINAL DOOR SIZE (W x H)	HINGED CAM DOOR	NON-HINGED CAM DOOR	APPROX. SHIP WT.	MILD STEEL PRICE
DT 6" x 6"	1	2	\$53.00	\$38.00
DT 8" x 8"	1	2	\$42.00	\$38.00
DT 10" x 10"	1	2	\$50.00	\$45.00
DT 12" x 12"	1	2	\$52.00	\$47.00
DT 14" x 14"	2	4	\$61.00	\$55.00
DT 16" x 16"	2	4	\$79.00	\$71.00
DT 18" x 18"	2	4	\$86.00	\$77.00
DT 20" x 20"	2	4	\$104.00	\$94.00
DT 24" x 24"	2	4	\$172.00	\$155.00

**MODEL NUMBER:
DW SERIES**


- SDL - Screw Driver Latch standard
- TH - T-Handle
- Other options available - see inside back cover

16 GAUGE (STANDARD) DRY WALL ACCESS DOORS

Access door and frame shall be fabricated from 16 gage, galvanized steel with a prime coat finish suitable for painting. The door shall have rounded safety corners and a concealed piano hinge. Frame shall be one piece construction with no mitres or welds on the face. Latch shall be screwdriver operated. Standard material thickness is 16 gage; heavier duty 14 gage doors are also available.

PRODUCT FUNCTION:

Doors are ideally suited for new installations or for remodeling, in masonry, tile, wood or other wall and ceiling surfaces. Door features rounded safety corners.

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
DW 6" x 6"	1	3 lbs	\$33.00	\$71.00
DW 8" x 8"	1	3 lbs	\$34.00	\$80.00
DW 8" x 12"	1	4 lbs	\$38.00	\$92.00
DW 10" x 10"	1	4 lbs	\$40.00	\$99.00
DW 12" x 12"	1	5.5 lbs	\$42.00	\$110.00
DW 12" x 16"	1	6 lbs	\$50.00	\$129.00
DW 12" x 18"	2	6.5 lbs	\$60.00	\$142.00
DW 12" x 24"	3	9.5 lbs	\$73.00	\$163.00
DW 14" x 14"	1	6 lbs	\$53.00	\$133.00
DW 14" x 20"	3	9 lbs	\$76.00	\$186.00
DW 14" x 24"	3	12 lbs	\$83.00	\$249.00
DW 15" x 15"	1	6.5 lbs	\$60.00	\$146.00
DW 16" x 16"	1	7.5 lbs	\$62.00	\$163.00
DW 16" x 20"	3	8.5 lbs	\$77.00	\$178.00
DW 16" x 24"	2	10 lbs	\$84.00	\$194.00
DW 18" x 18"	3	9 lbs	\$74.00	\$188.00
DW 18" x 24"	5	12 lbs	\$93.00	\$241.00
DW 18" x 36"	6	16 lbs	\$114.00	\$323.00
DW 20" x 20"	3	11 lbs	\$92.00	\$256.00
DW 20" x 24"	5	13 lbs	\$102.00	\$262.00
DW 20" x 30"	5	15 lbs	\$118.00	\$314.00
DW 22" x 22"	3	12 lbs	\$100.00	\$290.00
DW 22" x 30"	5	16 lbs	\$139.00	\$340.00
DW 22" x 36"	6	17 lbs	\$142.00	\$361.00
DW 24" x 24"	3	15 lbs	\$104.00	\$308.00
DW 24" x 30"	5	17 lbs	\$147.00	\$351.00
DW 24" x 36"	6	20.5 lbs	\$153.00	\$388.00
DW 24" x 48"	7	28 lbs	\$177.00	\$453.00
DW 30" x 30"	7	21.5 lbs	\$168.00	\$404.00
DW 30" x 36"	8	29 lbs	\$174.00	\$442.00
DW 32" x 32"	7	23 lbs	\$168.00	\$438.00
DW 36" x 36"	8	31.5 lbs	\$199.00	\$533.00
DW 36" x 48"	9	43 lbs	\$256.00	\$676.00
DW 48" x 48"	11	46 lbs	\$309.00	\$715.00

14 GAUGE DRY WALL ACCESS DOORS

Access door and frame shall be fabricated from 14 gage, galvanized steel with a prime coat finish suitable for painting. The door shall have rounded safety corners and a concealed piano hinge. Frame shall be one piece construction with no mitres or welds on the face. Latch shall be screwdriver operated.

PRODUCT FUNCTION:

Doors are ideally suited for new installations or for remodeling, in masonry, tile, wood or other wall and ceiling surfaces. Door features rounded safety corners.

MODEL NUMBER:
DW SERIES



- SDL - Screw Driver Latch standard
- TH - T-Handle
- Other options available - see inside back cover

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
DW 6" x 6" - 14F	1	3 lbs	\$50.00	\$102.00
DW 8" x 8" - 14F	1	3 lbs	\$52.00	\$114.00
DW 8" x 12" - 14F	1	4 lbs	\$58.00	\$133.00
DW 10" x 10" - 14F	1	4 lbs	\$59.00	\$142.00
DW 12" x 12" - 14F	1	5.5 lbs	\$60.00	\$159.00
DW 12" x 16" - 14F	1	6 lbs	\$73.00	\$186.00
DW 12" x 18" - 14F	2	6.5 lbs	\$87.00	\$202.00
DW 12" x 24" - 14F	2	9.5 lbs	\$106.00	\$234.00
DW 14" x 14" - 14F	1	6 lbs	\$77.00	\$190.00
DW 14" x 20" - 14F	2	8 lbs	\$109.00	\$266.00
DW 14" x 24" - 14F	2	15 lbs	\$118.00	\$356.00
DW 15" x 15" - 14F	1	6.5 lbs	\$87.00	\$208.00
DW 16" x 16" - 14F	1	7.5 lbs	\$91.00	\$237.00
DW 16" x 20" - 14F	2	8.5 lbs	\$111.00	\$254.00
DW 16" x 24" - 14F	2	10 lbs	\$120.00	\$277.00
DW 18" x 18" - 14F	3	9 lbs	\$108.00	\$270.00
DW 18" x 24" - 14F	5	12 lbs	\$134.00	\$346.00
DW 18" x 36" - 14F	3	16 lbs	\$194.00	\$462.00
DW 20" x 20" - 14F	3	11 lbs	\$130.00	\$364.00
DW 20" x 24" - 14F	3	13 lbs	\$147.00	\$377.00
DW 20" x 30" - 14F	5	15 lbs	\$170.00	\$451.00
DW 22" x 22" - 14F	3	12 lbs	\$142.00	\$413.00
DW 22" x 30" - 14F	3	16 lbs	\$199.00	\$486.00
DW 22" x 36" - 14F	6	23 lbs	\$228.00	\$496.00
DW 24" x 24" - 14F	3	15 lbs	\$149.00	\$439.00
DW 24" x 30" - 14F	6	17 lbs	\$212.00	\$503.00
DW 24" x 36" - 14F	5	20.5 lbs	\$220.00	\$556.00
DW 24" x 48" - 14F	7	28 lbs	\$253.00	\$650.00
DW 30" x 30" - 14F	7	21.5 lbs	\$240.00	\$579.00
DW 32" x 32" - 14F	7	23 lbs	\$254.00	\$607.00
DW 36" x 36" - 14F	8	31.5 lbs	\$263.00	\$629.00
DW 36" x 48" - 14F	9	42 lbs	\$341.00	\$917.00
DW 48" x 48" - 14F	11	58 lbs	\$356.00	\$967.00

MODEL NUMBER: DWB SERIES



- SDL - Screw Driver Latch standard
- Other options available - see inside back cover

DRY WALL BEAD ACCESS DOORS

Access door and frame shall be fabricated from 16 gage, galvanized steel with a prime coat finish suitable for painting. Frame shall have mounting holes positioned to allow anchoring directly to the studs, assuring a secure mounting. Hinge shall be concealed pivoting rod type. Latch shall be screwdriver operated. Doors 24" and larger are provided with a continuous piano hinge.

PRODUCT FUNCTION:

Door is designed for flush installation in dry wall surfaces. Door features a concealed hinge that prevents distortion and closes door squarely.

Frame has 1/4 inch mounting holes positioned to allow anchoring directly to studs to assure a secure mounting. A drywall bead on the frame allows the drywall joint compound to be applied over the bead at the same time as the joints and corners.

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
DWB 8" x 8"	1	3.5 lbs	\$44.00	Priced on Application
DWB 10" x 10"	1	4.5 lbs	\$49.00	P.O.A.
DWB 12" x 12"	1	6 lbs	\$59.00	P.O.A.
DWB 14" x 14"	1	7 lbs	\$77.00	P.O.A.
DWB 16" x 16"	1	8 lbs	\$80.00	P.O.A.
DWB 18" x 18"	3	11 lbs	\$94.00	P.O.A.
DWB 22" x 22"	3	15 lbs	\$134.00	P.O.A.
DWB 24" x 24"	3	16 lbs	\$121.00	P.O.A.
DWB 24" x 36"	6	25 lbs	\$196.00	P.O.A.
DWB 30" x 30"	7	24 lbs	\$213.00	P.O.A.
DWB 36" x 36"	8	33 lbs	\$253.00	P.O.A.

MODEL NUMBER: ED SERIES



- 1" Rigid Foam Installation
- Neoprene Gaskets on All Four Sides

EXTERIOR DOOR FOR WALLS AND CEILINGS

Access door frame shall be fabricated from 16 gage galvanized steel with a prime coat finish and provided with bolt holes. Door shall be provided with 1 inch thick, rigid foam insulation. Access door shall have a concealed hinge with dual purpose latch. Exterior latching shall be flush with door and operated by either a knurled knob or flush key.

PRODUCT FUNCTION:

Elmdor Exterior Access Doors are manufactured and engineered to provide access to exterior applications, ensuring years of protection against outdoor elements. Our new technology helps to manifest resistance to water and vapor. Our Exterior Door includes foam insulation and a neoprene gasket on four sides.

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
ED 8" X 8"	1	5 lbs	\$211.00	\$631.00
ED 12" x 12"	1	15 lbs	\$230.00	\$689.00
ED 14" x 14"	1	17 lbs	\$249.00	\$743.00
ED 14" x 24"	1	15 lbs	\$277.00	\$772.00
ED 18" x 18"	1	20 lbs	\$297.00	\$891.00
ED 22" x 30"	2	32 lbs	\$529.00	\$1,327.00
ED 24" x 24"	1	28 lbs	\$419.00	\$1,048.00
ED 24" x 36"	2	40 lbs	\$629.00	\$1,379.00
ED 30" x 30"	2	38 lbs	\$759.00	\$1,373.00
ED 36" x 36"	2	50 lbs	\$802.00	\$1,588.00
ED 36" x 48"	2	81 lbs	\$932.00	\$1,709.00


EXTERIOR DOOR FOR WALLS AND CEILINGS

Access door frame shall be fabricated from 16 gage galvanized steel with a prime coat finish and provided with bolt holes. Door shall be supplied with 1 inch thick, rigid foam insulation and neoprene gasket on four sides. Access door shall have a concealed hinge with exterior lock that features a threaded ring latch or key operation. Internal latch release is included, enabling the door to be opened from the inside.

PRODUCT FUNCTION:

Elmdor Exterior Access Doors are manufactured and engineered to provide access to exterior applications, ensuring years of protection against outdoor elements. Our new technology helps to manifest resistance to water and vapor. Our Exterior Door includes foam insulation and a neoprene gasket on four sides.

MODEL NUMBER:
EDI SERIES *NEW



NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
EDI 8X8	1	6 lbs	\$220.00	\$726.00
EDI 12" x 12"	1	15 lbs	\$241.00	\$790.00
EDI 14" x 14"	1	17 lbs	\$260.00	\$854.00
EDI 18" x 18"	1	20 lbs	\$311.00	\$1,026.00
EDI 22" x 30"	2	32 lbs	\$554.00	\$1,527.00
EDI 24" x 24"	2	28 lbs	\$439.00	\$1,206.00
EDI 24" x 36"	2	40 lbs	\$660.00	\$1,587.00
EDI 30" x 30"	2	38 lbs	\$644.00	\$1,579.00
EDI 36" x 36"	2	50 lbs	\$841.00	\$1,824.00
EDI 36" x 48"	1	81 lbs	\$980.00	\$1,966.00

- Exterior Door includes foam insulation and a neoprene gasket on four sides.
- Exterior latch features a threaded ring latch or key operation.
- Interior latch release is included, enabling the door to be opened from the inside.



- 1.5 Hour Rating for Walls - Underwriters Laboratory
- RTL - Recessed Turn Latch standard
- Other options available - see inside back cover


FIRE RATED ACCESS DOORS

Access door and frame shall be fabricated from 16 gage, galvanized steel with a prime coat finish suitable for painting. Hinge shall be concealed type. Door shall have a heavy duty spring to provide positive latching when closed, and an interior latch release slide enabling door to be opened from the inside. Exterior latch shall be recessed and operated using ring attached to the sliding bolt.

PRODUCT FUNCTION:

Doors are Fire Rated by Underwriters Laboratories Inc., for 1-1/2 hours, "B" Label, ANSI-UL 10B standard, and CAN/ULC S104 for 2 hours in walls. Door has a heavy duty spring closure to ensure positive latching when panel closes. This door is for wall installation only.

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
FR 8" x 8"	1	6 lbs	\$130.00	\$257.00
FR 10" x 10"	1	7.5 lbs	\$131.00	\$267.00
FR 12" x 12"	1	9 lbs	\$134.00	\$272.00
FR 12" x 18"	1	10.5 lbs	\$139.00	\$286.00
FR 12" x 24"	1	13 lbs	\$147.00	\$300.00
FR 14" x 14"	1	10 lbs	\$159.00	\$296.00
FR 16" x 16"	1	12.5 lbs	\$166.00	\$324.00
FR 18" x 18"	1	15 lbs	\$172.00	\$330.00
FR 20" x 20"	1	18 lbs	\$180.00	\$360.00
FR 22" x 22"	1	22 lbs	\$202.00	\$404.00
FR 22" x 30"	2	28 lbs	\$253.00	\$462.00
FR 24" x 24"	2	24.5 lbs	\$213.00	\$419.00
FR 24" x 36"	2	33 lbs	\$288.00	\$533.00
FR 24" x 48"	2	42 lbs	\$333.00	\$711.00
FR 30" x 30"	2	33.5 lbs	\$296.00	\$659.00
FR 32" x 32"	2	35 lbs	\$300.00	\$673.00
FR 36" x 36"	2	43 lbs	\$386.00	\$763.00
FR 36" x 48"	2	74 lbs	\$448.00	\$823.00



FIRE RATED CEILING ACCESS DOORS

Access door frame shall be fabricated from 16 gage galvanized steel with a prime coat finish and provided with masonry anchors and bolt holes. Access door panel shall be fabricated from 20 gage, galvanized steel with a prime coat finish. Door shall be filled with 2 inch thick, fire rated insulation, and be welded pan type. Access door shall have spring automatic closure, be self-latching and contain an interior latch release. Exterior latching shall be recessed with a universal self-latching bolt, operated by either a knurled knob or flush key.

PRODUCT FUNCTION:

FRC Series access doors are rated by Underwriters Laboratories for 1-1/2 hours, "B" label in walls, Warnock Hersey for 3 hours in ceilings and 2 hours in walls, CAN/ULC S104 for 2 hours in walls. The FRC Series Doors should be utilized when providing access in fire rated walls and ceilings. FRC Series Doors have heavy-duty spring closures to ensure positive latching when the panel closes. An interior latch release is also included on all doors to enable unlocking from the inside.

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
FRC 8" x 8"	1	11 lbs	\$177.00	Priced on Application
FRC 10" x 10"	1	12 lbs	\$181.00	P.O.A.
FRC 12" x 12"	1	15 lbs	\$186.00	P.O.A.
FRC 14" x 14"	1	17 lbs	\$199.00	P.O.A.
FRC 16" x 16"	1	18 lbs	\$228.00	P.O.A.
FRC 18" x 18"	1	20 lbs	\$240.00	P.O.A.
FRC 18" x 24"	1	26 lbs	\$254.00	P.O.A.
FRC 20" x 20"	1	24 lbs	\$249.00	P.O.A.
FRC 22" x 30"	2	32 lbs	\$428.00	P.O.A.
FRC 22" x 36"	2	40 lbs	\$448.00	P.O.A.
FRC 24" x 24"	1	28 lbs	\$337.00	P.O.A.
FRC 24" x 36"	2	40 lbs	\$504.00	P.O.A.
-GB			\$103.00	
-MLP			\$289.00	

GASKETED ACCESS DOORS

Access door and frame shall be fabricated from 18 gage, galvanized steel with a prime coat finish. The door shall have rounded safety corners and a concealed pivoting rod hinge. Frame shall be one piece construction with no mitres or welds on the face. Latch shall be screwdriver operated.

PRODUCT FUNCTION:

Gasketed Access Doors are ideally suited for new installations or for remodeling, in masonry, tile, wood or other wall and ceiling surfaces. Access door is fully gasketed and is commonly used in clean rooms, laboratories, operating rooms, etc.


NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
GD 8" x 8"	1	3.5 lbs	\$118.00	\$259.00
GD 12" x 12"	1	6 lbs	\$130.00	\$280.00
GD 16" x 16"	2	9 lbs	\$222.00	\$487.00
GD 18" x 18"	2	10.5 lbs	\$234.00	\$507.00
GD 24" x 24"	2	16 lbs	\$240.00	\$516.00
GD 24" x 36"	2	22 lbs	\$361.00	\$792.00

MODEL NUMBER: FRC SERIES



- 1.5 Hour Rating for Walls - Underwriters Laboratory
- 3 Hour Rating for Ceilings - Warnock-Hersey
- Complies with California State Fire Marshall
- Key Lock - Convertible to Knurl Knob
- GB - Galvanized Bead - add **\$97.00**
- MLP - Mortice Lock Preparation - add **\$289.00**

MODEL NUMBER: GD SERIES*NEW



- SDL - Screw Driver Latch standard
- Other options available - see inside back cover

**MODEL NUMBER:
HF SERIES*NEW**


- SDL - Screw Driver Latch standard
- Other options available - see inside back cover

HIDDEN FLANGE ACCESS DOOR

Access door and frame shall be fabricated from 16 gage galvanized steel with a prime coat finish. Doors to have concealed pantograph hinges. Latch shall be screwdriver operated cam latch.

PRODUCT FUNCTION:

Hidden Flange Access Doors are ideally suited for new installations or for remodeling in masonry, tile, wood or other wall and ceiling surfaces. The design avoids the additional labor to mud or plaster the flange due to it being hidden behind the door. The beveled edges and concealed door frame provide an appearance that allows the unit to blend into the wall better than other doors where the door frame is readily apparent.

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
HF 8.25" x 8.25"	1	3.5 lbs	\$102.00	Priced on Application
HF 12" x 12"	1	6 lbs	\$112.00	P.O.A.
HF 16" x 16"	1	9 lbs	\$126.00	P.O.A.
HF 18" x 18"	3	10 lbs	\$140.00	P.O.A.
HF 24" x 24"	4	17 lbs	\$171.00	P.O.A.

**MODEL NUMBER:
ML SERIES**


- SDL - Screw Driver Latch standard
- Other options available - see inside back cover

METAL LATH ACCESS DOORS

Access door and frame shall be fabricated from 16 gage, galvanized steel with a prime coat finish suitable for painting. Door shall have a concealed hinge. Latch shall be screwdriver operated. Doors 24" or larger are provided with a continuous piano hinge.

PRODUCT FUNCTION:

Doors are designed specifically to meet the needs of plaster construction. Door has a 3 inch wide metal lath on all four sides for keying into plaster.

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
ML 8" x 8"	1	4 lbs	\$58.00	\$110.00
ML 8" x 12"	1	5.5 lbs	\$66.00	\$133.00
ML 10" x 10"	1	5.5 lbs	\$71.00	\$139.00
ML 12" x 12"	1	6.5 lbs	\$76.00	\$147.00
ML 12" x 16"	1	9 lbs	\$87.00	\$161.00
ML 12" x 18"	1	10 lbs	\$93.00	\$188.00
ML 12" x 24"	2	11.5 lbs	\$104.00	\$216.00
ML 14" x 14"	2	8 lbs	\$89.00	\$199.00
ML 16" x 16"	2	11 lbs	\$99.00	\$204.00
ML 16" x 20"	3	12.5 lbs	\$108.00	\$266.00
ML 18" x 18"	3	13 lbs	\$109.00	\$323.00
ML 18" x 24"	5	20 lbs	\$147.00	\$352.00
ML 20" x 24"	5	22 lbs	\$168.00	\$367.00
ML 20" x 30"	5	23.5 lbs	\$214.00	\$396.00
ML 24" x 24"	3	21 lbs	\$203.00	\$410.00
ML 24" x 30"	5	24.5 lbs	\$259.00	\$486.00
ML 24" x 36"	6	29.5 lbs	\$304.00	\$556.00
ML 30" x 30"	7	25.5 lbs	\$304.00	\$563.00
ML 36" x 36"	8	28 lbs	\$328.00	\$638.00

PLASTERED WALL ACCESS DOORS

Access door and frame shall be fabricated from 16 gage, galvanized steel with a prime coat finish suitable for painting. The door shall have a concealed pivoting rod hinge and a screwdriver operated latch.

PRODUCT FUNCTION:

Doors are designed specifically to meet the needs of plaster construction. Door has a 3/4 inch plaster ground for plaster finish.

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
PW 8" x 8"	1	3.5 lbs	\$68.00	\$109.00
PW 8" x 12"	1	5 lbs	\$80.00	\$133.00
PW 10" x 10"	1	5.5 lbs	\$79.00	\$139.00
PW 12" x 12"	1	6 lbs	\$93.00	\$146.00
PW 12" x 16"	1	7.5 lbs	\$109.00	\$164.00
PW 12" x 18"	2	8.5 lbs	\$127.00	\$198.00
PW 12" x 24"	3	12 lbs	\$162.00	\$263.00
PW 14" x 14"	1	7.5 lbs	\$112.00	\$189.00
PW 16" x 16"	1	9.5 lbs	\$131.00	\$204.00
PW 16" x 20"	3	12 lbs	\$161.00	\$263.00
PW 18" x 18"	3	11 lbs	\$163.00	\$314.00
PW 18" x 24"	5	17.5 lbs	\$188.00	\$360.00
PW 20" x 24"	5	21 lbs	\$208.00	\$403.00
PW 20" x 30"	5	22 lbs	\$253.00	\$477.00
PW 24" x 24"	3	20 lbs	\$222.00	\$418.00
PW 24" x 30"	5	23.5 lbs	\$273.00	\$506.00
PW 24" x 36"	6	27 lbs	\$316.00	\$549.00
PW 30" x 30"	7	30 lbs	\$313.00	\$563.00
PW 36" x 36"	8	38 lbs	\$373.00	\$652.00

MODEL NUMBER: PW SERIES



- SDL - Screw Driver Latch standard
- Other options available - see inside back cover

**MODEL NUMBER:
RAH SERIES**


- 14 gage galvanized steel with 22 gage cover liner
- Optional Fesco (-F) on hatch base

ROOF ACCESS HATCH

Roof hatch shall be fabricated from 14 gage, A60 galvanized steel on both curb and cover. Compression springs encased in zinc-plated telescopic tubes shall be provided for smooth operation of the cover. An automatic hold-open arm with vinyl grip will be furnished. Latching shall include both interior and exterior handles with provisions for a padlock both inside and out.

PRODUCT FUNCTION:

Roof Access Hatches are designed to provide convenient, cost saving access to the roofs of buildings, allowing for ladders and stair access to the roof from the interior of the building. Elmdor Roof Access Hatches are designed and engineered for durability and safety, with ease of installation. The Roof Access Hatches install easily over the roof opening and are secured from the base flange to the roof.

MODEL	NOMINAL DIM. (FRAME INNER DIM. also ROOF OPENING)	APPROX. SHIP WT.	PRICE
E-2424-RAH-W	24" x 24"	84 lbs.	Priced on Application
E-2430-RAH-W	24" x 30"	103 lbs.	P.O.A.
E-2436-RAH-W	24" x 36"	124 lbs.	P.O.A.
E-3030-RAH-W	30" x 30"	129 lbs.	P.O.A.
E-3036-RAH-W	30" x 36"	155 lbs.	P.O.A.
E-3054-RAH-W	30" x 54"	233 lbs.	P.O.A.
E-3096-RAH-W	30" x 96"	413 lbs.	P.O.A.
E-3636-RAH-W	36" x 36"	185 lbs.	P.O.A.
E-3648-RAH-W	36" x 48"	248 lbs.	P.O.A.
E-4848-RAH-W	48" x 48"	330 lbs.	P.O.A.

**MODEL NUMBER:
SF SERIES**


- SDL - Screw Driver Latch standard
- Other options available - see inside back cover

SURF ACCESS DOORS

Access door frame shall be fabricated from 16 gage galvanized steel with a prime coat finish and provided with bolt holes. Access door panel shall be fabricated from 16 gage galvanized steel with a prime coat finish.

PRODUCT FUNCTION:

Doors are designed for surface installation on drywall, masonry or thin-coat plaster. Door features rounded safety corners and is attached to the frame with a continuous piano hinge, allowing a 175 degree opening.

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
SF 8" x 8"	1	2.5 lbs	\$42.00	\$131.00
SF 10" x 10"	1	3.5 lbs	\$48.00	\$144.00
SF 12" x 12"	1	4 lbs	\$58.00	\$180.00
SF 14" x 14"	1	6 lbs	\$68.00	\$214.00
SF 16" x 16"	1	8 lbs	\$86.00	\$263.00
SF 18" x 18"	3	9.5 lbs	\$104.00	\$327.00
SF 22" x 22"	3	13.5 lbs	\$129.00	\$403.00
SF 24" x 24"	3	16 lbs	\$147.00	\$461.00

SLAMMER ACCESS DOORS


Access Door shall be fabricated from 10 gage steel, and frame from 0.1875 x 2 x 2 inch angle steel, with welded and pre-punched mounting holes. Door shall have heavy duty hinges welded to the door and frame. Finish shall be a prime coat suitable for painting. Detention lock by others unless specified.

PRODUCT FUNCTION:

Doors are designed to provide security access with the strength and durability to withstand abusive and vandal-prone conditions prevalent in many institutions. Without sacrificing security, these doors allow maintenance personnel access to plumbing chases, shut-off valves and electrical apparatus located behind finished walls.

NOMINAL DOOR SIZE (W x H)	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
SLA 12" x 12"	29 lbs	\$531.00	Priced on Application
SLA 16" x 16"	37 lbs	\$659.00	P.O.A.
SLA 18" x 18"	42 lbs	\$687.00	P.O.A.
SLA 24" x 24"	59 lbs	\$776.00	P.O.A.
SLA 24" x 36"	78.5 lbs	\$830.00	P.O.A.
SLA 24" x 48"	96 lbs	\$1,086.00	P.O.A.
SLA 36" x 36"	102 lbs	\$1,194.00	P.O.A.
SLA 36" x 48"	126 lbs	\$1,244.00	P.O.A.
Lock		\$2,127.00	
Key		\$379.00	

MODEL NUMBER: SLA SERIES



- Price below does not include security lock
- Lock — **\$2127.00** each
- Key - only one key is supplied for every 10 doors; **\$379.00** for each key

SHUR-LOK ACCESS DOORS

Access door and Frame shall be fabricated from 14 gage, galvanized steel with a prime coat finish suitable for painting. Door shall have a 16 gage vertical reinforcement channel, a concealed hinge, and an automatic, springbolt lock.

PRODUCT FUNCTION:

Doors are designed for drywall, masonry or concrete construction and provide the security required in today's schools, hospitals, hotels, and correctional institutions.


NOMINAL DOOR SIZE (W x H)	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
SLK 8" x 8"	4 lbs	\$102.00	\$257.00
SLK 10" x 10"	5.5 lbs	\$106.00	\$270.00
SLK 12" x 12"	7 lbs	\$109.00	\$274.00
SLK 14" x 14"	8 lbs	\$111.00	\$281.00
SLK 16" x 16"	10 lbs	\$117.00	\$298.00
SLK 18" x 18"	12 lbs	\$129.00	\$330.00
SLK 18" x 24"	16 lbs	\$143.00	\$364.00
SLK 22" x 22"	17.5 lbs	\$148.00	\$379.00
SLK 24" x 24"	20.5 lbs	\$166.00	\$387.00
SLK 24" x 30"	24 lbs	\$177.00	\$430.00
SLK 24" x 36"	28 lbs	\$198.00	\$464.00
SLK 30" x 30"	28.5 lbs	\$239.00	\$607.00
SLK 36" x 36"	41.5 lbs	\$296.00	\$750.00
-AS		\$103.00	

MODEL NUMBER: SLK SERIES



- Automatic Springbolt Lock Standard
- AS - Automatic Spring Door Closer — add **\$103.00**
- Other options available - see inside back cover

**MODEL NUMBER:
SMD SERIES*NEW**



- Latch is allen head with security pin
- Concealed pivoting rod hinge

MEDIUM SECURITY ACCESS DOORS

Access door and frame shall be fabricated from 12 gage, galvanized steel with a prime coat finish. The door shall have rounded safety corners and a concealed pivoting rod hinge. Frame shall be one piece construction with no mitres or welds on the face. Latch shall be allen head with security pin operation. Doors 24" and larger are supplied with a continuous piano hinge.

PRODUCT FUNCTION:

Doors are ideally suited for new installations or for remodeling in detention centers, behavioral facilities, and schools.

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
SMD 12" x 12"	1	12 lbs	\$250.00	Priced on Application
SMD 16" x 16"	2	18 lbs	\$276.00	P.O.A.
SMD 18" x 18"	2	22 lbs	\$279.00	P.O.A.
SMD 24" x 24"	4	34 lbs	\$326.00	P.O.A.
SMD 24" x 36"	5	47 lbs	\$350.00	P.O.A.
SMD 36" x 36"	5	65 lbs	\$397.00	P.O.A.

**MODEL NUMBER:
S009 & S010 SERIES**



- Tamper-resistant screws standard

FLUSH VALVE PANEL AND FRAME

Wall Panel shall be fabricated from 14 gage, type 304 stainless steel with a satin finish on the exposed surface. Frame shall be 16 gage jetcoat steel with a prime coat and shall have mounting holes. Panel shall be secured to frame with four tamper-resistant, stainless steel screws.

PRODUCT FUNCTION:

Wall Panel and Frame are designed for back supply toilets and urinals where the flush valve is built into the wall. This panel allows easy access to service the flush valve by maintenance personnel. Additionally, the panel provides protection to the flush valve from vandalism.

MODEL	NOMINAL DOOR SIZE (W x H)	APPROX. SHIP WT.	STAINLESS STEEL PRICE
S009	12" x 12"	Not Available	Priced on Application
S010	13" x 17"	Not Available	P.O.A.

SURFACE MOUNT, VALVE BOX

Door and Box shall be fabricated from 16 gage, type 304 stainless steel with exposed surfaces polished to a No.4 finish. The door is provided with full length piano hinge. All seams are continuous welded. Latch shall be screwdriver operated.

PRODUCT FUNCTION:

Surface Mounted Valve Boxes provides a fully enclosed access box to valves and controls that may extend outside of the finished wall.

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
SVB 8"x 8"x 4"	1	10 lbs	\$177.00	\$368.00
SVB 8"x 8"x 6"	1	12 lbs	\$190.00	\$416.00
SVB 8"x 8"x 8"	1	12 lbs	\$204.00	\$459.00
SVB 12"x 12"x 4"	1	18 lbs	\$220.00	\$476.00
SVB 12"x 12"x 6"	1	20 lbs	\$234.00	\$507.00
SVB 12"x 12"x 8"	1	26 lbs	\$249.00	\$549.00

MODEL NUMBER:
SVB SERIES*NEW



- SDL - Screw Driver Latch standard
- Cylinder Lock optional

WEATHER STRIP, REMOVABLE ACCESS DOORS

Access door and frame shall be gasketed between the panel and frame to ensure flush air seal in all types of walls and ceilings. Access door and frame shall be fabricated from 16 gage, galvanized steel with a prime coat finish suitable for painting. The door shall have rounded safety corners. Frame shall be one piece construction with no mitres or welds on the face. Latch shall be screwdriver operated.

PRODUCT FUNCTION:

Weather Strip Removable Access Doors are designed with flush gaskets between the panel and frame to ensure flush air seal in all types of walls and ceilings. Note: Door has NOT been tested for air tightness.

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
WSR 8" x 8"	4	3 lbs	\$112.00	\$162.00
WSR 10" x 10"	4	4 lbs	\$117.00	\$180.00
WSR 12" x 12"	4	5.5 lbs	\$121.00	\$190.00
WSR 14" x 14"	4	6 lbs	\$130.00	\$216.00
WSR 16" x 16"	4	7.5 lbs	\$142.00	\$246.00
WSR 18" x 18"	6	9 lbs	\$152.00	\$270.00
WSR 24" x 24"	8	15 lbs	\$181.00	\$387.00

MODEL NUMBER:
WSR SERIES



- SDL - Screw Driver Latch standard
- Cylinder Lock optional

MODEL NUMBER:
VB SERIES



- Valve Box features Enclosed Back
- SDL - Screw Driver Latch standard


RECESSED VALVE BOX

Access door and frame shall be fabricated from 16 gage, galvanized steel with a prime coat finish suitable for painting. The door shall have rounded safety corners and a concealed continuous piano hinge. Frame shall be one piece construction with no mitres or welds on the face. Latch shall be screwdriver operated. Box shall be fully enclosed.

PRODUCT FUNCTION:

Valve boxes are engineered to provide access to all types of valves and controls which are concealed in the wall. Elmdor Valve Boxes are fully enclosed and feature rounded safety corners.

NOMINAL DOOR SIZE (W x H)	NO. OF LATCHES	APPROX. SHIP WT.	MILD STEEL PRICE	STAINLESS STEEL PRICE
VB 8" x 8" x 4"	1	10 lbs	\$177.00	\$368.00
VB 8" x 8" x 6"	1	12 lbs	\$190.00	\$416.00
VB 12" x 12" x 4"	1	18 lbs	\$220.00	\$476.00
VB 12" x 12" x 6"	1	20 lbs	\$234.00	\$507.00
VB 14" x 14" x 4"	1	26 lbs	\$272.00	\$599.00
VB 14" x 14" x 6"	1	28 lbs	\$286.00	\$614.00
VB 16" x 16" x 4"	1	32 lbs	\$328.00	\$719.00
VB 16" x 16" x 6"	1	34 lbs	\$343.00	\$754.00



ELMDOR ACCESS DOOR OPTIONS (CHECK SUBMITTAL/SPECIFICATION SHEET FOR APPLICABLE OPTIONS)

OPTION	DESCRIPTION	PRICE
- AKL	Allen Key Lock (per latch)	Add Each Latch \$4.00
- AKCR	Allen Key Latch Center Reject (per latch)	Add Each Latch \$6.00
- AS	Automatic Spring Door Closer (available only on SLK models)	Add \$103.00
- CL	Cylinder Lock	Add Each one per Door \$10.00
- CLD	Cylinder Lock with Dust Shutter	Add Each one per Door \$14.00
- GB	Galvanized Bead (available only on AT & FRC models)	Add \$97.00
- MAS	Masonry Anchor Straps (available only on DW models)	Add \$10.00
- MLP	Mortise Lock Preparation	Add \$289.00
- TH	T-Handle (per latch)	Add Each Latch \$18.00

ELMDOR ACCESS DOOR TERMS, CONDITIONS OF SALES, & WARRANTY**PRICE & PROJECT QUOTATIONS**

Prices shown in all of our Price Guides are subject to change without notice. Project Quotations: These are for acceptance within a maximum of 90 days from date of quotation and prices are guaranteed only for materials which can be scheduled and shipped within one year from date of quotation, except where this period has been extended in writing by Elmdor Manufacturing Company. All shipments are subject to invoicing at price in effect at time of shipment. Customer purchase order is requested to be received by factory on all orders. All orders are subject to credit approval prior to shipment. Orders with indefinite shipping date; i.e. hold for approval, will advise, etc., have no status. All orders are subject to acceptance by Elmdor factory at City of Industry, California. No agent or representative of the company is authorized to make any exceptions.

TERMS, TAXES & MINIMUM INVOICE

Terms: Net 30 days. Discounts are not allowed on freight charges. Invoice is assumed to have been received by customer if factory is not notified of non receipt within 10 days after receipt of goods. An unpaid invoice is considered late if not received within 30 days from shipment and becomes subject to a service charge of 2% per month starting with the due date. If legal action is necessary to enforce payment, purchaser will pay any court costs and reasonable attorney fees.

Taxes: Any sales or manufacturer's tax imposed under the existing or future statutes may be added to the price herewith and shall be paid by the buyer. Should any buyer claim exemption from sales taxation, a Resale Certificate must be received by factory prior to invoicing. Minimum Invoice: This is \$100.00 net.

FREIGHT & WEIGHTS & SPECIAL DELIVERY

Freight: Shipments are F.O.B. Factory, City of Industry, California, except where specifically stated otherwise. Shipments are normally sent prepay or charge. A \$6.00 surcharge, per package, is added to small parcel shipments. Weights: All weights shown in Elmdor literature or quotations are estimates and are not guaranteed. Carrier: Elmdor reserves the right to select the carrier on all shipments. Special Delivery Charge: A minimum \$25.00 charge is made for special delivery to airline or bus terminals.

SHIPPING DATE

Every effort is made to comply with scheduled shipping dates; however, Elmdor is not liable for any loss or damage arising out of delay in delivery of any of its products due to causes beyond the control of the company. When customer order is scheduled and in production, changes in shipping date can only be honored by written notice, with the understanding that any changes incurred will be charged to the purchaser and rescheduling can only be made on the basis of factory convenience.

TRANSPORTATION CLAIMS

For F.O.B. factory orders the responsibility of Elmdor ceases upon delivery of goods in good order to Transportation Company, and all goods are shipped at consignee's risk and consignee must file freight claims for losses or damage in shipment. Elmdor will file freight claims on F.F.A. orders if consignee has compiled with the following action within five (5) working days after receipt of shipment:

- 1) Inspect shipment immediately upon receipt. 2) Have shipment inspected by delivering carrier for losses or damages (regardless of consignee's opinion as to whether it is damaged or defective).
- 3) File inspection report with carrier and send copy to factory. 4) No claim for failure to receive shipment will be honored unless Elmdor is notified within a reasonable time after receipt of invoice.

SHORTAGES

No claim for shortages will be honored unless Elmdor is notified within 5 working days after receipt of shipment.

RETURNED GOODS

No material shall be returned without written permission. Permission is obtained when Elmdor issues material return requisition (MRR) which will only be issued after purchaser supplies the correct invoice number and date, or sales order number or customer purchase order number covering original shipment of material. All material must be returned freight prepaid. MRR credits less than \$50.00 will not be issued unless proven defective. All credit, when issued, will apply only against future purchases and are subject to the following: 35% handling charge; any charges necessary to put the material back in saleable condition; any outgoing freight charges paid by Elmdor. The foregoing applies only to items regularly stocked by the factory. Value of custom fabrication and non-stock items will be as determined by the factory. Custom orders are not subject to return.

PRODUCT APPROVALS, FIELD MEASUREMENTS, CHANGE IN SPECIFICATIONS AND CANCELLATIONS

Product Approvals: When quoting equivalent materials, every effort is made to quote on materials which are equal or superior to those specified. Elmdor will provide, at no cost, certified data sheets for submission to architect/engineer/owner for approval. Elmdor cannot guarantee this approval. The limit of our responsibility is to provide the material exactly as quoted. When materials are approved as submitted, the limit of Elmdor's responsibility is to furnish material as approved. Product modifications or alternate products will only be furnished at their current selling prices. Field Measurements: When required, they are the responsibility of the purchaser and must and must be transmitted to Elmdor in writing. Measurements made by Elmdor employees or representatives are acceptable only when verified and approved in writing by the purchaser/contractor. Change in Specifications or Cancellations: These can only be honored by written notice with the understanding that any incurred costs will be chargeable to the purchaser. Custom ordered material is not returnable and cannot be canceled after production has begun.

LIMITED WARRANTY

Elmdor warrants that all of its products are guaranteed against defective material or faulty workmanship for a period of one year from date of shipment. Elmdor's liability under this warranty shall be discharged by furnishing without charge F.O.B. City of Industry, California, any goods, or part thereof, which appear to the company upon inspection to be of defective material or not of first class workmanship, provided that claim is made in writing to the company within reasonable period after receipt of the product. Where claims for defects are made, the defective part or parts shall be delivered to the company, prepaid, at City of Industry, California for inspection. Elmdor will not be liable for the cost of repairs, alterations or replacements, or for any expense connected therewith made by the owner or his agents, except upon written authority from the Elmdor City of Industry office. Elmdor will not be liable for any damages caused by defective materials or poor workmanship, except for replacements, as above provided. Buyer agrees that Elmdor has made no other warranties either expressed or implied in addition to those above stated, except that of title with respect to any of the products or equipment sold hereunder and that Elmdor shall not be liable for general, special or consequential damages claimed to arise under the contract or sale.

ILLUSTRATIONS & DESCRIPTIONS

Illustrations, detail drawings and accompanying descriptions describing standard features, and sometimes optional variations of each product, do not necessarily show or describe all the variations available. All designs are subject to change without notice and unless stated in the order, material will be furnished of the design in effect at the time the order is filled.

— July 2008

TERMS, CONDITIONS & WARRANTY ARE SUBJECT TO CHANGE. ALWAYS REFER TO ELMDOR'S ONLINE DOCUMENT AT WWW.ELMDORSTONEMAN.COM/TCW



ELMDOR ACCESS DOORS

P.O. BOX 3527 | CITY OF INDUSTRY, CA 91744-0527 U.S.A.

P 800-591-9181 | P 626-968-8699 | F 626-333-4109

ELMDOR.COM