



FIAT[®]
PRODUCTS



2021 FIAT PRODUCTS
LIST PRICE GUIDE
EFFECTIVE AUGUST 2, 2021

[Click here to watch a quick digital price book tutorial highlighting key tools, features and functionality.](#)



As we begin 2021, LIXIL has taken a giant step forward in transitioning from traditional paperback price books to an exciting new digital format. The COVID-19 crisis has brought many changes to each of us and LIXIL is proud to be a steward of environmental change. LIXIL is partnering with the Arbor Day Foundation to donate and plant a tree in your company's name for every FIAT List Price Guide that is turned in to your local FIAT agency.

Now is the time for change. Now is the time for LIXIL and our partners to create new practices and standards of living that protect the planet and make it better for future generations.

Please join us.

Trees for the future – plant trees, change lives.







MOP SERVICE BASINS



SHOWER FLOORS



LAUNDRY TUBS

A TRUSTED BRAND WITH A STRONG COMMERCIAL LEGACY

Since 1919, FIAT® Products have been making their way into hotels, schools, offices, hospitals, and homes. As a leader in commercial, institutional, and residential markets, FIAT's decades of experience in the design, development, and manufacturing of plumbing products has led to an impressive array of durable high-quality products from terrazzo shower floors to mop service basins and laundry tubs.

THE FIAT ADVANTAGE

The **most specified** brand in the industry

Made from **high quality** raw materials

Leader in quality, durability, and safety

Shower floors, mop service basins, and laundry tubs are **made in the USA**

Reliable and dependable customer and technical service teams

MATERIAL DESCRIPTIONS

TERRAZZO

There is not a finer and more durable material for mop basins and shower floors than precast terrazzo. FIAT®'s mop service basins, composed of black and white marble chips cast in grey Portland cement, and shower bases, composed of black and white marble chips cast in white Portland cement, have a minimum compression strength of 3,000 psi. They are easy to maintain and install.

Used in FIAT Mop Service Basins and Shower Floors

MOLDED-STONE® OR SHEET MOLDING COMPOUND (SMC)

Molded-Stone or SMC contains a calcium based material that while being low cost, provides weight, strength, and fire retarding properties. The SMC process permits the use of longer glass fibers, which are placed in a multiple overlap of individual strands to permit total impregnation and wetting-out of the fibers without any fiber degradation that can diminish the strength-imparting properties. The more thorough bond of the glass fibers reduces the amount of fibers necessary for maximum strength, resulting in both lower weight and a denser, smoother, void-free product.

Used in FIAT Mop Service Basins, Shower Floors and Laundry Tubs

GELCOAT

Gelcoat material is made entirely out of fiberglass with a gelcoat surface finish. This gelcoat is a polyester resin on the surface of the fiberglass material. This type of material is affordable and can be repaired easily.

Used in FIAT Shower Floors

POLYETHYLENE

Polyethylene is the most common and popular plastic used in daily life. This very versatile material is used in products from water bottles to laundry tubs. FIAT polyethylene laundry tubs are made from high density polyethylene material that is light weight and durable.






Used in FIAT Laundry Tubs



CUSTOM QUOTING

For your convenience, FIAT® produces custom terrazzo floors. If you're looking for a special size or shape, use the FIAT custom quoting forms found on our website **www.FIATPRODUCTS.COM** under resources.

EXAMPLE FORM:

TSB SERIES					
			<p style="text-align: center;"><u>SPECIFICATIONS</u></p> <p>3" STAINLESS STEEL DRAIN BODY CAST INTEGRAL WITH REMOVABLE STRAINER PLATE MADE OF STAINLESS STEEL</p>		
 <p style="text-align: center;">SECTION 1</p>			 <p style="text-align: center;">SECTION 2</p>		
 <p style="text-align: center;">SECTION 3</p>			 <p style="text-align: center;">SECTION THRU DRAIN</p>		
<p>* SELECT SECTION AS TO APPROPRIATE SIDE (PLAIN, CAPPED, FLANGED)</p>					
QTY	SIZE	A	B	C*	D*
<p>* INDICATES DRAIN LOCATION. DIMENSIONS MUST BE SPECIFIC, ESPECIALLY WITH OFFSET DRAIN.</p> <p>DRAIN SIZE (OTHER THAN 3"): _____</p> <p>COLOR (OTHER THAN BLACK & WHITE) _____</p>					
<p>IMPORTANT: DUE TO THE NATURE OF MATERIAL AND MANUFACTURING PROCESS THE ACTUAL DIMENSIONS MAY VARY ±1/2"</p>					
<p>FIAT PRODUCTS</p>			<p>CUSTOMER SERVICE UNITED STATES 1-800-442-1902 www.fiatproducts.com</p>		
			<p>CUSTOMER SERVICE CANADA 1-800-387-0369 www.fiat.ca</p>		
<p>NOTE: ESTABLISH 1/4" INCH CLEARANCE BETWEEN SHOWER FLOOR AND WALL. IT IS IMPORTANT THAT ENTIRE AREA BETWEEN RECEPTOR AND BUILDING FLOOR HAVE A LAYER OF MORTAR IN ORDER THAT SHOWER FLOORS BE LEVEL.</p>					
<p>NOTE: CUSTOMER TO REVIEW, VERIFY, AND APPROVE DRAWING FOR PRODUCTION. ONCE DRAWING IS SIGNED FOR APPROVAL AND SUBMITTED WITH ORDER, THE ORDER SHALL BE NON-CANCELABLE.</p>					
DWG. APPROVED: _____				DATE: _____	
CUST: _____					
JOB: _____					
ORDER #: _____					

After you complete the form with drawing and dimensions, e-mail it to: **CustomQuotes@FIATProducts.com**
The drawing will be reviewed, approved, quoted and returned for final authorization to produce.

Standard Net Charges:

Vandal Resistant Drain: \$25.00
Stainless Steel Flange: \$5.00 per flange
*Custom Color Only: \$40.00

*This charge covers a custom SKU that requires an optional color only. No other modifications are included in this upcharge.

See inside back cover for custom order color availability.

QUICK CONNECT GASKET APPLICATIONS

QIC & QDC Quick Connect Gasket Applications						
GASKET	HEIGHT	O.D.	I.D.	FOR USE WITH	FIAT PRODUCT APPLICATION	PRICE
QIC2000	1.000	3.050	2.270	2.375 O.D. Pipe	ADAF Gelcoat & Cascade	11
QIC2CP000	1.175	3.080	2.000	2.125 O.D. Copper Pipe	ADAF Gelcoat & Cascade	16
QIC3XH000	1.240	4.180	3.520	3.5 O.D. Pipe	Molded-Stone Mop Basin — MSBID2424 — only	16.00
QDC2000	1.150	3.050	2.275	2.375 O.D. Pipe	Replacement for Steel Drain Cascade Floor (Rare — 10 year old floors)	12
QDC4000	1.000	2.950	2.350	2.375 O.D. Pipe	Terrazzo Shower Floors	12
QDC3XH000	1.240	4.480	3.400	3.5 O.D. Pipe	Terrazzo Mop Service Basins & Molded-Stone® Mop Basins (MSB Standard)	14
QDC3SN000	1.250	4.400	3.200	3.5 O.D. Pipe	Terrazzo Mop Service Basins & Molded-Stone Mop Basins	16
QDC32000	1.350	4.400	2.250	2.375 O.D. Pipe	Terrazzo Mop Service Basins & Molded-Stone Mop Basins (EFS Basins)	26
QIC32000	1.240	4.100	2.220	2" PVC Pipe	Molded-Stone Mop Basin — MSBID2424 — only	16
QIC3SN000	1.240	4.100	2.220	3" Soil Pipe	Molded-Stone Mop Basin — MSBID2424 — only	16



QIC2000



QDC2000



QDC3XH000



QIC32000



QIC2CP000



QDC4000



QDC3SN000



QIC3SN000



QIC3XH000



QDC32000

INDEX

FIAT® Products Quick Reference					
Model Number	List Price	Page	Model Number	List Price	Page
00242604100	10	22	MSBID2424	338	13
30MFT	457	16	MSBIDTG2424	694	13
3236MFTRS	548	17	PA11	187	25
32MFT	485	16	P1	98	25
32MFTD	525	18	P1-BULKWC	7,211	25
32WL	206	21	RM	851	18
34MFT	516	16	QDC2000	12	4
34MFTC	502	18	QDC32000	26	4
34WL	226	21	QDC3SN000	16	4
3632MFTR	509	17	QDC3XH000	14	4
3642MFTRS	669	17	QDC4000	12	4
3648MFTRS	739	17	QIC2000	11	4
36MFT	514	16	QIC2CP000	16	4
36MFTC	522	18	QIC3200	16	4
36WL	226	21	QIC3SN000	16	4
36WLC	268	22	QIC3XH000	16	4
36WLD	286	22	SB2424	549	12
38WLC	281	22	SB3030	568	12
4232MFTR	524	17	SB3232	575	12
4236MFTR	580	17	SB3624	615	12
4242WL	321	21	SB3636	650	12
42MFT	626	16	SBC3636	632	9
42WL	265	21	SF1F	119	24
4832MFTR	583	17	SF1W	119	24
4832WL	292	21	SF1F-BULKLC100	6,222	24
4836MFTR	659	17	SF1F-BULKWC100	6,222	24
48MFT	992	16	SF1F/A1100	221	24
48WL	295	21	SF1W/A1100	221	24
54WL	332	21	STRWL000	31	22
6030MFTR	766	17	TAT1	251	25
6032MFTR	862	17	TSB100	1,007	10
6034MFTR	851	17	TSB200	785	11
6036MFTR	872	17	TSB300	1,445	10
60WL	354	21	TSB3000	1,044	7
830AA000	230	14	TSB3001	1,257	7
ADAF3636	606	20	TSB3002	1,469	7
ADAF6030	801	20	TSB3003	1,156	7
ADAF6036	892	20	TSB3010	785	8
ADATN3636	1,463	19	TSB3011	1,071	8
ADATN6030	1,625	19	TSB3012	1,257	8
ADATN6036	1,706	19	TSB3013	992	8
ADAWN3636	1,568	19	TSB400	1,027	11
ADAWN6030	1,726	19	TSB500	1,607	10
ADAWN6036	1,900	19	TSB600	1,246	11
DL1	146	25	TSB700	1,249	10
DL1720	114	25	TSB800	984	11
DL1-BULKWC	8,554	25	TSBC1610	869	7
FL1	148	23	TSBC1611	1,071	7
FL1-BULKWC	11,167	23	TSBC1612	1,257	7
FL7	136	23	TSBC6000	785	8
FL7TG	263	23	TSBC6001	963	8
FL7-BULKWC	6,758	23	TSBC6002	1,203	8
FLTDII	303	24	TSBC6010	1,025	9
FLTDII/A1100	407	24	TSBC6011	1,231	9
FLTDII-BULKWC	5,828	24	TSBC6012	1,433	9
L1	148	23	TSBCR1000	796	9
L1-BULKWC	7,180	23	TSBCR1100	921	9
L7	136	23	TTB2424	638	10
L7TG	263	23	TTB3624	649	10
L7-BULKWC	6,758	23	WTR4990	1,307	20
LTDII	303	24	WTR4995	1,349	20
MSB2424	384	13	WTR5006	1,952	20
MSB3624	392	13	WTR5007	1,794	20

Recommended Upgrades and Parts Quick Reference



Model Number	List Price	Page	Model Number	List Price	Page
▷0017204000	9	26	E77AA36000	46	15
▷00242604100	10	22	E88AA24000	44	15
▷00727402000	12	26	E88AA36000	49	15
▷01898800100	10	26	GRA02000	36	14
▷01898900000	10	26	GRA03000	32	14
▷02727900000	30	26	GRA04000	8	14
▷02727901100	31	26	GRA05000	18	14
▷02883900100	36	26	GRA08000	263	14
▷02883901000	34	26	GRA09000	13	14
▷02883902000	34	26	GRA10000	13	14
▷02883903000	108	26	GRA11000	24	14
▷02883906000	117	26	MSG24000	118	15
▷02883907000	72	26	MSG2424000	298	15
▷02898904100	64	26	MSG2828000	298	15
▷02898905000	52	26	MSG32000	118	15
1453BB000	15	15	MSG3232000	298	15
1239BB24000	85	15	MSG36000	118	15
1239BB32000	93	15	MSG3624000	298	15
1239BB36000	98	15	MSG3636000	310	15
38640020000	15	15	MSGBRKT000	46	15
830AA000	230	15	QDC32000	26	15
832AA000	41	15	RP07000	15	14
833AA000	22	15	▷ STR1000	39	15
889CC000	87	15	▷ STRID2000	26	15
A1000	108	26	▷ STRWL000	31	22
A2000	15	26	TERRAZZO KIT081	91	15
A17000	87	26	TERRAZZO KIT100	91	15
E77AA24000	43	15	TERRAZZO KIT501	91	15

Custom Orders Quick Reference

Model Number	List Price	Page	Model Number	List Price	Page
ADATSPEC	CUSTOM ORDER	19	MFTSPEC	CUSTOM ORDER	17
ADAWSPEC	CUSTOM ORDER	19	SBSPEC	CUSTOM ORDER	12
MFTSPEC	CUSTOM ORDER	16	TSBSPEC	CUSTOM ORDER	7-11
MFTCSPEC	CUSTOM ORDER	18	TTBSPEC	CUSTOM ORDER	10
MFTDSPEC	CUSTOM ORDER	18	WTRSPEC	CUSTOM ORDER	20

▷ Repair Parts

TERRAZZO MOP SERVICE BASINS



Mop Service Basins	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. ³)	COLORS	LIST PRICE
STOCKTON™ 	<ul style="list-style-type: none"> Neo-corner mop service basin Integral stainless steel drain assembly Strainer plate Stainless steel drop front threshold with stainless steel cap 3" Drain Basin — 12" (305 mm) deep with 6" (152 mm) drop front 				
	TSBC1610 Nominal Dimensions: <ul style="list-style-type: none"> 24" x 24" (610 x 610 mm) 	235 lbs (107 kg)	4.0	501 Grey Portland Cement with White Chips	869
	TSBC1611 Nominal Dimensions: <ul style="list-style-type: none"> 32" x 32" (813 x 813 mm) 	420 lbs (109 kg)	7.1	501 Grey Portland Cement with White Chips	1,071
	TSBC1612 Nominal Dimensions: <ul style="list-style-type: none"> 36" x 36" (914 x 914 mm) 	455 lbs (206 kg)	9.0	501 Grey Portland Cement with White Chips	1,257
STOCKTON™ 	<ul style="list-style-type: none"> Mop service basin Integral stainless steel drain assembly Strainer plate 3" Drain Basin — 12" (305 mm) deep with 6" (152 mm) drop front Stainless steel caps on all curbs 				
	TSB3000 Nominal Dimensions: <ul style="list-style-type: none"> 24" x 24" (610 x 610 mm) 	230 lbs (104 kg)	4.0	501 Grey Portland Cement with White Chips	1,044
	TSB3001 Nominal Dimensions: <ul style="list-style-type: none"> 32" x 32" (813 x 813 mm) 	415 lbs (188 kg)	7.1	501 Grey Portland Cement with White Chips	1,257
	TSB3002 Nominal Dimensions: <ul style="list-style-type: none"> 36" x 36" (914 x 914 mm) 	470 lbs (213 kg)	9.0	501 Grey Portland Cement with White Chips	1,469
	TSB3003 Nominal Dimensions: <ul style="list-style-type: none"> 36" x 24" (914 x 610 mm) 	345 lbs (156 kg)	6.0	501 Grey Portland Cement with White Chips	1,156
Custom Order				Optional Colors	
TSBSPEC*				081 White Portland Cement with Black & White Chips 100 White Portland Cement with White Chips	

*Custom Order Terrazzo forms available at www.FIATPRODUCTS.com/resources.

*Custom orders cannot be cancelled and are non-refundable.

For recommended upgrades and parts, see page 15.

TERRAZZO MOP SERVICE BASINS




Mop Service Basins	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. ³)	COLORS	LIST PRICE
STOCKTON™ 	<ul style="list-style-type: none"> • Mop service basin • Stainless steel drop front threshold • Integral stainless steel drain assembly • Strainer plate • Stainless steel drop front threshold with stainless steel cap • 3" Drain • Basin — 12" (305 mm) deep with 6" (152 mm) drop front 				
	TSB3010 Nominal Dimensions: <ul style="list-style-type: none"> • 24" x 24" (610 x 610 mm) 	230 lbs (140 kg)	4.0	501 Grey Portland Cement with White Chips	785
	TSB3011 Nominal Dimensions: <ul style="list-style-type: none"> • 32" x 32" (813 x 813 mm) 	415 lbs (188 kg)	7.1	501 Grey Portland Cement with White Chips	1,071
	TSB3012 Nominal Dimensions: <ul style="list-style-type: none"> • 36" x 36" (914 x 914 mm) 	470 lbs (213 kg)	9.0	501 Grey Portland Cement with White Chips	1,257
	TSB3013 Nominal Dimensions: <ul style="list-style-type: none"> • 36" x 24" (914 x 610 mm) 	345 lbs (156 kg)	6.0	501 Grey Portland Cement with White Chips	992
STOCKTON™ 	<ul style="list-style-type: none"> • Neo-corner mop service basin with plain curbs • Integral stainless steel drain assembly • Strainer plate • 3" Drain • Basin — 12" (305 mm) deep 				
	TSBC6000 Nominal Dimensions: <ul style="list-style-type: none"> • 24" x 24" (610 x 610 mm) 	255 lbs (116 kg)	4.0	501 Grey Portland Cement with White Chips	785
	TSBC6001 Nominal Dimensions: <ul style="list-style-type: none"> • 32" x 32" (813 x 813 mm) 	420 lbs (190 kg)	7.1	501 Grey Portland Cement with White Chips	963
	TSBC6002 Nominal Dimensions: <ul style="list-style-type: none"> • 36" x 36" (914 x 914 mm) 	485 lbs (220 kg)	9.0	501 Grey Portland Cement with White Chips	1,203
Custom Order				Optional Colors	
TSBSPEC*				081 White Portland Cement with Black & White Chips 100 White Portland Cement with White Chips	

*Custom Order Terrazzo forms available at www.FIATPRODUCTS.com/resources.

*Custom orders cannot be cancelled and are non-refundable.

For recommended upgrades and parts, see page 15.

TERRAZZO MOP SERVICE BASINS


Mop Service Basins	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. ³)	COLORS	LIST PRICE
STOCKTON™ 	<ul style="list-style-type: none"> Neo-corner mop service basin with continuous stainless steel caps on all curbs Integral stainless steel drain assembly Strainer plate 3" Drain Basin — 12" (305 mm) deep 				
	TSBC6010 Nominal Dimensions: <ul style="list-style-type: none"> 24" x 24" (610 x 610 mm) 	255 lbs (116 kg)	4.0	501 Grey Portland Cement with White Chips	1,025
	TSBC6011 Nominal Dimensions: <ul style="list-style-type: none"> 32" x 32" (813 x 813 mm) 	420 lbs (190 kg)	7.1	501 Grey Portland Cement with White Chips	1,231
	TSBC6012 Nominal Dimensions: 36" x 36" (914 x 914 mm)	485 lbs (220 kg)	9.0	501 Grey Portland Cement with White Chips	1,433
STOCKTON™ 	<ul style="list-style-type: none"> Neo-corner mop service basin with plain curbs Integral stainless steel drain assembly Strainer plate 3" Drain Basin — 12" (305 mm) deep with 6" (152 mm) drop front threshold 				
	TSBCR1000 Nominal Dimensions: <ul style="list-style-type: none"> 28" x 28" (711 x 711 mm) 	290 lbs (132 kg)	5.4	501 Grey Portland Cement with White Chips	796
	TSBCR1100 Nominal Dimensions: <ul style="list-style-type: none"> 28" x 28" (711 x 711 mm) Same as TSBCR1000 with stainless steel threshold 	165 lbs (75 kg)	5.4	501 Grey Portland Cement with White Chips	921
BERKELEY™ 	<ul style="list-style-type: none"> Neo-corner mop service basin with plain curbs Integral stainless steel drain assembly Strainer plate Basin — 6" (152 mm) deep 				
	SBC3636 Nominal Dimensions: <ul style="list-style-type: none"> 36" x 36" (813 x 813 mm) 	228 lbs (103 kg)	4.5	501 Grey Portland Cement with White Chips	626.00
Custom Order			Optional Colors		
	TSBSPEC*			081 White Portland Cement with Black & White Chips 100 White Portland Cement with White Chips	


*Custom Order Terrazzo forms available at www.FIATPRODUCTS.com/resources.

*Custom orders cannot be cancelled and are non-refundable.

For recommended upgrades and parts, see page 15.

TERRAZZO MOP SERVICE BASINS

Mop Service Basins		DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. ³)	COLORS	LIST PRICE
<div>STOCKTON™</div> <div></div>		<ul style="list-style-type: none">• Mop service basin• Continuous stainless steel caps on all curbs• Integral stainless steel drain assembly• Strainer plate• 3" Drain• Basin — 12" (305 mm) deep				
	TSB100	Nominal Dimensions: <ul style="list-style-type: none">• 24" x 24" (610 x 610 mm)	287 lbs (130 kg)	4.0	501 Grey Portland Cement with White Chips	1,007
	TSB300	Nominal Dimensions: <ul style="list-style-type: none">• 32" x 32" (813 x 813 mm)	435 lbs (197 kg)	7.1	501 Grey Portland Cement with White Chips	1,445
	TSB500	Nominal Dimensions: <ul style="list-style-type: none">• 36" x 36" (914 x 914 mm)	545 lbs (247 kg)	9.0	501 Grey Portland Cement with White Chips	1,607
	TSB700	Nominal Dimensions: <ul style="list-style-type: none">• 36" x 24" (914 x 610 mm)	405 lbs (184 kg)	6.0	501 Grey Portland Cement with White Chips	1,249
Custom Order					Optional Colors	
TSBSPEC*					100 White with White Chips	


<div>STOCKTON™</div> <div></div>		<ul style="list-style-type: none">• Mop service basin• Plain curb• Integral stainless steel drain assembly• Strainer plate• 3" Drain• Basin — 10" (254 mm) deep				
	TTB2424	Nominal Dimensions: <ul style="list-style-type: none">• 24" x 24" (610 x 610 mm)	240 lbs (109 kg)	3.3	501 Grey Portland Cement with White Chips	638
	TTB3624	Nominal Dimensions: <ul style="list-style-type: none">• 36" x 24" (914 x 610 mm)	340 lbs (154 kg)	5.0	501 Grey Portland Cement with White Chips	649
Custom Order					Optional Colors	
TTBSPEC*					081 White Portland Cement with Black & White Chips 100 White Portland Cement with White Chips	

*Custom Order Terrazzo forms available at www.FIATPRODUCTS.com/resources.

*Custom orders cannot be cancelled and are non-refundable.

For recommended upgrades and parts, see page 15.

TERRAZZO MOP SERVICE BASINS



Mop Service Basins	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. ³)	COLORS	LIST PRICE
STOCKTON™ 	<ul style="list-style-type: none"> Mop service basin Square mop service basin with plain curbs Integral stainless steel drain assembly Strainer plate 3" Drain Basin — 12" (305 mm) deep 				
	TSB200 Nominal Dimensions: <ul style="list-style-type: none"> 24" x 24" (610 x 610 mm) 	287 lbs (130 kg)	4.0	501 Grey Portland Cement with White Chips	785
	TSB400 Nominal Dimensions: <ul style="list-style-type: none"> 32" x 32" (813 x 813 mm) 	435 lbs (197 kg)	7.1	501 Grey Portland Cement with White Chips	1,027
	TSB600 Nominal Dimensions: <ul style="list-style-type: none"> 36" x 36" (914 x 914 mm) 	545 lbs (247 kg)	9.0	501 Grey Portland Cement with White Chips	1,246
	TSB800 Nominal Dimensions: <ul style="list-style-type: none"> 36" x 24" (914 x 610 mm) 	405 lbs (184 kg)	6.0	501 Grey Portland Cement with White Chips	984
Custom Order				Optional Colors	
TSBSPEC*				081 White Portland Cement with Black & White Chips 100 White Portland Cement with White Chips	

*Custom Order Terrazzo forms available at www.FIATPRODUCTS.com/resources.

*Custom orders cannot be cancelled and are non-refundable.

For recommended upgrades and parts, see page 15.

TERRAZZO MOP SERVICE BASINS




Mop Service Basins	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (ft. ³)	COLORS	LIST PRICE
BERKELEY™ 	<ul style="list-style-type: none"> • Mop service basin with plain curbs • Integral stainless steel drain assembly • Strainer plate • 3" Drain • Basin — 6" (152 mm) deep 				
	SB2424 Nominal Dimensions: <ul style="list-style-type: none"> • 24" x 24" (640 x 640 mm) 	255 lbs (116 kg)	3.1	501 Grey Portland Cement with White Chips	549
	SB3030 Nominal Dimensions: <ul style="list-style-type: none"> • 30" x 30" (762 x 762 mm) 	280 lbs (127 kg)	3.1	501 Grey Portland Cement with White Chips	568
	SB3232 Nominal Dimensions: <ul style="list-style-type: none"> • 32" x 32" (813 x 813 mm) 	260 lbs (118 kg)	3.5	501 Grey Portland Cement with White Chips	575
BERKELEY™ 	<ul style="list-style-type: none"> • Mop service basin with plain curbs • Integral stainless steel drain assembly • Strainer plate • 3" Drain • Basin — 6" (152 mm) deep 				
	SB3624 Nominal Dimensions: <ul style="list-style-type: none"> • 36" x 24" (914 x 610 mm) 	220 lbs (100 kg)	3.0	501 Grey Portland Cement with White Chips	615
	SB3636 Nominal Dimensions: <ul style="list-style-type: none"> • 36" x 36" (914 x 914 mm) 	325 lbs (147 kg)	4.5	501 Grey Portland Cement with White Chips	650
Custom Order				Optional Colors	
SBSPEC*				081 White Portland Cement with Black & White Chips 100 White Portland Cement with White Chips	

*Custom Order Terrazzo forms available at www.FIATPRODUCTS.com/resources.

*Custom orders cannot be cancelled and are non-refundable.

For recommended upgrades and parts, see page 15.


MOLDED-STONE® MOP SERVICE BASINS


Mop Service Basins	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. ³)	COLORS	LIST PRICE
<div><div>MODESTO™</div><div></div><div>MSBID2424</div></div>	<ul style="list-style-type: none">Molded-Stone® mop service basin with plain curbsIntegral drain is molded into a one piece unit and designed to connect to a 3" drain pipeIncludes QIC3XHBasin — 10" (254 mm) deep <div>Nominal Dimensions:<ul style="list-style-type: none">24" x 24" (610 x 610 mm)</div>	30 lbs (13.6 kg)	3.3	100 White	338
<div><div></div><div>MSBIDTG2424</div></div>	<ul style="list-style-type: none">Molded-Stone® mop service basin with plain curbsIntegral drain is molded into a one piece unit and designed to connect to a 3" drain pipe830AA faucet832AA hose and bracket889CC mop hanger bracketIncludes QIC3XHBasin — 10" (254 mm) deep <div>Nominal Dimensions:<ul style="list-style-type: none">24" x 24" (610 x 610 mm)</div>	30 lbs (13.6 kg)	3.3	100 White	694
<div><div>MODESTO™</div><div></div><div>MSB2424</div></div>	<ul style="list-style-type: none">Molded-Stone® mop service basin with plain curbs3" Stainless steel dome strainer plateIncludes QDC3XH000Pressure fitted drainBasin — 10" (254 mm) deep <div>Nominal Dimensions:<ul style="list-style-type: none">24" x 24" (610 x 610 mm)</div>	30 lbs (13.6 kg)	3.3	100 White	384
<div><div>MSB3624</div></div>	<ul style="list-style-type: none">Molded-Stone® mop service basin with plain curbsQDC3XH000 Quick Drain Connector3" Stainless steel dome strainer platePressure fitted drainBasin — 10" (254 mm) deep <div>Nominal Dimensions:<ul style="list-style-type: none">36" x 24" (914 x 610 mm)</div>	49 lbs (22 kg)	5	100 White	392

For recommended upgrades and parts, see page 15.

Molded-Stone®
Mop Service Basins

SERVICE FAUCET


Service Faucet	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. ³)	LIST PRICE
 830AA000	SERVICE FAUCET <ul style="list-style-type: none"> • Chrome plated • Faucet with vacuum breaker • Integral stops • Adjustable wall brace • Pail hook and 3/4" (19 mm) hose thread on spout • 8" (203 mm) centerset 	2 lbs (1 kg)	.41	230
	Recommended Upgrades and Parts			
	GRA02000 Handle mounting group assembly — includes part number GRA02			36
	GRA03000 Coupling assembly — includes part number GRA03			32
	GRA05000 Brace assembly — includes part number GRA05			18
	GRA07000 Vacuum breaker and disc assembly — includes part number GRA07			29
	GRA08000 Complete body assembly — includes part number GRA08			263
	GRA09000 Handle assembly (cold) — includes part number GRA09			13
	GRA10000 Handle assembly (hot) — includes part number GRA10			13
	GRA11000 Integral stop assembly — includes part number GRA11			24
RP07000	Seat — one (1) per package.			15




MOP SERVICE BASINS — ACCESSORIES

Recommended Upgrades and Parts		LIST PRICE
TERRAZZOKIT081	Terrazzo repair kit — Repair small cracks and nicks with this complete repair kit White Portland Cement with Black & White Chips	91
TERRAZZOKIT100	Terrazzo repair kit — Repair small cracks and nicks with this complete repair kit White Portland Cement with White Chips	91
TERRAZZOKIT501	Terrazzo repair kit — Repair small cracks and nicks with this complete repair kit Grey Portland Cement with White Chips	91
832AA000	Hose/bracket combination — 30" (762 mm) long, flexible, heavy-duty 5/8" (16 mm) cloth reinforced, rubber hose with 3/4" (19 mm) chrome coupling and 6" x 3" (152 x 76 mm) stainless steel bracket with rubber grip	41
889CC000	Mop hanger bracket — constructed of 22 gauge #304 stainless steel	87
830AA000	Service faucet — chrome plated, with vacuum breaker, integral stops, adjustable wall brace, pail hook and 3/4" (19 mm) hose thread on spout. 8" (203 mm) centerset. 6.6 gpm, 80 psi	230
833AA000	Silicone sealant — one (1) recommended for installation	22
QDC32000	Quick Drain Connector — 3" (76 mm) with 2" (51 mm) hole, EFS basins	26
1453BB000	Strainer plate — flat type constructed of 18 gauge #304 stainless steel	15
▷ STR1000	MSB two-piece strainer basket — dome style — for model MSB2424 & MSB3624	39
E77AA24000	Bumper guard — two (2) 24" (610 mm) extruded vinyl construction	43
E88AA24000	Bumper guard — two (2) 24" (610 mm) stainless steel construction	44
E77AA36000	Bumper guard — one (1) 36" (914 mm) and one (1) 24" (610 mm) constructed of extruded vinyl	46
E88AA36000	Bumper guard — one (1) 36" (914 mm) and one (1) 24" (610 mm) constructed of stainless steel	49
1239BB24000	Bumper guard — 18" (457 mm) constructed of aluminum with vinyl insert	85
1239BB32000	Bumper guard — 26" (660 mm) constructed of aluminum with vinyl insert	93
1239BB36000	Bumper guard — 30" (762 mm) constructed of aluminum with vinyl insert	98
38640020000	Wall guard — screw bag — For MSG Series	15
MSG2424000	Wall guard — two (2) 24" x 12" (813 x 305 mm) stainless steel panels plus corner bracket	298
MSG24000	Wall guard — one (1) extra 24" x 12" (813 x 305 mm) stainless steel panel	118
MSG2828000	Wall guard — two (2) 28" x 12" (711 x 305 mm) stainless steel panels plus corner bracket	298
MSG3232000	Wall guard — two (2) 32" x 12" (813 x 305 mm) stainless steel panels plus corner bracket	298
MSG32000	Wall guard — one (1) extra 32" x 12" (813 x 305 mm) stainless steel panel	118
MSG3636000	Wall guard — two (2) 36" x 12" (914 x 305 mm) stainless steel panels plus corner bracket	310
MSG36000	Wall guard — one (1) extra 36" x 12" (914 x 305 mm) stainless steel panel	118
MSG3624000	Wall guard — one (1) 36" x 12" (914 x 305 mm) and one (1) 24" x 12" (610 x 305 mm) stainless steel panel plus corner bracket	298
MSGBRKT000	Corner bracket — one (1) extra corner bracket	46
STRID2000	Flat stainless steel strainer for the MSBID only	26

▷ Repair Parts




Mop Service Basin Strainer
For use with Terrazzo or Molded-Stone
1453BB000 Stainless Steel



Mop Service Basin Dome Two-Piece Dome Strainer
STR1000 Stainless Steel



TERRAZZO SHOWER FLOORS

Shower Floors	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. ³)	COLORS	LIST PRICE
MONTEREY® 	<ul style="list-style-type: none"> • Single threshold, terrazzo shower floor • Stainless steel strainer plate • With 3-stainless steel flanges • 2" Drain 				
	30MFT Nominal Dimensions: <ul style="list-style-type: none"> • 30" x 30" (762 x 762 mm) 	185 lbs (84 kg)	4.6	081 White Portland Cement with Black & White Chips	457
	32MFT Nominal Dimensions: <ul style="list-style-type: none"> • 32" x 32" (813 x 813 mm) 	200 lbs (91 kg)	4.8	081 White Portland Cement with Black & White Chips	485
	34MFT Nominal Dimensions: <ul style="list-style-type: none"> • 34" x 34" (864 x 864 mm) 	220 lbs (99 kg)	5.0	081 White Portland Cement with Black & White Chips	516
	36MFT Nominal Dimensions: <ul style="list-style-type: none"> • 36" x 36" (914 x 914 mm) 	240 lbs (109 kg)	5.2	081 White Portland Cement with Black & White Chips	514
	42MFT Nominal Dimensions: <ul style="list-style-type: none"> • 42" x 42" (1067 x 1067 mm) 	265 lbs (120 kg)	5.5	081 White Portland Cement with Black & White Chips	626
	48MFT Nominal Dimensions: <ul style="list-style-type: none"> • 48" x 48" (1219 x 1219 mm) 	390 lbs (177 kg)	10.0	081 White Portland Cement with Black & White Chips	992
Custom Order				Optional Colors	
MFTSPEC*				100 White Portland Cement with White Chips 501 Grey Portland Cement with White Chips	

*Custom Order Terrazzo forms available at www.FIATPRODUCTS.com/resources.

*Custom orders cannot be cancelled and are non-refundable.




TERRAZZO SHOWER FLOORS

Shower Floors	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. ³)	COLORS	LIST PRICE
MONTEREY® 	<ul style="list-style-type: none"> • Single threshold, terrazzo shower floor • Stainless steel strainer plate • 2" Drain • 3-Stainless steel flanges 				
	3632MFTR Nominal Dimensions: <ul style="list-style-type: none"> • 36" x 32" (914 x 813 mm) 	240 lbs (109 kg)	2.7	081 White Portland Cement with Black & White Chips	509
	4232MFTR Nominal Dimensions: <ul style="list-style-type: none"> • 42" x 32" (1067 x 813 mm) 	265 lbs (120 kg)	3.1	081 White Portland Cement with Black & White Chips	524
	4236MFTR Nominal Dimensions: <ul style="list-style-type: none"> • 42" x 36" (1067 x 914 mm) 	285 lbs (129 kg)	3.5	081 White Portland Cement with Black & White Chips	580
	4832MFTR Nominal Dimensions: <ul style="list-style-type: none"> • 48" x 32" (1219 x 813 mm) 	275 lbs (125 kg)	3.6	081 White Portland Cement with Black & White Chips	583
	4836MFTR Nominal Dimensions: <ul style="list-style-type: none"> • 48" x 36" (1219 x 914 mm) 	265 lbs (120 kg)	4.0	081 White Portland Cement with Black & White Chips	659
	6030MFTR Nominal Dimensions: <ul style="list-style-type: none"> • 60" x 30" (1524 x 762 mm) 	370 lbs (168 kg)	4.2	081 White Portland Cement with Black & White Chips	766
	6032MFTR Nominal Dimensions: <ul style="list-style-type: none"> • 60" x 32" (1524 x 813 mm) 	375 lbs (170 kg)	4.2	081 White Portland Cement with Black & White Chips	862
	6034MFTR Nominal Dimensions: <ul style="list-style-type: none"> • 60" x 34" (1524 x 864 mm) 	380 lbs (172 kg)	4.7	081 White Portland Cement with Black & White Chips	851
	6036MFTR Nominal Dimensions: <ul style="list-style-type: none"> • 60" x 36" (1524 x 914 mm) 	390 lbs (177 kg)	5.0	081 White Portland Cement with Black & White Chips	872
MONTEREY® 	<ul style="list-style-type: none"> • Single threshold, terrazzo (short side), shower floor • Stainless steel strainer plate • 2" Drain • 3-Stainless steel flanges 				
	3236MFTRS Nominal Dimensions: <ul style="list-style-type: none"> • 32" x 36" (813 x 914 mm) 	240 lbs (109 kg)	4.5	081 White Portland Cement with Black & White Chips	548
	3642MFTRS Nominal Dimensions: <ul style="list-style-type: none"> • 36" x 42" (914 x 1067 mm) 	285 lbs (129 kg)	6.4	081 White Portland Cement with Black & White Chips	669
	3648MFTRS Nominal Dimensions: <ul style="list-style-type: none"> • 36" x 48" (914 x 1219 mm) 	320 lbs (145 kg)	4.5	081 White Portland Cement with Black & White Chips	739
Custom Order				Optional Colors	
MFTSPEC*				100 White Portland Cement with White Chips 501 Grey Portland Cement with White Chips	

*Custom Order Terrazzo forms available at www.FIATPRODUCTS.com/resources.

*Custom orders cannot be cancelled and are non-refundable.





TERRAZZO SHOWER FLOORS

Shower Floors	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. ³)	COLORS	LIST PRICE
MONTEREY®  32MFTD	<ul style="list-style-type: none"> • Double threshold, terrazzo shower floor • Stainless steel strainer plate • 2-Stainless steel flanges • 2" Drain Nominal Dimensions: <ul style="list-style-type: none"> • 32" x 32" (813 x 813 mm) 	285 lbs (193 kg)	5.5	081 White Portland Cement with Black & White Chips	525
Custom Order				Optional Colors	
MFTDSPEC*				100 White with White Chips	
MONTEREY®  34MFTC	<ul style="list-style-type: none"> • Neo-corner, terrazzo shower floor • Stainless steel strainer plate • 2-Stainless steel flanges • 2" Drain Nominal Dimensions: <ul style="list-style-type: none"> • 34" x 34" (864 x 864 mm) 	240 lbs (109 kg)	6.2	081 White Portland Cement with Black & White Chips	502
36MFTC	Nominal Dimensions: <ul style="list-style-type: none"> • 36" x 36" (914 x 914 mm) 	220 lbs (100 kg)	6.8	081 White Portland Cement with Black & White Chips	522
Custom Order				Optional Colors	
MFTCSPEC*				100 White Portland Cement with White Chips	
GIBRALTAR™  RM	<ul style="list-style-type: none"> • Single, terrazzo shower floor • Stainless steel strainer plate • 2" Drain Nominal Dimensions: <ul style="list-style-type: none"> • 36" x 36" x 6" (914 x 914 x 152 mm) 	745 lbs (336 kg)	8.9	081 White Portland Cement with Black & White Chips	851

*Custom Order Terrazzo forms available at www.FIATPRODUCTS.com/resources.

*Custom orders cannot be cancelled and are non-refundable.

BARRIER-FREE SHOWER FLOORS

Wheelchair Receptors	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. ³)	COLORS	LIST PRICE
MONTEREY®  	<ul style="list-style-type: none"> No threshold, terrazzo wheelchair receptor Stainless steel strainer plate Recessed for floor installation ADA compliant 3-Stainless steel flanges 2" Drain 				
	◆ADATN3636 Inside Dimensions: • 36" x 36" (914 x 914 mm)	350 lbs (159 kg)	8.3	081 White Portland Cement with Black & White Chips	1,463
	ADATN6030 Inside Dimensions: • 60" x 30" (1524 x 762 mm)	391 lbs (177 kg)	9.5	081 White Portland Cement with Black & White Chips	1,625
	ADATN6036 Inside Dimensions: • 60" x 36" (1524 x 914 mm)	378 lbs (217 kg)	12.0	081 White Portland Cement with Black & White Chips	1,706
Custom Order				Optional Colors	
ADATSPEC*				100 White with White Chips 501 Grey Portland Cement with White Chips	
HUNTINGTON™  	<ul style="list-style-type: none"> No threshold, terrazzo wheelchair receptor with ramp Stainless steel strainer plate ADA compliant 3-Stainless steel flanges 2" Drain 				
	◆ADAWN3636 Inside Dimensions: • 36" x 36" (914 x 914 mm) * Not ADA	370 lbs (168 kg)	8.9	081 White Portland Cement with Black & White Chips	1,568
	ADAWN6030 Inside Dimensions: • 60" x 30" (1524 x 762 mm)	470 lbs (213 kg)	12.0	081 White Portland Cement with Black & White Chips	1,726
	ADAWN6036 Inside Dimensions: • 60" x 36" (1524 x 914 mm)	545 lbs (247 kg)	13.8	081 White Portland Cement with Black & White Chips	1,900
Custom Order				Optional Colors	
ADAWSPEC*				100 White Portland Cement with White Chips 501 Grey Portland Cement with White Chips	







Meets the Americans with Disabilities Act guidelines and ANSI A117.1 requirements for accessible and usable building facilities.

- ◆ 36" x 36" shower walls must measure 36" x 36" when inspected
- ◆ Thresholds must be 1/2" or less when inspected
- ◆ Check local codes

***Custom Order Terrazzo forms available at www.FIATPRODUCTS.com/resources.**

***Custom orders cannot be cancelled and are non-refundable.**

BARRIER-FREE SHOWER FLOORS

Wheelchair Receptors	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. ³)	COLORS	LIST PRICE
GALAXY™  	<ul style="list-style-type: none"> No threshold, gelcoat fiberglass wheelchair receptor Metal drain Polished chrome plated strainer Recessed for floor installation 3-Sided integral flange 2" Drain 				
	◆ADAF3636 Inside Dimensions: <ul style="list-style-type: none"> 36" x 36" (914 x 914 mm) 	65 lbs (28 kg)	7.0	100 White	606
	ADAF6030 Inside Dimensions: <ul style="list-style-type: none"> 60" x 30" (1524 x 762 mm) 	84 lbs (38 kg)	12.6	100 White	801
	ADAF6036 Inside Dimensions: <ul style="list-style-type: none"> 60" x 36" (1524 x 914 mm) 	99 lbs (45 kg)	13.9	100 White	892
SEQUOIA™  	<ul style="list-style-type: none"> No threshold, terrazzo wheelchair receptor Stainless steel strainer plate Recessed for floor installation 3-Stainless steel flanges 2" Drain 				
	◆WTR4990 Inside Dimensions: <ul style="list-style-type: none"> 36" x 36" (914 x 914 mm) 	349 lbs (158 kg)	6.8	081 White Portland Cement with Black & White Chips	1,307
	WTR4995 <i>(Not ADA compliant)</i> Inside Dimensions: <ul style="list-style-type: none"> 39" x 39" (991 x 991 mm) 	365 lbs (166 kg)	6.2	081 White Portland Cement with Black & White Chips	1,349
	WTR5006 Inside Dimensions: <ul style="list-style-type: none"> 60" x 30" (1524 x 762 mm) 	590 lbs (268 kg)	7.3	081 White Portland Cement with Black & White Chips	1,952
	WTR5007 Inside Dimensions: <ul style="list-style-type: none"> 60" x 36" (1524 x 914 mm) 	620 lbs (281 kg)	8.8	081 White Portland Cement with Black & White Chips	1,794
Custom Order			Optional Colors		
WTRSPEC*			100 White Portland Cement with White Chips 501 Grey Portland Cement with White Chips		





Meets the Americans with Disabilities Act guidelines and ANSI A117.1 requirements for accessible and usable building facilities.

- ◆ 36" x 36" shower walls must measure 36" x 36" when inspected
- ◆ Thresholds must be 1/2" or less when inspected
- ◆ Check local codes



*Custom Order Terrazzo forms available at www.FIATPRODUCTS.com/resources.


*Custom orders cannot be cancelled and are non-refundable.

MOLDED-STONE® SHOWER FLOORS


Shower Floors	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. ³)	COLORS	LIST PRICE
CASCADE® 	<ul style="list-style-type: none"> • Single threshold, Molded-Stone® shower floor • Integral drain, quick drain connector • Color-matched, plastic strainer • Recessed for floor installation • 3-Sided integral flange 				
	32WL Nominal Dimensions: <ul style="list-style-type: none"> • 32" x 32" (813 x 813 mm) 	31 lbs (14 kg)	5.4	100 White	206
	34WL Nominal Dimensions: <ul style="list-style-type: none"> • 34" x 34" (864 x 864 mm) 	36 lbs (16 kg)	6.0	100 White	226
	36WL Nominal Dimensions: <ul style="list-style-type: none"> • 36" x 36" (914 x 914 mm) 	39 lbs (18 kg)	6.6	100 White	226
	4242WL Nominal Dimensions: <ul style="list-style-type: none"> • 42" x 42" (1067 x 1067 mm) 	40 lbs (18 kg)	9.2	100 White	321
CASCADE® 	<ul style="list-style-type: none"> • Single threshold, Molded-Stone® shower floor • Integral drain, quick drain connector • Color-matched, plastic strainer • Recessed for floor installation • 3-Sided integral flange 				
	42WL Nominal Dimensions: <ul style="list-style-type: none"> • 42" x 34" (1067 x 864 mm) 	39 lbs (18 kg)	7.3	100 White	265
	4832WL Nominal Dimensions: <ul style="list-style-type: none"> • 48" x 32" (1219 x 813 mm) 	41 lbs (19 kg)	7.0	100 White	292
	48WL Nominal Dimensions: <ul style="list-style-type: none"> • 48" x 34" (1219 x 864 mm) 	44 lbs (20 kg)	8.3	100 White	295
	54WL Nominal Dimensions: <ul style="list-style-type: none"> • 54" x 34" (1372 x 864 mm) 	52 lbs (24 kg)	9.6	100 White	332
	60WL Nominal Dimensions: <ul style="list-style-type: none"> • 60" x 34" (1524 x 864 mm) 	58 lbs (26 kg)	10.1	100 White	354

MOLDED-STONE® SHOWER FLOORS

Shower Floors	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (ft. ³)	COLORS	LIST PRICE
CASCADE®  36WLD	<ul style="list-style-type: none"> • Double threshold, Molded-Stone® shower floor • Integral drain, Q1C2 quick drain connector • Color-matched, plastic strainer • 2-Sided integral wall flange • Recessed for floor installation Nominal Dimensions: <ul style="list-style-type: none"> • 36" x 36" (914 x 914 mm) 	36 lbs (16 kg)	6.6	100 White	286
CASCADE®  36WLC	<ul style="list-style-type: none"> • Neo-corner, Molded-Stone® shower floor • Integral drain, Q1C2 quick drain connector • Color-matched, plastic strainer • Recessed for floor installation • 2-Sided integral flange Nominal Dimensions: <ul style="list-style-type: none"> • 36" x 36" (914 x 914 mm) 	43 lbs (20 kg)	6.6	100 White	268
38WLC	Nominal Dimensions: <ul style="list-style-type: none"> • 38" x 38" (965 x 965 mm) 	38 lbs (17 kg)	7.4	100 White	281







2" Stainless Steel Strainer Plate
STRWL000 — \$31







3" Plastic Strainer Plate — White
00242604100 — \$10

LAUNDRY TUBS

Laundry Tubs	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. ³)	COLORS	LIST PRICE
FLOOR MOUNTED LAUNDRY TUB  FL1 FL1-BULKWC	<ul style="list-style-type: none"> Floor mounted Compression Molded-Stone® Single bowl laundry tub with white baked enamel steel legs Includes strainer and plug Less faucet and supply line Nominal Dimensions: <ul style="list-style-type: none"> 23" x 21-1/2" (584 x 546 mm) Bulk Package <ul style="list-style-type: none"> Eighty-four (84) pack of model FL1 	19 lbs (8 kg)	4.6	100 White	148 11,167
WALL MOUNTED LAUNDRY TUB  L1 L1-BULKWC	<ul style="list-style-type: none"> Wall mounted Compression Molded-Stone® Single bowl laundry tub Includes hanger, strainer and plug Less faucet and supply line Nominal Dimensions: <ul style="list-style-type: none"> 23" x 21-1/2" (584 x 546 mm) Bulk Package <ul style="list-style-type: none"> Eighty-four (84) pack of model L1 	20 lbs (9 kg)	5.2	100 White	148 7,180
FLOOR MOUNTED LAUNDRY TUB  FL7 FL7TG FL7-BULKWC	<ul style="list-style-type: none"> Floor mounted Appliance depth Compression Molded-Stone® Single bowl laundry tub with white baked enamel steel legs Includes integral drain and plug Less faucet and supply line Nominal Dimensions: <ul style="list-style-type: none"> 20" x 24" (508 x 610 mm) <ul style="list-style-type: none"> FL7 + A1000 faucet + p-trap + supply line Bulk Package <ul style="list-style-type: none"> Eighty-four (84) pack of model FL7 shipped with cartons and hardware 	19.5 lbs (8.8 kg)	4.6	100 White 100 White	136 263 6,758
WALL MOUNTED LAUNDRY TUB  L7 L7TG L7-BULKWC	<ul style="list-style-type: none"> Wall mounted Appliance depth Compression Molded-Stone® Single bowl laundry tub Includes integral drain and plug Less faucet and supply line Nominal Dimensions: <ul style="list-style-type: none"> 20" x 24" (508 x 610 mm) <ul style="list-style-type: none"> L7 + A1000 faucet + p-trap + supply line Bulk Package <ul style="list-style-type: none"> Eighty-four (84) pack of model L7 shipped with cartons and hardware 	17 lbs (7.7 kg)	4.6	100 White 100 White	136 263 6,758






For recommended upgrades and parts, see page 26.

LAUNDRY TUBS

Laundry Tubs	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. ³)	COLORS	LIST PRICE
FLOOR MOUNTED LAUNDRY TUB  FLTDII FLTDII/A1100 FLTDII-BULKWC	<ul style="list-style-type: none"> • Floor mounted • Compression Molded-Stone® • Double bowl laundry tub with white baked enamel steel legs • Includes drain assembly, strainers and drain plugs • Less faucet and supply line Nominal Dimensions: <ul style="list-style-type: none"> • 40" x 24" (1016 x 610 mm) <ul style="list-style-type: none"> • FLTDII + A1000 deck faucet Bulk Package <ul style="list-style-type: none"> • Twenty (20) pack of model FLTDII shipped with cartons and hardware 	37.5 lbs (17 kg)	11.2	100 White	303 407 5,828
WALL MOUNTED LAUNDRY TUB  LTDII	<ul style="list-style-type: none"> • Wall mounted • Appliance depth • Compression Molded-Stone® • Double bowl laundry tub • Includes hanger, drain assembly, strainer and drain plugs • Less faucet and supply line Nominal Dimensions: <ul style="list-style-type: none"> • 40" x 24" (1016 x 610 mm) 	34.5 lbs (15.6 kg)	11.2	100 White	303
FLOOR MOUNTED TUF TUB™  SF1F SF1F-BULKLC100 SF1F-BULKWC100 SF1F/A1100	<ul style="list-style-type: none"> • Floor mounted • Heavy duty polyethylene • Single bowl laundry tub • White baked enamel steel legs • Includes integral drain and drain plug • Less faucet and supply line Nominal Dimensions: <ul style="list-style-type: none"> • 20" x 23-7/8" (508 x 606 mm) <ul style="list-style-type: none"> • Eighty-four (84) pack of model SF1F shipped less cartons. • Eighty-four (84) pack of model SF1F shipped with cartons. • SF1F + A1000 deck faucet 	18 lbs (8.2 kg)	4.8 0.00 0.00	100 White	119 6,222 6,222 221
WALL MOUNTED TUF TUB  SF1W SF1W/A1100	<ul style="list-style-type: none"> • Wall mounted • Heavy duty polyethylene • Single bowl laundry tub • Includes hanger, integral drain and plug • Less faucet and supply line Nominal Dimensions: <ul style="list-style-type: none"> • 20" x 24" (508 x 610 mm) <ul style="list-style-type: none"> • SF1W + A1000 deck faucet 	14 lbs (6.4 kg)	4.8	100 White	119 221



For recommended upgrades and parts, see page 26.

LAUNDRY TUBS

Laundry Tubs	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft. ³)	COLORS	LIST PRICE
LAUNDRY TUB-TO-GO  TAT1	<ul style="list-style-type: none"> Floor mounted Heavy duty polyethylene, single bowl, laundry tub with legs Chrome plated faucet (A1) with 4" (102 mm) centerset, 4" (102 mm) blade handles, 6-3/4" (171 mm) swing spout, aerator and hose adaptor Includes laundry tub with legs, faucet, integral drain with plug, p-trap and supply line Nominal Dimensions: <ul style="list-style-type: none"> 20" x 23-7/8" (508 x 606 mm) 	18 lbs (8.2 kg)	4.8	100 White	251
DROP-IN LAUNDRY TUB  DL1 DL1-BULKWC	<ul style="list-style-type: none"> Drop-in Compression Molded-Stone® Single bowl laundry tub Includes hanger, drain and drain plug Less faucet and supply line Nominal Dimensions: <ul style="list-style-type: none"> 23" x 21-1/2" (584 x 546 mm) Bulk Package <ul style="list-style-type: none"> Sixty (60) pack of model DL1 laundry tubs with cartons and hardware 	25 lbs (11.3 kg)	5.4	100 White	146 8,469
UTILITY SINK  DL1720	<ul style="list-style-type: none"> Self-rimming Compression Molded-Stone® Single bowl utility sink Standard 3-1/2" (89 mm) drain opening 9-1/2" (241 mm) deep Includes four (4) mounting clips and screws Less faucet and supply line Nominal Dimensions: <ul style="list-style-type: none"> 17" x 20" (432 x 508 mm) 	10 lbs (4.5 kg)	2.9	100 White	114
POLY LAUNDRY TUB  P1 P1-BULKWC	<ul style="list-style-type: none"> Floor mounted Polyethylene, single bowl laundry tub with legs Single bowl laundry tub Includes integral drain and drain plug Less faucet and supply line Nominal Dimensions: <ul style="list-style-type: none"> 20" x 24" (508 x 610 mm) Bulk Package <ul style="list-style-type: none"> Eighty four (84) pack of model P1 shipped with cartons 	13 lbs (5.9 kg)	5.2	100 White	98 7,211
LAUNDRY TUB-TO-GO  PA11	<ul style="list-style-type: none"> Floor mounted Polypropylene, single bowl laundry tub with legs Chrome plated faucet with 4" (102 mm) centerset, 4" (102 mm) blade handles, 6-3/4" (171 mm) swing spout, aerator and hose adaptor Includes laundry tub with legs, faucet, integral drain with plug, p-trap and supply line Nominal Dimensions: <ul style="list-style-type: none"> 20" x 24" (508 x 610 mm) 	15 lbs (6.8 kg)	7.6	100 White	187

For recommended upgrades and parts, see page 26.

LAUNDRY TUBS — ACCESSORIES

Faucets		LIST PRICE
 	A1000 Faucet — 4" (102 mm) centerset, chrome plated, metal constructed faucet with 4" (102 mm) blade handles, 6-3/4" (171 mm) 360° swing spout, aerator and hose adaptor	108
	A17000 Clamp-on faucet — chrome plated with 4" (102 mm) blade handles, 8" (203 mm) swing spout, angled hose connection for overhead supplies (102 mm) blade handles, 6-3/4" (171 mm) 360° swing spout, aerator and hose adaptor	87
Recommended Upgrades and Parts		
▷01898800100	Leg — one (1) 21" (533 mm) one-piece, durable, metal leg	10
▷01898900000	Hanger — 18-7/8" (479 mm) one-piece, durable, metal hanger	10
▷00727402000	Hardware kit — one (1) drain, one (1) drain plug, four (4) aluminum mounting clips and screws — for model DL1	12
▷0017204000	Hardware kit — four (4) aluminum mounting clips and screws and installation instructions — for model DL1720	9
▷02727901100	Hardware kit — one (1) drain, one (1) drain plug, four (4) white legs, one (1) screw bag and installation instructions — FL1 only	31
▷02727900000	Hardware kit — one (1) drain, one (1) drain plug, four (1) bracket, one (1) screw bag and installation instructions — L1 only	30
▷02883900100	Hardware kit — drain, plug, four (4) legs, screw bag and installation instructions — FL7, P1, PA11, SF1F and TAT1	36
▷02883901000	Hardware kit — one (1) tail nut, one (1) drain stopper, one (1) plastic bracket set, one (1) metal wall bracket, one (1) screw bag and installation instructions — SF1W only	34
▷02883902000	Hardware kit — drain, bracket, screw bag and installation instructions — SF1W only	34
▷02883903000	Hardware kit — A1 faucet, p-trap, supply line — FL7TC and L7TG only	108
▷02898904100	Leg pack — faucet, plug, screen bag, legs, twin tub waste pipes — FLTDII only	64
▷02898905000	Hardware kit — faucet, plug, screen bag, bracket, twin tub waste pipes — LTDII only	52
A2000	Overflow tube — 12" (305 mm) plastic construction	15
▷02883906000	Hardware kit — one polished chrome faucet with spout, one (1) p-trap and two (2) supply lines — TAT1 only	117
▷02883907000	Hardware kit — one (1) screw bag, one (1) tail nut and stopper, four (4) legs — PA11 only	72

WARRANTY

AS AMERICA, INC. LIMITED ONE YEAR WARRANTY FOR PERSONAL RESIDENTIAL AND COMMERCIAL USE OF FIAT® PRODUCTS

WARRANTY COVERAGE

AS America, Inc. ("American Standard") warrants FIAT® Products against defects in material and workmanship under both normal residential and commercial use for long as it is owned by the original purchaser for a period of one (1) year from the date of first purchase.

This warranty is provided for the exclusive benefit of the initial consumer purchaser or owner. This warranty is non-transferable to subsequent purchasers or owners. The sole exception to the non-transferability of this warranty is that if this product is purchased by a plumber, contractor or other service provider, this warranty extends to the first residential and commercial property owner on whose behalf the product was purchased for installation. This warranty applies only to FIAT® Products installed in the United States of America, Canada or Mexico.

If a defect arises and a valid claim is received, American Standard will, at its option, either (1) repair the product, (2) replace the product or any part therein with a FIAT product of equal or similar type and size, or (3) refund to the consumer the wholesale price of the product. If American Standard elects to refund the wholesale price to the consumer, American Standard shall have no further obligation to its wholesale customer, or any contractor with respect to such product. Goods proven to be defective will be replaced after proper inspection, but no claims for damages incurred or for work done thereon will be allowed. Replacements when supplied will be shipped at no cost to the consumer.

EXCLUSIONS AND LIMITATIONS

1. This warranty only applies to products purchased through an authorized FIAT® Products dealer or re-seller.
2. This warranty does not apply to defects or damage caused by non-genuine FIAT parts, installation error, product abuse, product misuse, improper maintenance, improper care or cleaning, improper repair or installation, and/or movement or transfer of the product from its original installation location (whether performed by you, a plumber, a contractor or a service company). Because improper care and cleaning can cause significant damage to the product, it is strongly recommended that you follow the Care and Cleaning Instructions (as well as the other instructions) that accompanied the product.
3. American Standard is not responsible for labor charges and/or damage incurred during installation, repair or replacement.
4. American Standard does not warrant that this product and/or its installation complies with local code requirements. American Standard recommends that you consult with a plumbing contractor about local code requirements.

TO THE EXTENT PERMITTED BY LAW, THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, WHETHER ORAL OR WRITTEN, STATUTORY, EXPRESS OR IMPLIED. AMERICAN STANDARD HEREBY EXCLUDES SPECIAL, INCIDENTAL AND CONSEQUENTIAL DAMAGES FOR ANY BREACH OF ANY EXPRESS OR IMPLIED WARRANTY APPLICABLE TO THIS PRODUCT.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations and exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state (or province, as applicable).

OBTAINING WARRANTY SERVICE

If you believe that you have a warranty claim, contact American Standard, either through an authorized AS America, Inc. dealer or re-seller, or by writing:

In the United States:
AS Brands, Inc.
30 Knightsbridge Rd. Suite 301
Piscataway, New Jersey 08855
Attention: Director of Consumer Affairs

In Canada:
LIXIL Canada, Inc.
5900 Avebury Rd.
Mississauga, Ontario
Canada L5R 3M3

In Mexico:
American Standard B&K Mexico
S. de R.L. de C.V.
Via Morelos #330
Col. Santa Clara
Ecatepec 55540 Edo. Mexico

Please be sure to provide all pertinent information regarding your claim, including a complete description of the problem, the product, model number, color, finish, purchase date, and from whom the product was purchased.

For other information, or to obtain the name and address of the service and repair facility nearest you, call (800) 442-1902 (in the United States); (800) 387-0369 (in Canada) and 01-800-839-1200 (in Mexico) or visit www.fiatproducts.com.

TERMS & CONDITIONS

Prices — All previous prices are withdrawn. Prices shown are subject to change without notice and all orders will be accepted only on “**price-in-effect-at-time-of-shipment**” basis. All prices and agreements are contingent upon strikes, accidents and other causes unavoidable or beyond our control.

Taxes — In addition to the stated selling prices, the Buyer shall reimburse FIAT® Products for all applicable taxes, now or hereafter levied upon the production, sale, use or shipment in connection with the material sold.

Acceptance/Order Approval — The acceptance, shipment and delivery of any order is subject to credit investigation and approval from Seller's Credit Department. Seller reserves the right to withhold delivery or stop shipment in transit on accepted orders without any liability on Seller's part, if in Seller's opinion, Buyer's ability to pay for the product per the selling terms and conditions is in doubt.

Contingencies — Delivery dates, if given, are based on conditions at that point in time. Delivery dates are contingent on the non-occurrence of fires, strikes, accidents, transportation. Delivery dates are contingent on the non-occurrence of fires, strikes, accidents, transportation delays and other uncontrollable causes. Seller will not be liable for back charges for late delivery under any circumstances.

ALL CHANGES, CANCELLATIONS, DELETIONS OR ADDITIONS NEED TO BE MADE IN WRITING, VIA LETTER OR FACSIMILE and addressed to FIAT Products Attn: Customer Service Manager, 41 Cairns Rd., Mansfield, OH 44903.
No telephone or oral changes will be accepted.

Delivery and Shipment of Material — Delivery to the initial carrier constitutes delivery to the buyer. Unless the freight terms indicate otherwise, seller's responsibility ceases upon delivery to the initial carrier. Any visible shortages/damages must be noted on the freight bill and signed by the driver. DO NOT REFUSE DELIVERY if damage is discovered after processing.
Claims for damage to or loss of material in transit should be filed immediately by buyer, direct with carrier.




Freight Terms — Shipments are **F.O.B. Factory**, or other designated shipping point determined by FIAT Products unless otherwise indicated. **Any shipment or delivery dates quoted by FIAT Products are estimated.** The Company shall be obligated to use reasonable efforts to meet such dates. **FIAT Products will in no event be liable for any delays in delivery or failure to give notice of delay, or for any other failure to perform here-under due to causes beyond the reasonable control of the Company.** Such causes shall include, but not be limited to acts of God, the elements, acts or omissions of manufacturers or suppliers of the Products or parts thereof, acts or omissions of Buyer or civil and military authorities, fires, labor disputes or any other inability to obtain the Products, parts thereof, or necessary power, labor, materials or supplies. The Company will be entitled to refuse to make, or to delay any shipments of the Products if Buyer shall fail to pay when due any payment owed by it to the Company, whether under this or any other contract between the Company and Buyer.

Terms — Manufacturer's liability ceases upon delivery of shipment to carrier. Shortages must be reported to FIAT Products within 10 days of receipt of shipment. The Consignee is to file claim against carrier for all goods lost or damaged in transit. No goods shall be returned without permission from the manufacturer and are subject to a handling charge. No debit memos will be accepted. Goods proved to be defective will be replaced at our discretion, but no claims for damage incurred or work done thereon will be allowed.














Claims for Shortages — All claims for shortages of inaccurate filing of orders shall be made in writing within ten (10) days after Buyer's receipt of material.

Cancellation of Non-Standard Items — Cancellation or changes will not be accepted after production has begun on any non-standard stock item. This includes non-standard colors, specially drilled items and all fixtures having unusual features requiring extra supervision/labor during production.

COLOR OPTIONS

TERRAZZO			MOLDED-STONE	GELCOAT	LAUNDRY TUBS
					
501 Grey Portland Cement with White Chips	081 White Portland Cement with Black and White Chips	100 White Portland Cement with White Chips	100 White	100 White	100 White

STANDARD COLORS AND CUSTOM ORDER COLOR AVAILABILITY

	STANDARD COLOR	CUSTOM ORDER COLOR
	MOP SERVICE BASINS	
TERRAZZO	 501 Grey Portland Cement with White Chips	 081 White Portland Cement with Black & White Chips
		 100 White Portland Cement with White Chips
MOLDED-STONE®	 100 White	None
	SHOWER FLOORS	
TERRAZZO	 081 White Portland Cement with Black & White Chips	 100 White Portland Cement with White Chips
		 501 Grey Portland Cement with White Chips
MOLDED-STONE	 100 White	None
	BARRIER-FREE SHOWER FLOORS	
TERRAZZO	 081 White Portland Cement with Black & White Chips	 100 White Portland Cement with White Chips
		 501 Grey Portland Cement with White Chips
GELCOAT	 100 White	None
	LAUNDRY TUBS	
LAUNDRY TUBS	 100 White	None

Custom Order Terrazzo forms available at www.FIATPRODUCTS.com/resources

Custom orders cannot be cancelled and are non-refundable.



FIAT
PRODUCTS

www.FIATPRODUCTS.com

To Place an Order: orders@lixilamericas.com

For Customer Service Call: 1-800-442-1902

Monday – Friday, 8:00 am – 7:00 pm EST

©2021 AS America, Inc.

SAD21B201A

PART OF **LIXIL**