

LIST PRICE GUIDE - 2022

FOR SHOWERING & TEMPERING PRODUCTS

Member of Morris Group International™

CONTROLS®



42 Shrwood Terrace, Suite #5, Lake Bluff, IL 60044
(847)604-4773

2022 LIST PRICE GUIDE FOR SHOWERING & TEMPERING PRODUCTS

Member of Morris Group International™

PRICES SUBJECT TO CHANGE / All Pricing in US\$ effective November 1, 2022

(Refer to Website for latest Terms & Conditions)

Temperature/Pressure Balancing Mixing Valve for Individual Showers

SV16 Series

ASSE 1016 T/P Certified



Automatic compensating valve for Individual Shower and Combination Tub/Showers; ADA, Ligature Resistant, Tri-Lever Handle or Level Handle versions are available.

Flow Rate is 4 GPM @ 45 PSID











Patented: D697,591 & 10,474,170

Model	Description	Price
SV16	T/P Shower, ADA, Ligature Resistant, Tri-Lever Handle	\$333
SV16-LVR	T/P Shower, ADA Lever Handle	\$335

SUMMARY OF KEY PRODUCT FEATURES

- IAPMO Certified to ASSE 1016 T/P at 1.25 GPM
- Ceramic Shut-off Components
- Non-Rising Stem
- Lead-Free Components w/DZR Brass
- Standard Ligature-Resistant or Lever Handle Trim
- Matching Ligature Resistant or Lever Trim Diverter
- Single Handle Turns on Cold to Hot
- Reversible Cartridge
- Full Range ADA
- Dual Sweat Threaded Connections
- 4 GPM @ 45 psid
- 5° F Approach Temperature
- Accessible Replaceable Screens
- Patented Valve & Trim

SV16 Options

Showerheads	Description	Add Price
	CSH15 Conical Ligature Resistant Showerhead, Chrome Plated Brass with Press. Comp. 1.5 GPM (5.7 LPM) Flow Control; Non-adj. Fixed Spray, 35° Angle	\$201
	CSH25 Conical Ligature Resistant Showerhead, Chrome Plated Brass with Press. Comp. 2.5 GPM (9.5 LPM) Flow Control; Non-adj. Fixed Spray, 35° Angle	\$201
	ESH15 Econo-Showerhead, Chrome Plated ABS with Press. Comp. 1.5 GPM (5.7 LPM) Flow Control; Adjustable Spray, 2" Diameter, Ball Joint	\$15
	ESH25 Econo-Showerhead, Chrome Plated ABS with Press. Comp. 2.5 GPM (9.7 LPM) Flow Control; Adjustable Spray, 2" Diameter, Ball Joint	\$13
	LSH15 Large Showerhead, Chrome Plated Brass with Press. Comp. 1.5 GPM (5.7 LPM) Flow Control; Adjustable Spray, 3" Diameter, Ball Joint	\$71
	LSH25 Large Showerhead, Chrome Plated Brass with Press. Comp. 2.5 GPM (9.7 LPM) Flow Control; Adjustable Spray, 3" Diameter, Ball Joint	\$64
	SH15 Showerhead, Chrome Plated Brass with Press. Comp. 1.5 GPM (5.7 LPM) Flow Control; Narrow Pattern Adjustable Spray, 1-3/4" Diameter Ball Joint	\$34
	SH25 Showerhead, Chrome Plated Brass with Press. Comp. 2.5 GPM (9.7 LPM) Flow Control; Narrow Pattern Adjustable Spray, 1-3/4" Diameter Ball Joint	\$35
	NSH15 Nozzle Shower Head, 1.5 GPM	\$107
	NSH25 Nussle Shower Head, 2.5 GPM	\$94

2022 LIST PRICE GUIDE FOR SHOWERING & TEMPERING PRODUCTS

Member of Morris Group International™

PRICES SUBJECT TO CHANGE / All Pricing in US\$ effective November 1, 2022

(Refer to Website for latest Terms & Conditions)

SV16 Options Continued...

Add Price

ARM AND FLANGE



BA	Deluxe with set screw (competition's standard is not deluxe)	\$22
----	--	------

TUB SPOUTS



TUB1	1/2 and 3/4" Brass with Diverter	\$69
------	----------------------------------	------

TUB2	1/2 and 3/4" Zinc with Diverter	\$35
------	---------------------------------	------



TUB3	1/2" Slip Fit with Diverter	\$35
------	-----------------------------	------

TUB4	1/2" Slip Fit without Diverter	\$22
------	--------------------------------	------

HAND SHOWER HANDLES



HHC15	Deluxe Chrome, 1.5 GPM	\$31
-------	------------------------	------

HHW15	Standard White, 1.5 GPM	\$24
-------	-------------------------	------

HAND SHOWERS HOSE

HSSH	Stainless Steel, 60"	\$31
------	----------------------	------

HHVH	White Vinyl, 60"	\$20
------	------------------	------

HAND SHOWER MOUNTING

GR24	Glide Rail 24"	\$137
------	----------------	-------

GR30	Glide Rail 30"	\$166
------	----------------	-------

HHGB	Grab Bar Handle Bracket - White	\$16
------	---------------------------------	------

HHGBC	Grab Bar Handle Bracket - Chrome	\$31
-------	----------------------------------	------

HHWB	Wall Hooks - PRICE IS EACH	\$7
------	----------------------------	-----

DIVERTERS

DIV	Concealed - trim to match SV16	\$191
-----	--------------------------------	-------

IDIV	In-Line	\$52
------	---------	------

GRAB BARS

1108CAP-1	24"	\$173
-----------	-----	-------

1108CAP-4	36"	\$201
-----------	-----	-------

VACUUM BREAKERS



EVB	Exposed Elevated	\$212
-----	------------------	-------

IVB	In Line	\$27
-----	---------	------

HAND HELD SUPPLY CONNECTION

HHSE	Wall Mount for Hand Shower	\$28
------	----------------------------	------

VOLUME CONTROL

HV	1/2" IPS Conn. Volume Control	\$25
----	-------------------------------	------

OTHER OPTIONS

QD	Quick Disconnect for Shower	\$83
----	-----------------------------	------

RPI	25 pcs Min. Reversed Inlet Ports (Typically for one of the valves in each Back-to-Back Installation).	\$15
-----	--	------

Project Packing	100 pc. Min. Behind Wall Items packed separately from Trim. Price shown valid up to 500 pc. Order.	\$130
-----------------	---	-------

7800-056-001	Stem Extension	\$31
--------------	----------------	------

MB-SV16	Wall Mounting Bracket	\$28
---------	-----------------------	------

7800-005-001	Remodeling Plate	\$62
--------------	------------------	------

2022 LIST PRICE GUIDE FOR SHOWERING & TEMPERING PRODUCTS

Member of Morris Group International™

PRICES SUBJECT TO CHANGE / All Pricing in US\$ effective November 1, 2022

(Refer to Website for latest Terms & Conditions)

Thermostatic Lavatory Tempering Valve

ST70 Series

ASSE 1070 Certified



Automatic temperature mixing valves for group showers, tubs and lavatory faucets; Brass Body, Rough Chrome Body and 2 size/flow rate capacities are available

Patented: 9,898,017

Model	Description	Weight	Price
ST70-12	1/2" NPT Connection Brass Body, 4.5 GPM @ 45 PSID	1 Lb	\$202
ST70CP-12	1/2" NPT Connection Brass Body, Rough Chrome Finish, 4.5 GPM @ 45 PSID	1 Lb	\$240
ST70-38	3/8" Compression Connection Brass Body, 4.0 GPM @ 45 PSID	1 Lb	\$202
ST70-38-BCT	3/8" Compression Connection Brass Body w/Brass Compression Tee, 4.0 GPM @ 45 PSID	1.2 Lb	\$218
ST70CP-38	3/8" Compression Connection Brass Body, Rough Chrome Finish, 4.0 GPM @ 45 PSID	1 Lb	\$240
ST70CP-38-BCT-C	3/8" Compression Connection Brass Body, Rough Chrome Finish, 4.0 GPM @ 45 PSID	1.2 Lb	\$256

Options (prices when sold as a separate line item):

BCT	Option: 3/8" Brass Compression Tee	\$25
BCT-C	Option: 3/8" Brass Compression Tee, Chrome Plated	\$31

SUMMARY OF KEY PRODUCT FEATURES

- IAPMO Certified to ASSE 1070 at 0.25 GPM
- NSF/ANSI 61 Certified Lead Free for potable water
- Cartridge-Style Integral Checks/Screens
- Allen Wrench Temperature Adjustment w/Lock Nut
- 3/8" compression or 1/2" NPT connections
- 4 GPM (3/8") or 4.5 GPM (1/2") @ 45 psid
- 5° F Approach Temperature
- Brass or Chrome Finish

2022 LIST PRICE GUIDE FOR SHOWERING & TEMPERING PRODUCTS

Member of Morris Group International™

PRICES SUBJECT TO CHANGE / All Pricing in US\$ effective November 1, 2022

(Refer to Website for latest Terms & Conditions)

Thermostatic Lavatory/Shower Tempering Valve

Alpha™ STP7069 Series

ASSE 1070 & 1069 Certified



The Alpha Thermostatic Mixing Valve provides safe tempered water for Sinks, Lavatories and Showers.

Patented: 9,898,017

Model	Description	Weight	Price
STP7069-12S	Alpha Thermostatic Valve, Noryl Body	0.5 Lbs	\$137
STP7069-12S-BCT	Alpha Thermostatic Valve, Noryl Body w/Brass By-Pass Tee	0.5 Lbs	\$164

SUMMARY OF KEY PRODUCT FEATURES

- Certified to ASSE 1070 & 1069 at 0.25 GPM
- Cartridge-Style Integral Checks/Screens
- Allen Wrench Temperature Adjustment w/Lock-Nut
- 1/2" NPSM connections (flex line connection)
- NSF/ANSI 61 Certified lead-free
- 4.5 GPM @ 45 psid
- 5° F Approach Temperature
- Noryl Body/Bonnet

ST7069 Series

ASSE 1070 & 1069 Certified

Water Temperature Limiting
Device for Sinks, Lavatories
and Showers

Patented: 9,898,017



Model	Description	Weight	Price
ST7069	1/2" NPT Connection Brass Body, 12 GPM @ 45 PSID	3.5 Lbs	\$255
ST7069-BVS	W/Optional Inlet Ball Valves	4.1 Lbs	\$335
ST7069-OTG	W/Optional Outlet Temperature Gauge	4.0 lbs	\$390
ST7069-BVS-OTG	W/Inlet Ball Valves and Outlet Temperature Gauge	4.6 lbs	\$455

Options:

Add Price

MB-1	Mounting Bracket for ST7069, MV17-1 and ET71-1	0.2 lbs	\$18
-------------	--	---------	------

SUMMARY OF KEY PRODUCT FEATURES

- Certified to ASSE 1070 & 1069 at 0.5 GPM
- Cartridge-Style Integral Checks/Screens
- Allen Wrench Temperature Adjustment w/Lock-Nut
- 1/2" NPT connections
- NSF/ANSI 61 Certified lead-free
- 12 GPM @ 45 psid
- 10° F Approach Temperature
- Lead-free/DZR Brass Construction

Thermostatic Lavatory/Tub/Shower Tempering Valve

Omega™ ST7017 Series

ASSE 1017 & 1070 Certified




The Alpha Thermostatic Mixing Valve provides safe tempered water for Sinks, Lavatories and Showers for Flows Ranging from 0 to 25 GPM.

Patented: 9,898,017

Model	Description	Weight	Price
ST7017-12CU	Omega™ Thermostatic Valve, 1/2" Copper	2.2 Lbs	\$319
ST7017-12PEX	Omega™ Thermostatic Valve, 1/2" PEX	2.2 Lbs	\$319
ST7017-12CPVC	Omega™ Thermostatic Valve, 1/2" CPVC	2.2 Lbs	\$319
ST7017-34CU	Omega™ Thermostatic Valve, 3/4" Copper	2.2 Lbs	\$351
ST7017-34PEX	Omega™ Thermostatic Valve, 3/4" PEX	2.2 Lbs	\$351
ST7017-34CPVC	Omega™ Thermostatic Valve, 3/4" CPVC	2.2 Lbs	\$351

SUMMARY OF KEY PRODUCT FEATURES

- Certified to ASSE 1017 & 1070 at 0.25 GPM
- Cartridge-Style Integral Checks/Screens
- Allen Wrench Temperature Adjustment w/Lock-Nut
- 1/2" & 3/4" Copper, PEX and CPVC Connections
- "Lead-Free" Construction
- Up to 21 GPM @ 45 psid
- 5° F Approach Temperature



Lead Free Emergency Fixture Thermostatic Mixing Valve

ET71 Series

ASSE 1071 Certified



Temperature Actuated Mixing Valves for Plumbed Emergency Equipment including eyewashes, eye-face washes, drench showers and hoses and combination units; 4 size/flow rate capacities are available.

Patented: 9,879,658 & 9,989,017

Model	Description	Weight	Price
ET71-1	1/2" NPT Inlet & Outlet, 12 GPM @ 45 PSID	3.5 Lbs	\$703
ET71-1-BVS	w/Full Port Inlet Ball Valves		\$798
ET71-1-OTG	w/Outlet Temperature Gauge		\$853
ET71-1-BVS-OTG	w/Inlet Ball Valves & Outlet Temperature Gauge		\$940
ET71-2	3/4" NPT Inlet, 1" NPT Outlet, 43 GPM @ 45 PSID	8.5 Lbs	\$1,122
ET71-2-BVS	w/Full Port Inlet Ball Valves		\$1,257
ET71-2-OTG	w/Outlet Temperature Gauge		\$1,325
ET71-2-BVS-OTG	w/Inlet Ball Valves & Outlet Temperature Gauge		\$1,459
ET71-3	1" NPT Inlet, 1-1/4" NPT Outlet, 86 GPM @ 45 PSID	36 Lbs	\$1,737
ET71-3-BVS	w/Full Port Inlet Ball Valves		\$1,893
ET71-3-OTG	w/Outlet Temperature Gauge		\$1,952
ET71-3-BVS-OTG	w/Inlet Ball Valves & Outlet Temperature Gauge		\$2,097
ET71-4	1-1/4" NPT Inlet, 1-1/2" NPT Outlet, 150 GPM @ 45 PSID	36 Lbs	\$2,335
ET71-4-BVS	w/Full Port Inlet Ball Valves		\$2,599
ET71-4-OTG	w/Outlet Temperature Gauge		\$2,587
ET71-4-BVS-OTG	w/Inlet Ball Valves & Outlet Temperature Gauge		\$2,851

SUMMARY OF KEY PRODUCT FEATURES

- IAPMO Certified to ASSE 1071 at Advertised Minimum Flow Rate
(IAPMO Certified Minimum Flow Rates from 1.5 to 3 GPM based on capacity)
- Meets ASSE 1017 and ANSI Z358 for Preventing Unauthorized Shut-off without Extra-Cost of Cabinets or Lockable Covers
- Recirculation Capable
- Four Models Rated from 12 to 150 GPM @ 45 psid
- Two Inlet-Sized Lockable FULL PORT Ball Valves OPTIONAL
- Cartridge-Style Integral Checks/Screens
- Allen Wrench Temperature Adjustment
- Lock Nut Tamper Resistance
- Minimum Hot Water Supply: 5° F above setpoint
- Available as a Supply Fixture Assembly
- May be Installed in Any Direction
- Unique Patented Cold Water By-Pass



2022 LIST PRICE GUIDE FOR SHOWERING & TEMPERING PRODUCTS

Member of Morris Group International™

PRICES SUBJECT TO CHANGE / All Pricing in US\$ effective November 1, 2022

(Refer to Website for latest Terms & Conditions)

Options – Lead Free Emergency Fixture Thermostatic Mixing Valve

Options	Description	Add Price
Mounting Brackets		
MB-1	for ET71-1 Valve	\$22
MB-2	for ET71-2 Valve	\$35
MB-3	for ET71-3 & ET71-4 Valve	\$65
Cabinets		
SMC - PRC	CABINET ONLY - See Supply Fixtures for Pre-piped Assemblies	
	for ET71-1 Valve	\$865
	for ET71-2 Valve	\$916
	for ET71-3 Valve or ET71-4 Valve	\$972
SMC - SSTL	CABINET ONLY - See Supply Fixtures for Pre-pipes Assemblies	
	for ET71-1 Valve	\$1,241
	for ET71-2 Valve	\$1,491
	for ET71-3 Valve or ET71-4 Valve	\$1,601
DRS	Solid Door with Lock	
DRV	View Port to Door – read Temp Gauge w/o opening door	\$192



2022 LIST PRICE GUIDE FOR SHOWERING & TEMPERING PRODUCTS

Member of Morris Group International™

PRICES SUBJECT TO CHANGE / All Pricing in US\$ effective November 1, 2022

(Refer to Website for latest Terms & Conditions)

Lead Free Master Mixer, Single Valve Hi-Lo

MV17 Series

ASSE 1017 Certified




Temperature Actuated Mixing Valves for Hot Water Distribution Systems; Brass Body, Chrome Finish Body and 5 size/flow rate capacities are available.

Patent 9,898,017



Model	Description	Weight	Price
MV17-1	1/2" NPT Ball Valves, Brass Body, 15 GPM @ 45 PSID	3.5 Lbs	\$349
MV17-1-OTG	w/Outlet Temperature Gauge		\$490
MV17-2	3/4" NPT Ball Valves, Brass Body, 45 GPM @ 45 PSID	8.5 Lbs	\$1,061
MV17-2-OTG	w/Outlet Temperature Gauge		\$1,228
MV17-3	1" NPT Ball Valves, Brass Body, 90 GPM @ 45 PSID	37 Lbs	\$1,618
MV17-3-OTG	w/Outlet Temperature Gauge		\$1,825
MV17-4	1-1/4" NPT Ball Valves, Brass Body, 150 GPM @ 45 PSID	37 Lbs	\$1,848
MV17-4-OTG	w/Outlet Temperature Gauge		\$2,094
MV17-5	2" NPT Ball Valves, Brass Body, 225 GPM @ 45 PSID	45 Lbs	\$3,009
MV17-5-OTG	w/Outlet Temperature Gauge		\$3,296
MV17CP-1	MV17-1 w/Chrome Finish	3.5 Lbs	\$472
MV17-1-OTG	w/Outlet Temperature Gauge		\$673
MV17CP-2	MV17-2 w/Chrome Finish	8.5 Lbs	\$1,541
MV17CP-2-OTG	w/Outlet Temperature Gauge		\$1,784
MV17CP-3	MV17-3 w/Chrome Finish	37 Lbs	\$1,958
MV17CP-3-OTG	w/Outlet Temperature Gauge		\$2,246
MV17CP-4	MV17-4 w/Chrome Finish	37 Lbs	\$2,377
MV17CP-4-OTG	w/Outlet Temperature Gauge		\$2,737
MV17CP-5	MV17-5 w/Chrome Finish	45 Lbs	\$3,392
MV17CP-5-OTG	w/Outlet Temperature Gauge		\$3,812



2022 LIST PRICE GUIDE FOR SHOWERING & TEMPERING PRODUCTS

Member of Morris Group International™

PRICES SUBJECT TO CHANGE / All Pricing in US\$ effective November 1, 2022

(Refer to Website for latest Terms & Conditions)

Options – Lead Free Master Mixer, Single Valve Hi-Lo

Options	Description	Add Price
Mounting Brackets		
MB-1	for MV17-1 Valve	\$22
MB-2	for MV17-2 Valve	\$35
MB-3	for MV17-3 & MV17-4 Valve	\$65
MB-5	for MV17-5	\$93
Cabinets		
SMC - PRC	CABINET ONLY - See Supply Fixtures for Pre-piped Assemblies	
	for MV17-1 Valve	\$865
	for MV17-2 Valve	\$916
	for MV17-3 Valve or MV17-4 Valve	\$972
	for MV17-5	\$1,118
SMC - SSTL	CABINET ONLY - See Supply Fixtures for Pre-pipes Assemblies	
	for MV17-1 Valve	\$1,241
	for MV17-2 Valve	\$1,491
	for MV17-3 Valve or MV17-4 Valve	\$1,601
	for MV17-5	\$1,859
DRS	Solid Door with Lock	N/C
DRV	View Port to Door – read Temp Gauge w/o opening door	\$192



Pre-Piped Supply Fixtures

SFET Series



Lead Free supply fixture utilizing the ET71 Series Valves; Deliver safe, tepid water for emergency drench equipment; Controls temperature for both recirculating and non-circulating supply system; 4 size/flow rate capacities are available.

Model	Description	Price
SFET-1	12 GPM (45 LPM), 1/2" Inlet & Outlet Brass Body	\$1,089
SFET-2	43 GPM (163 LPM), 3/4" NPT Inlet, 1"NPT Outlet Brass Body	\$1,495
SFET-3	86 GPM (326 LPM), 1" NPT Inlet, 1-1/4" NPT Outlet Brass Body	\$2,052
SFET-4	150 GPM (568 LPM), 1-1/4" NPT Inlet, 1-1/2" NPT Outlet Brass Body	\$2,947

SFMV Series



Lead Free supply fixture utilizing the MV17 Series Valves; Controls temperatures in hot water distribution systems; Can be used with recirculating and non-recirculating systems depending on specific fixture set up; Brass Body, Chrome Body and 5 size/flow rate capacities are available.



Model	Description	Price
SFMV-1	15 GPM (57 LPM), 1/2" Inlet & Outlet, Brass Body	\$1,167
SFMV-2	45 GPM (170 LPM), 3/4" Inlet, 1" Outlet, Brass Body	\$1,874
SFMV-3	90 GPM (341 LPM), 1" Inlet, 1-1/4" Outlet, Brass Body	\$2,245
SFMV-4	150 GPM (568 LPM), 1-1/4" Inlet, 1-1/2" Outlet, Brass Body	\$2,995
SFMV-5	225 GPM (852 LPM), 1-1/2" Inlet, 2" Outlet, Brass Body	\$4,598
SFMVCP-1	12 GPM (45 LPM), 1/2" Inlet & Outlet, Brass Body, Chrome Finish	\$1,557
SFMVCP-2	45 GPM (170 LPM), 3/4" Inlet, 1" Outlet, Brass Body, Chrome	\$2,176
SFMVCP-3	90 GPM (341 LPM), 1" Inlet, 1-1/4" Outlet,, Brass Body, Chrome	\$2,678
SFMVCP-4	150 GPM (568 LPM), 1-1/4" Inlet, 1-1/2" Outlet,, Brass Body,	\$3,488
SFMVCP-5	225 GPM (852 LPM), 1-1/2" Inlet, 2" Outlet, , Brass Body, Chrome	\$5,612

SFMV Series



Lead Free supply fixture utilizing ST7069 Valve; Delivers safe, tempered water to point of use fixtures such as sinks, baths and showers; Ideal for commercial, institutional or residential applications.



Model	Description	Price
SFST	12 GPM (45 LPM), 1/2" Inlet & Outlet Brass Body	\$1,150




2022 LIST PRICE GUIDE FOR SHOWERING & TEMPERING PRODUCTS

Member of Morris Group International™

PRICES SUBJECT TO CHANGE / All Pricing in US\$ effective November 1, 2022

(Refer to Website for latest Terms & Conditions)

Options for Supply Fixtures (Applies to SFST, SFET & SFMV Series)

Pipe Orientation		Price
T	Top Supply Inlet	No extra charge
B	Bottom Supply Inlet	No extra charge
OT	Outlet Top	No extra charge
OB	Outlet Bottom	No extra charge
OSL	Outlet Right Side	No extra charge
OSR	Outlet Right Side	No extra charge
		
CW By-Pass		
CWB	for SFST, SFMV-1	\$542
	for SFMV-2	\$843
	for SFMV-3	\$963
	for SFMV-4	\$1,083
	for SFMV-5	\$1,444
	for SFMVCP-1	\$662
	for SFMVCP-2	\$963
	for SFMVCP-3	\$1,083
	for SFMVCP-4	\$1,203
	for SFMVCP-5	\$1,564
		
Inlet Temperature Gauges		
ITG	for SFST, SFMV-1, SFET-1	\$235
	for SFMV-2, SFET-2	\$301
	for SFMV-3, SFET-3	\$343
	for SFMV-4, SFET-4	\$365
	for SFMV-5	\$421
	for SFMVCP-1	\$295
	for SFMVCP-2	\$361
	for SFMVCP-3	\$404
	for SFMVCP-4	\$421
	for SFMVCP-5	\$481
		

2022 LIST PRICE GUIDE FOR SHOWERING & TEMPERING PRODUCTS

Member of Morris Group International™

PRICES SUBJECT TO CHANGE / All Pricing in US\$ effective November 1, 2022

(Refer to Website for latest Terms & Conditions)

Options for Supply Fixtures (Applies to SFST, SFET & SFMV Series)

CABINET STYLE & FINISH		Price
RC-PRC	Recessed Cabinet w/Prime Coat Finish	
	for SFST, SFET-1, SFMV-1, SFMVCP-1	\$939
	for SFET-2, SFMV-2, SFMVCP-2	\$999
	for SFMV-3, SFMVCP-3, SFET-3, SFMV-4, SFMVCP-4, SFET-4	\$1,052
	for SFMV-5, SFMVCP-5	\$1,186
 RC-SSTL	Recessed Stainless Steel Cabinet	
	for SFST, SFET-1, SFMV-1, SFMVCP-1	\$1,380
	for SFET-2, SFMV-2, SFMVCP-2	\$1,656
	for SFMV-3, SFMVCP-3, SFET-3, SFMV-4, SFMVCP-4, SFET-4	\$1,779
	for SFMV-5, SFMVCP-5	\$2,073
 SMC-PRC	Surface Mount Cabinet w/Prime Coat Finish	
	for SFST, SFET-1, SFMV-1, SFMVCP-1	\$939
	for SFET-2, SFMV-2, SFMVCP-2	\$999
	for SFMV-3, SFMVCP-3, SFET-3, SFMV-4, SFMVCP-4, SFET-4	\$1,052
	for SFMV-5, SFMVCP-5	\$1,186
SMC-SSTL	Surface Mount Stainless Steel Cabinet	
	for SFST, SFET-1, SFMV-1, SFMVCP-1	\$1,380
	for SFET-2, SFMV-2, SFMVCP-2	\$1,656
	for SFMV-3, SFMVCP-3, SFET-3, SFMV-4, SFMVCP-4, SFET-4	\$1,779
	for SFMV-5, SFMVCP-5	\$2,073
OPTIONAL CABINET DOOR		
DRS	Solid Door for Cabinet	
DRV	Door with Viewport for Cabinet	\$195
L	Left Side Hinge for Door on Cabinet	No extra charge
R	Right Side Hinge for Door on Cabinet	No extra charge



Multi-Valve/Pre-Piped Supply Fixtures

SFMMV Series




Lead Free, Multi-Valve supply fixture utilizing the MV17 Series. Deliver safe, tempered water for commercial or institutional facilities. Regulates temperature for both recirculating and non-circulating supply system; capacities range from 0 to over 1,000 gpm.

**Call/E-Mail
for Pricing**

Systems are configurable for multiple Temperature Zones

Standard Configurations (Specials available on Request)

The ET71 series can be used in these systems also.



The ET71 series can be used in these systems also.

Self-Contained Tempering & Recirculation System

Command Station CSMV Series




Lead Free fully assembled tempering/recirculation system featuring the MV17 series. Delivers safe, tempered water for commercial and institutional facilities. Command Stations are designed with engineer specified pumps for fast and easy start-ups.

**Call/E-Mail
for Pricing**

Standard Configurations (Specials available on Request)

Systems are configurable for multiple Temperature Zones

The ET71 series can be used in these systems also.



Configurable Ordering Codes

[illegible]

Emergency Tempering Skids

STS-1	120 Gallon NON-ASME Tank with ET71-2 tempering valve
STS-1A	120 Gallon ASME Tank with ET71-2 tempering valve
STS-3	300 Gallon ASME Tank with ET71-3 tempering valve
STS-1 Special	Per specifications - please allow 3 to 5 days for a proposal, more if a detailed submittal is required.

Call or E-Mail Controls for Quotes

Digital Tempering & Recirculation System

Acorn BASyC ABMV Series



Lead Free fully assembled Digital tempering/recirculation system featuring the MV17 series. Delivers safe, tempered water for commercial and institutional facilities. Command Stations are designed with engineer specified pumps and electronics for fast and easy start-ups.

**Call/E-Mail
for Pricing**

Standard Configurations (Specials available on Request)

Systems are configurable for multiple Temperature Zones

The ET71 series can be used in these systems also.



A BASyC™ SYSTEM WILL MAINTAIN CURRENT SETPOINT* DURING POWER FAILURES, OUTLET SENSOR LOSS OR SOFTWARE REDOAT AT ALL USER DEMAND REQUIREMENTS (ZERO TO PEAK). UTILIZING THE AVAILABLE INLET/OUTLET PRESSURE SENSORS, BASyC OFFERS CALCULATED FLOW AND ENERGY DATA THAT'S ACCURATE AND RELIABLE! *NIST CERTIFIED ACCURATE TO ±1% NIST




- ABMV-2
- ABMV-3
- ABMV-4
- ABMV-5
- ABMMV-22
- ABMMV-23
- ABMMV-33
- ABMMV-24
- ABMMV-34
- ABMMV-25
- ABMMV-44
- ABMMV-45
- ABMMV-55
- ABMMV-445
- ABMMV-355
- ABMMV-455
- ABMMV-555
- ABMMV-4455
- ABMMV-4555
- ABMMV-5555

- Upgraded Electronics -
Smaller & Faster w/more Memory &
Flexibility



Configurable Ordering Codes



TempFlow™ Thermostatic Balancing Valve

TZV Series



TempFlow is a thermostatic, adjustable, lead-free, zone balancing valve that maintains hot water zone temperatures. Valves self balance enabling fast and easy start-up of complex plumbing systems.

Model	Description	Price
TZV-0001	TempFlow w/Capped Test Port	\$155
TZV-2101	TempFlow w/2 BV's, OTG & Capped Test Port	\$327
TZV-2111	TempFlow w/2 BV's, OTG, Union & Capped Test Port	\$354
TZV-3110	TempFlow w/3 BV's, OTG, Union & Capped Test Port	\$369

Configurable Numbering System

TZV -	X	X	X	X
-------	---	---	---	---

Test Port

0	Un-Capped	\$0
1	Capped	\$10

Union



0	None	\$0
1	Included	\$27

Temperature Gauge/Tee

0	none	\$0
1	OTG	\$123

Lockable BV

0	none	\$0
1	one	\$25
2	two	\$49
3	three	\$74



2022 LIST PRICE GUIDE FOR SHOWERING & TEMPERING PRODUCTS

Member of Morris Group International™

PRICES SUBJECT TO CHANGE / All Pricing in US\$ effective November 1, 2022

(Refer to Website for latest Terms & Conditions)

ATM (Automatic Temperature Monitor)

ATM-1

Base Price Includes the ATM, the thermocouple sensor with 10 feet of signal wire and compression fitting and 24 VAC transformer

\$1,279

Options

Thermocouple "Tee" and adapters

1/2"

Price

\$29

3/4"

\$36

1"

\$53

1 1/4"

\$76

1 1/2"

\$107

2"

\$147

Normally Closed Solenoid

1/2"

\$450

3/4"

\$527

1"

\$807

1 1/4"

\$1,298

1 1/2"

\$1,593

2"

\$2,446

Water Hammer Arrestor

1/2"

\$230

3/4"

\$352

1"

\$525

1 1/4"

\$1,065

1 1/2"

\$1,497

2"

\$1,604

Additional Sensor Wire

Thermocouple 10 Ft. Segment


\$29

Solenoid 10 Ft. Segment

\$29

Wall Mounting Brackets (Pair)

\$60



2022 PARTS PRICING FOR SHOWERING & TEMPERING PRODUCTS

Division of Acorn Engineering Company®, Member of Morris Group International™



PRICES SUBJECT TO CHANGE / All Pricing in US\$ effective November 1, 2022

(Refer to Website for latest Terms & Conditions)

SV16

Acorn P/N	Description	List Price
7800-503-001	Trim Kit - Lever	\$87
7800-186-001	Trim Kit - Ligature. Resist.	\$84
7800-500-001	Complete Internal Rebuild Kit	\$167
7800-502-001	Cartridge/Bonnet Replacement	\$135
7800-175-001	Cartridge Replacement Kit	\$104
7800-504-001	Check Stop Rebuild Kit	\$40
RSV16-LVR	Includes all parts necessary for upgrading specific Powers castings to SV16-LVR, including special instructions.	\$213
RSV16	Includes all parts necessary for upgrading specific Powers castings to SV16, including special instructions.	\$213
7800-056-001	Stem Extension	\$31

ST7069

Acorn P/N	Description	List Price
7803-500-001	Complete Rebuild Kit	\$129
7803-510-001	Internal Repair Kit	\$74
7803-502-001	Bonnet & Stem Kit	\$49
7801-503-001	Check & Strainer Rebuild Kit	\$24
7801-503-002	Check & Strainer Rebuild Kit, Less Bonnet	\$18

ET71-1

Acorn P/N	Description	List Price
7801-500-001	Complete Rebuild Kit	\$187
7801-510-001	Internal Repair Kit	\$124
7801-502-001	Bonnet & Stem Kit	\$62
7801-503-001	Check & Strainer Rebuild Kit	\$25
7801-503-002	Check & Strainer Rebuild Kit, Less Bonnet	\$18
7801-504-001	By-Pass Rebuild Kit	\$27
7801-504-002	By-Pass Rebuild Kit, Less Bonnet	\$22

2022 PARTS PRICING FOR SHOWERING & TEMPERING PRODUCTS

Division of Acorn Engineering Company®, Member of Morris Group International™



ET71-2

Acorn P/N	Description	List Price
7804-500-001	Complete Rebuild Kit	\$534
7804-510-001	Internal Repair Kit	\$329
7804-502-001	Bonnet & Stem Kit	\$201
7804-503-001	Check & Strainer Rebuild Kit	\$66
7804-503-002	Check & Strainer Rebuild Kit, Less Bonnet	\$28
7804-504-001	By-Pass Rebuild Kit	\$44
7804-504-002	By-Pass Rebuild Kit, Less Bonnet	\$34

ET71-3

Acorn P/N	Description	List Price
7808-500-001	Complete Rebuild Kit	\$845
7808-510-001	Internal Repair Kit	\$526
7808-502-001	Bonnet & Stem Kit	\$328
7808-503-001	Check & Strainer Rebuild Kit	\$98
7808-503-002	Check & Strainer Rebuild Kit, Less Bonnet	\$51
7808-504-001	By-Pass Rebuild Kit	\$70
7808-504-002	By-Pass Rebuild Kit, Less Bonnet	\$56

ET71-4

Acorn P/N	Description	List Price
7805-500-001	Complete Rebuild Kit	\$929
7805-510-001	Internal Repair Kit	\$613
7805-502-001	Bonnet & Stem Kit	\$335
7808-503-001	Check & Strainer Rebuild Kit	\$98
7808-503-002	Check & Strainer Rebuild Kit, Less Bonnet	\$51
7808-504-001	By-Pass Rebuild Kit	\$70
7808-504-002	By-Pass Rebuild Kit, Less Bonnet	\$56

MV17-1

Acorn P/N	Description	List Price
7806-500-001	Complete Rebuild Kit	\$133
7806-510-001	Internal Repair Kit	\$78
7806-502-001	Bonnet & Stem Kit	\$49
7801-503-001	Check & Strainer Rebuild Kit	\$25
7801-503-002	Check & Strainer Rebuild Kit, Less Bonnet	\$18

2022 PARTS PRICING FOR SHOWERING & TEMPERING PRODUCTS

Division of Acorn Engineering Company®, Member of Morris Group International™



MV17CP-1

Acorn P/N	Description	List Price
7806-500-010	Complete Rebuild Kit	\$166
7806-510-010	Internal Repair Kit	\$95
7806-502-010	Bonnet & Stem Kit	\$61
7801-503-010	Check & Strainer Rebuild Kit	\$30
7801-503-002	Check & Strainer Rebuild Kit, Less Bonnet	\$18

MV17-2

Acorn P/N	Description	List Price
7812-500-001	Complete Rebuild Kit	\$471
7812-510-001	Internal Repair Kit	\$282
7812-502-001	Bonnet & Stem Kit	\$182
7804-503-001	Check & Strainer Rebuild Kit	\$66
7804-503-002	Check & Strainer Rebuild Kit, Less Bonnet	\$28

MV17CP-2

Acorn P/N	Description	List Price
7812-500-010	Complete Rebuild Kit	\$589
7812-510-010	Internal Repair Kit	\$353
7812-502-010	Bonnet & Stem Kit	\$228
7804-503-010	Check & Strainer Rebuild Kit	\$82
7804-503-002	Check & Strainer Rebuild Kit, Less Bonnet	\$28

MV17-3

Acorn P/N	Description	List Price
7810-500-001	Complete Rebuild Kit	\$576
7810-510-001	Internal Repair Kit	\$337
7810-502-001	Bonnet & Stem Kit	\$209
7808-503-001	Check & Strainer Rebuild Kit	\$98
7808-503-002	Check & Strainer Rebuild Kit, Less Bonnet	\$94

MV17CP-3

Acorn P/N	Description	List Price
7810-500-010	Complete Rebuild Kit	\$720
7810-510-010	Internal Repair Kit	\$421
7810-502-010	Bonnet & Stem Kit	\$269
7808-503-010	Check & Strainer Rebuild Kit	\$121
7808-503-002	Check & Strainer Rebuild Kit, Less Bonnet	\$51

2022 PARTS PRICING FOR SHOWERING & TEMPERING PRODUCTS

Division of Acorn Engineering Company®, Member of Morris Group International™



MV17-4

Acorn P/N	Description	List Price
7809-500-001	Complete Rebuild Kit	\$701
7809-510-001	Internal Repair Kit	\$421
7809-502-001	Bonnet & Stem Kit	\$271
7808-503-001	Check & Strainer Rebuild Kit	\$98
7808-503-002	Check & Strainer Rebuild Kit, Less Bonnet	\$51

MV17CP-4

Acorn P/N	Description	List Price
7809-500-010	Complete Rebuild Kit	\$968
7809-510-010	Internal Repair Kit	\$590
7809-502-010	Bonnet & Stem Kit	\$380
7808-503-010	Check & Strainer Rebuild Kit	\$121
7808-503-002	Check & Strainer Rebuild Kit, Less Bonnet	\$51

MV17-5

Acorn P/N	Description	List Price
7811-500-001	Complete Rebuild Kit	\$954
7811-510-001	Internal Repair Kit	\$594
7811-502-001	Bonnet & Stem Kit	\$382
7808-503-001	Check & Strainer Rebuild Kit	\$98
7808-503-002	Check & Strainer Rebuild Kit, Less Bonnet	\$51

MV17CP-5

Acorn P/N	Description	List Price
7811-500-010	Complete Rebuild Kit	\$1,122
7811-510-010	Internal Repair Kit	\$695
7811-502-010	Bonnet & Stem Kit	\$467
7808-503-010	Check & Strainer Rebuild Kit	\$121
7808-503-002	Check & Strainer Rebuild Kit, Less Bonnet	\$51