


BESTCARE® - BEHAVIORAL HEALTHCARE
INFECTION PREVENTION SINKS
SCRUBWARE SCRUB SINKS
BARIATRIC PRODUCTS
DIALYSIS BOXES
CAREWARE - PATIENT CARE UNITS

List/Retail Price Guide

HEALTHCARE & REHABILITATION PRODUCTS



Whitehall Manufacturing®
Manufacturer of Healthcare and Rehabilitation Products since 1946



2022

EFFECTIVE NOVEMBER 1ST, 2022



MANUFACTURER OF HEALTHCARE PRODUCTS

Founded in New Jersey in 1946, Whitehall Manufacturing was a key manufacturer of whirlpools designed to treat injured soldiers after World War II. Since then, Whitehall has attained and established a myriad of healthcare and rehabilitation lines. Introduced in 2013, our BestCare® ligature-resistant fixtures minimize ligature points to reduce risk and enhance patient well-being in behavioral healthcare facilities.



ADA



425 gallon Hubbard Tank. First used to treat injured soldiers during WWII, Whitehall Hubbard Tanks are capable of providing an increase in the range of motion as well as whole-body access in the treatment of burns and other skin conditions. This is one example of our many manufacturing capabilities.



WHITEHALL'S ADVANTAGE



HISTORY IN THE INDUSTRY

Founded in 1946, Whitehall Manufacturing celebrates over 70 years in the healthcare plumbing industry.



ON-SITE FACILITY TRAINING

We work with each individual application to ensure professional on-site design, training and start-up.



DESIGN, CONSULTATION & SUPPORT

We personally guarantee the perfect fixture every time, from initial design to follow-up support.



QUALITY CRAFTSMANSHIP

Whitehall fixtures are constructed with only the highest-grade materials, from stainless steel to solid surface polymer.



DEDICATED CUSTOMER SERVICE

Our trained, tried and true representatives are devoted to providing only the highest quality customer service.



FIELD/TECHNICAL SERVICE WORKING IN FIELD AFTER INSTALLATION IF NEEDED

In addition to our new showroom in Industry, CA, we showcase an array of products in our Mobile Showroom, a traveling trailer packed with functional and innovative Whitehall fixtures including BestCare ligature-resistant products, infection prevention sinks, patient care units and more.

Call us to see when the Whitehall Mobile Showroom will be in an area near you!



CUSTOMER SERVICE



HEALTHCARE PRODUCTS

BESTCARE® BEHAVIORAL HEALTHCARE - PLUMBING (SECTION 22)

| | |
|--|-----------|
| BESTCARE DIGNITY SUITES | 6 |
| BESTCARE SINKS | 13 |
| STAINLESS STEEL | 13 |
| SOLID SURFACE | 14 |
| CORNER SOLID SURFACE | 14 |
| BESTCARE LIGATURE-RESISTANT FAUCETS | 18 |
| SINGLE TEMPERATURE | 20 |
| SINGLE TEMPERATURE WIDESPREAD AND RETROFITTABLE | 22 |
| HOT AND COLD | 23 |
| HOT AND COLD WIDESPREAD AND RETROFITTABLE | 24 |
| VALVES | 24 |
| BESTCARE TOILETS | 25 |
| LIGATURE-RESISTANT ADA TOILET | 25 |
| LIGATURE-RESISTANT TOILET | 26 |
| LIGATURE-RESISTANT TANK STYLE TOILET | 27 |
| BESTCARE URINALS | 28 |
| BESTCARE LIGATURE-RESISTANT URINALS | 28 |
| BESTCARE LIGATURE-RESISTANT TOILET AND URINAL ACCESSORIES | 29 |
| LIGATURE-RESISTANT FLUSH VALVES | 29 |
| LIGATURE-RESISTANT ACCESS PANELS | 30 |
| LIGATURE-RESISTANT TOILET SEATS | 32 |
| BESTCARE LIGATURE-RESISTANT SHOWERS | 33 |
| LIGATURE-RESISTANT WALL SHOWERS | 33 |
| LIGATURE-RESISTANT TUB SPOUT | 34 |
| LIGATURE-RESISTANT SHOWER HEADS, VALVES AND DIVERTERS | 34 |
| BESTCARE LIGATURE-RESISTANT DRAINS | 36 |
| LIGATURE-RESISTANT GRATES AND STRAINERS | 36 |
| LIGATURE-RESISTANT ROUND AND SQUARE FLOOR DRAINS | 36 |
| LIGATURE-RESISTANT LINEAR DRAINS | 37 |
| BESTCARE LIGATURE-RESISTANT BOTTLE FILLERS | 38 |
| BESTCARE LIGATURE-RESISTANT SHOWER BASES | 40 |

| | |
|---|-----------|
| BESTCARE® BEHAVIORAL HEALTHCARE - ACCESSORIES (SECTION 10) | |
| BESTCARE ACCESSORIES | 41 |
| LIGATURE-RESISTANT GRAB BARS | 42 |
| LIGATURE-RESISTANT MIRRORS | 44 |
| LIGATURE-RESISTANT SHELVES | 46 |
| LIGATURE-RESISTANT SHOWER CADDY & VANITY | 47 |
| LIGATURE-RESISTANT TOILET PAPER HOLDERS | 49 |
| LIGATURE-RESISTANT C-FOLD PAPER HOLDERS | 50 |



HEALTHCARE PRODUCTS

| | |
|---|-----------|
| BESTCARE® BEHAVIORAL HEALTHCARE - ACCESSORIES (SECTION 10) | |
| LIGATURE-RESISTANT PAPER TOWEL HOLDERS | 51 |
| LIGATURE-RESISTANT CHAIRS & DESKS | 52 |
| LIGATURE-RESISTANT CABINETS | 53 |
| LIGATURE-RESISTANT CABINETS - FIRE EXTINGUISHER | 53 |
| LIGATURE-RESISTANT CABINETS - ACCESS DOORS | 52 |
| DIALYSIS BOXES | 55 |
| WD MANOR BOXES | 56 |
| SINKS | |
| SCRUBWARE | 57 |
| SCRUBWARE -ADA COMPACT SCRUB SINK | 58 |
| COPPER SINK & TOILET | 61 |
| SCRUBWARE - COMPACT SCRUB SINK | 63 |
| ALL-IN-ONE HYGIENIC HAND WASHING SYSTEM | 65 |
| SCRUBWARE -FULL SIZE SCRUB SINK | 66 |
| INFECTION PREVENTION | 70 |
| INFECTION PREVENTION SINK - SOLID SURFACE | 70 |
| ADA INFECTION PREVENTION SINK - SOLID SURFACE | 72 |
| PRODUCT OPTIONS | 73 |
| WHITEHALL BARIATRIC SINKS & TOILETS | 74 |
| BARIATRIC STAINLESS STEEL SINK | 75 |
| BARIATRIC OFF-FLOOR WALL OUTLET STAINLESS STEEL TOILET | 76 |
| BARIATRIC ON-FLOOR OUTLET STAINLESS STEEL TOILET | 77 |
| BARIATRIC ON-FLOOR, WALL OR FLOOR OUTLET - STAINLESS STEEL TOILET | 79 |
| WUDU WASH STATION | 81 |
| PATIENT CARE UNITS | 83 |
| WHITEHALL® REHABILITATION PRODUCTS | |
| TRAINING STAIRS | 106 |
| HYDROTHERAPY | 107 |
| COLD TANKS | 107 |
| WHIRLPOOL OPTIONS | 108 |
| PODIATRY WHIRLPOOLS | 109 |
| EXTREMITY WHIRLPOOLS | 110 |
| SPORT WHIRLPOOLS | 111 |
| HI BOY WHIRLPOOLS | 111 |
| LOW BOY WHIRLPOOLS | 112 |
| SLANT BACK WHIRLPOOLS | 112 |
| FULL BODY IMMERSION TANKS | 113 |
| DISINFECTING SHOWER/MIXING UNITS | 113 |
| TERMS AND CONDITIONS | 114 |



Whitehall's® **BestCare®** products are designed to meet the unique application challenges faced by behavioral healthcare facilities seeking to maintain the balance between **patient safety, security, and creating a non-institutional environment**. All BestCare® products are designed to ensure patient safety with aesthetics in mind.

BestCare® products are **designed for both new construction and retrofit projects**, allowing for existing healthcare facility alterations without the mess. While traditional new construction and retrofit projects may take weeks, even months to complete, our **budget conscious** and **easy-to-install** BestCare® products cut installation time and help **stay within your budget**.



MODEL NO. WHD-BSN

Engineered to combine the look and feel of commercial grade designer Basins with durability and economy in mind. Each standard height Washbasin complies with ANSI, UFAS, and ADA requirements.

DIGNITY SUITE/SINKS

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|---------------|---------------|--------------|------------|
| DIGNITY SUITE® LIGATURE-RESISTANT CORTERRA SOLID SURFACE BLANCO BASIN, ADA COMPLIANT (3-HOLE PUNCH W/ 4" CENTERSET) | | WHD-BSN-OCC11 | | | \$1,712 |

OPTIONS

+ ADD PRICE

| DESCRIPTION | In-Stock | MODEL | + ADDITIONAL PRICE |
|---|----------|-----------|--------------------|
| Temperature-Pressure Balancing Mixing Valve | | WHST70-38 | \$75 |



MODEL NO. WH-SHD-C

Shower head body includes heavy-duty chrome plated brass and stainless steel polished to a mirror finish. Spray pattern is a nonadjustable multi-stream style which provides a 1.5 GPM flow rate. Intended for installation on a finished ceiling from the fixture side

DIGNITY SUITE/SHOWERS CEILING MOUNT

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|-----------|---------------|--------------|------------|
| DIGNITY SUITE® LIGATURE-RESISTANT STAINLESS STEEL CEILING-MOUNT SHOWER HEAD, 1.5 GPM, NON-ADJUSTABLE SPRAY PATTERN | | WHD-SHD-C | | | \$562 |



MODEL NO. WHD-SHD-W

Shower head body includes heavy-duty chrome plated brass and stainless steel polished to a mirror finish. Spray pattern is a non-adjustable multi-stream style which provides a 1.5 GPM flow rate. Intended for installation on a finished wall from the front side.

DIGNITY SUITE/SHOWERS WALL MOUNT

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|-----------|---------------|--------------|------------|
| DIGNITY SUITE® LIGATURE-RESISTANT STAINLESS STEEL WALL-MOUNT SHOWER HEAD, 1.5 GPM, NON-ADJUSTABLE SPRAY PATTERN | | WHD-SHD-W | | | \$449 |



MODEL NO. WHD-MR

Combines safety with patient friendly looks and function. The outer frame and shelves are constructed of 1" thick Blanco Corterra™ solid surface, providing strength while eliminating sharp corners. The shelf compartments are oversize in height for storage of both short and tall items. For safety and durability, the reflective surface is stainless steel with high polish mirror finish. The backing of the solid surface shelf is and provided standard in Dignity Blue Enviro-Glaze powder coating.

DIGNITY SUITE/ACCESSORIES

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|-------------|---------------|--------------|------------|
| DIGNITY SUITE® LIGATURE-RESISTANT CORTERRA SOLID SURFACE BLANCO MIRROR & UTILITY SHELF W/ WHITE POWDER-COAT SHELF-BACKING, 23" X 38" | | WHD-MR-EG10 | | | \$1,450 |
| DIGNITY SUITE® LIGATURE-RESISTANT CORTERRA SOLID SURFACE BLANCO MIRROR & UTILITY SHELF W/ DIGNITY BLUE SHELF-BACKING, 23" X 38" | | WHD-MR-EG30 | | | \$1,450 |
| DIGNITY SUITE® LIGATURE-RESISTANT CORTERRA SOLID SURFACE BLANCO MIRROR & UTILITY SHELF W/ SHATTER-PROOF MIRROR FINISH SHELF BACKING, 23" X 38" | | WHD-MR-MF | | | \$1,434 |



MODEL NO. WHD-SHV15 - EG30

The outer frame, interior sides and shelves are constructed of Blanco Corterra solid surface to provide strength while eliminating sharp corners. The shelf compartments are oversize in height for storage of both short and tall items. The back panel is heavy gauge stainless steel and provided standard with Dignity Blue Enviro-glaze powder coating.

DIGNITY SUITE/SHELVES 15" WIDTH

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|----------------|---------------|--------------|------------|
| DIGNITY SUITE® LIGATURE-RESISTANT CORTERRA SOLID SURFACE BLANCO RECESSED SHELF W/ WHITE SHELF-BACKING, 15" X 38" | | WHD-SHV15-EG10 | | | \$1,107 |
| DIGNITY SUITE® LIGATURE-RESISTANT CORTERRA SOLID SURFACE BLANCO RECESSED SHELF W/ DIGNITY BLUE SHELF-BACKING, 15" X 38" | | WHD-SHV15-EG30 | | | \$1,107 |
| DIGNITY SUITE® LIGATURE-RESISTANT CORTERRA SOLID SURFACE BLANCO RECESSED SHELF W/ SHATTER-PROOF MIRROR FINISH SHELF-BACKING, 15" X 38" | | WHD-SHV15-MF | | | \$1,027 |

MODEL DIGNITY SUITE™ BESTCARE®

LIGATURE-RESISTANT



MODEL NO. WHD-SHV10 - EG30

The outer Frame, interior sides and shelves are constructed of Blanco Corterra solid surface to provide strength while eliminating sharp corners. The shelf compartments are oversize in height for storage of both short and tall items. The Back Panel is heavy gauge stainless steel and provided standard with Dignity Blue Enviro-glaze powder coating.

DIGNITY SUITE/SHELVES 10" WIDTH

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|----------------|---------------|--------------|------------|
| DIGNITY SUITE® LIGATURE-RESISTANT CORTERRA SOLID SURFACE BLANCO RECESSED SHELF W/ WHITE SHELF-BACKING, 10"X 38" | | WHD-SHV10-EG10 | | | \$952 |
| DIGNITY SUITE® LIGATURE-RESISTANT CORTERRA SOLID SURFACE BLANCO RECESSED SHELF W/ DIGNITY BLUE SHELF-BACKING, 10"X 38" | | WHD-SHV10-EG30 | | | \$952 |
| DIGNITY SUITE® LIGATURE-RESISTANT CORTERRA SOLID SURFACE BLANCO RECESSED SHELF W/ SHATTER-PROOF MIRROR FINISH SHELF-BACKING, 10"X 38" | | WHD-SHV10-MF | | | \$888 |



MODEL NO. WHD-CF

The Blanco Corterra solid surface C-fold paper towel dispenser is designed to hold industry standard C-fold paper towels. Mounts to a concealed, in-wall galvanized steel mounting frame. Intended for installation on a finished wall from the front side.

DIGNITY SUITE/C-FOLD PAPER TOWEL DISPENSER

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|--------|---------------|--------------|------------|
| DIGNITY SUITE® LIGATURE-RESISTANT CORTERRA SOLID SURFACE BLANCO C-FOLD PAPER TOWEL DISPENSER | | WHD-CF | | | \$389 |

MODEL DIGNITY SUITE™ BESTCARE®

LIGATURE-RESISTANT




MODEL NO. WHD-TP

The Blanco Corterra solid surface toilet paper holder is designed to hold an industry standard issue roll of toilet paper. Mounts to a concealed, in-wall galvanized steel mounting frame to reduce the possibility of removal from wall. Intended for installation on a finished wall from the front side.

DIGNITY SUITE/PAPER TOWEL HOLDER

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|--------|---------------|--------------|------------|
| DIGNITY SUITE® LIGATURE-RESISTANT CORTERRA SOLID SURFACE BLANCO TOILET PAPER HOLDER | | WHD-TP | | | \$326 |



MODEL NO. WHD-GB SERIES

Grab bars are constructed of cast aluminum to provide strength while eliminating common ligature points. The standard finish provided is White Enviro-glaze powder coating, with optional Dignity Blue color. Design includes weep holes to assist with drainage when used in shower applications. Design conforms with ADA 2010 standards when required lengths are provided including structural strength for vertical and horizontal force of 250 pounds.



DIGNITY SUITE/GRAB BAR

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|---------------|---------------|--------------|------------|
| DIGNITY SUITE® LIGATURE-RESISTANT ALUMINUM GRAB BAR, ADA COMPLIANT, WHITE POWDER-COAT FINISH, 18" | | WHD-GB18-EG10 | | | \$1,273 |
| DIGNITY SUITE® LIGATURE-RESISTANT ALUMINUM GRAB BAR, ADA COMPLIANT, DIGNITY BLUE POWDER-COAT FINISH, 18" | | WHD-GB18-EG30 | | | \$1,274 |
| DIGNITY SUITE® LIGATURE-RESISTANT ALUMINUM GRAB BAR, ADA COMPLIANT, WHITE POWDER-COAT FINISH, 24" | | WHD-GB24-EG10 | | | \$1,264 |
| DIGNITY SUITE® LIGATURE-RESISTANT ALUMINUM GRAB BAR, ADA COMPLIANT, DIGNITY BLUE POWDER-COAT FINISH, 24" | | WHD-GB24-EG30 | | | \$1,265 |
| DIGNITY SUITE® LIGATURE-RESISTANT ALUMINUM GRAB BAR, ADA COMPLIANT, WHITE POWDER-COAT FINISH, 30" | | WHD-GB30-EG10 | | | \$1,390 |
| DIGNITY SUITE® LIGATURE-RESISTANT ALUMINUM GRAB BAR, ADA COMPLIANT, DIGNITY BLUE POWDER-COAT FINISH, 30" | | WHD-GB30-EG30 | | | \$1,395 |
| DIGNITY SUITE® LIGATURE-RESISTANT ALUMINUM GRAB BAR, ADA COMPLIANT, WHITE POWDER-COAT FINISH, 36" | | WHD-GB36-EG10 | | | \$1,392 |
| DIGNITY SUITE® LIGATURE-RESISTANT ALUMINUM GRAB BAR, ADA COMPLIANT, DIGNITY BLUE POWDER-COAT FINISH, 36" | | WHD-GB36-EG30 | | | \$1,398 |
| DIGNITY SUITE® LIGATURE-RESISTANT ALUMINUM GRAB BAR, ADA COMPLIANT, WHITE POWDER-COAT FINISH, 42" | | WHD-GB42-EG10 | | | \$1,432 |
| DIGNITY SUITE® LIGATURE-RESISTANT ALUMINUM GRAB BAR, ADA COMPLIANT, DIGNITY BLUE POWDER-COAT FINISH, 42" | | WHD-GB42-EG30 | | | \$1,438 |
| DIGNITY SUITE® LIGATURE-RESISTANT ALUMINUM GRAB BAR, ADA COMPLIANT, WHITE POWDER-COAT FINISH, 48" | | WHD-GB48-EG10 | | | \$1,462 |
| DIGNITY SUITE® LIGATURE-RESISTANT ALUMINUM GRAB BAR, ADA COMPLIANT, DIGNITY BLUE POWDER-COAT FINISH, 48" | | WHD-GB48-EG30 | | | \$1,469 |

MODEL DIGNITY SUITE™ BESTCARE®

LIGATURE-RESISTANT



MODEL NO. WH2898D-SO-1.28

Combines patient safety and function to allow the installer access to the flush valve without interference from the grab bar. The upper and lower removable access panels are fabricated of stainless steel, secured to an inwall mounting frame. All exposed surfaces are White Enviro-glaze powder coated. Provided with a concealed sensor operated flush valve, includes a ligature-resistant infra-red sensor plate with electrical override button. Available in both 1.28 and 1.6 GPF.

DIGNITY SUITE/TOILET ACCESSORIES -SENSOR OPERATED FLUSH VALVE ACCESS PANEL

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|--------------------|---------------|--------------|------------|
| DIGNITY SUITE® LIGATURE-RESISTANT PUSHBUTTON FLUSH VALVE ACCESS PANEL, ADA COMPLIANT, WHITE POWDER-COAT FINISH, 1.28 PGM | | WHD2898-1.28-10 | | | \$1,980 |
| DIGNITY SUITE® LIGATURE-RESISTANT PUSHBUTTON FLUSH VALVE ACCESS PANEL, ADA COMPLIANT, DIGNITY BLUE POWDER-COAT FINISH, 1.28 PGM | | WHD2898-1.28-30 | | | \$1,980 |
| DIGNITY SUITE® LIGATURE-RESISTANT PUSHBUTTON FLUSH VALVE ACCESS PANEL, ADA COMPLIANT, WHITE POWDER-COAT FINISH, 1.6 PGM | | WHD2898-1.6-10 | | | \$1,980 |
| DIGNITY SUITE® LIGATURE-RESISTANT PUSHBUTTON FLUSH VALVE ACCESS PANEL, ADA COMPLIANT, DIGNITY BLUE POWDER-COAT FINISH, 1.6 PGM | | WHD2898-1.6-30 | | | \$1,980 |
| DIGNITY SUITE® LIGATURE-RESISTANT SENSOR-OPERATED FLUSH VALVE ACCESS PANEL, ADA COMPLIANT, WHITE POWDER-COAT FINISH, 1.28 PGM | | WHD2898-SO-1.28-10 | | | \$2,247 |
| DIGNITY SUITE® LIGATURE-RESISTANT SENSOR-OPERATED FLUSH VALVE ACCESS PANEL, ADA COMPLIANT, DIGNITY BLUE POWDER-COAT FINISH, 1.28 PGM | | WHD2898-SO-1.28-30 | | | \$2,247 |
| DIGNITY SUITE® LIGATURE-RESISTANT SENSOR-OPERATED FLUSH VALVE ACCESS PANEL, ADA COMPLIANT, WHITE POWDER-COAT FINISH, 1.6 PGM | | WHD2898-SO-1.6-10 | | | \$2,247 |
| DIGNITY SUITE® LIGATURE-RESISTANT SENSOR-OPERATED FLUSH VALVE ACCESS PANEL, ADA COMPLIANT, DIGNITY BLUE POWDER-COAT FINISH, 1.6 PGM | | WHD2898-SO-1.6-30 | | | \$2,247 |



MODEL NO. WH-LRSC-BLUE

Recommended for patient rooms and facilities where ligature points are a concern. Designed to be permanently affixed by means of mechanical fasteners. This seat is designed to fit Whitehall Ligature-Resistant Toilets exclusively and is constructed of ABS plastic with antimicrobial additives to protect from fungal growth and reduces development of odors due to the growth of bacteria.

DIGNITY SUITE/TOILET SEAT

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|---------------|---------------|--------------|------------|
| LIGATURE-RESISTANT ABS PLASTIC TOILET SEAT COVER, DIGNITY BLUE | | WH-LRSC-BLUE | | | \$165 |
| LIGATURE-RESISTANT ABS PLASTIC TOILET SEAT COVER, GRAY | | WH-LRSC-GRAY | | | \$165 |
| LIGATURE-RESISTANT ABS TOILET SEAT COVER, WHITE | | WH-LRSC-WHITE | | | \$165 |

MODEL WH3740 SERIES BESTCARE®

LIGATURE-RESISTANT SINK



MODEL NO. WH3740-09

ADA compliant Ligature-Resistant Basin features counter, backsplash, sloped side splash and bowl all constructed of White Enviro-Glaze stainless steel. Trap enclosure supplied. The faucet configuration must be specified.



| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|--------------|---------------|--------------|------------|
| LIGATURE-RESISTANT STAINLESS-STEEL LAVY, WHITE POWDER-COAT FINISH (THREE HOLE PUNCH W/ 4" CENTERSET) | X | WH3740-09 | 70.0 | 77.5 | \$1,298 |
| LIGATURE-RESISTANT STAINLESS-STEEL LAVY, WHITE POWDER-COAT FINISH (SINGLE HOLE PUNCH) | | WH3740-09-H1 | 70.0 | 77.5 | \$1,298 |

OPTIONS

+ ADD PRICE

| DESCRIPTION | In-Stock | MODEL | + ADDITIONAL PRICE |
|---|----------|-------|--------------------|
| MOUNTING CARRIER FOR STAINLESS STEEL LAVY | x | - MC | \$915 |



MODEL NO. WH3740BAR-09

This ligature-resistant, bariatric stainless steel basin has a white Enviro-Glaze coating that gives it the look and feel of commercial grade designer basins and countertops. Its 16-gage stainless steel construction provides a load rating of 1,000 lbs. when installed with an appropriate mounting system. When mounted at a standard height, the washbasin complies with ANSI, UFAS, and ADA requirements. Faucet is not included.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|---------------|---------------|--------------|------------|
| LIGATURE-RESISTANT STAINLESS-STEEL BARIATRIC LAVY, WHITE POWDER-COAT FINISH (THREE HOLE PUNCH W/ 4" CENTERSET) | X | WH3740BAR-09 | 70.0 | 77.5 | \$1,533 |
| LIGATURE-RESISTANT STAINLESS-STEEL BARIATRIC LAVY, WHITE POWDER-COAT FINISH (SINGLE HOLE PUNCH) | | WH3740BAR-H1 | 70.0 | 77.5 | \$1,533 |
| LIGATURE-RESISTANT STAINLESS-STEEL BARIATRIC LAVY, WHITE POWDER-COAT FINISH (TWO HOLE PUNCH W/ 4" CENTERSET) | | WH3740BAR-H24 | 70.0 | 77.5 | \$1,533 |
| LIGATURE-RESISTANT STAINLESS-STEEL BARIATRIC LAVY, WHITE POWDER-COAT FINISH (THREE HOLE PUNCH W/ 8" CENTERSET) | | WH3740BAR-H38 | 70.0 | 77.5 | \$1,533 |


OPTIONS


+ ADD PRICE

| DESCRIPTION | In-Stock | MODEL | + ADDITIONAL PRICE |
|---|----------|-------|--------------------|
| MOUNTING CARRIER FOR STAINLESS STEEL LAVY | x | - MC | \$915 |

MODEL WH3779-OCC11M & WH3740 SERIES BESTCARE®

LIGATURE-RESISTANT SINK





MODEL NO. WH3779-OCC11M

Ligature Resistant Corterra Dual Basin Vanity is engineered to combine the look and feel of commercial grade designer basins and countertops with durability and aesthetics in mind. Faucet is not included for all basins.

For complete list of Corterra® color options see page 14.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|---------------|---------------|--------------|------------|
| LIGATURE-RESISTANT BLANCO CORTERRA SOLID SURFACE DUAL BASIN VANITY, ADA COMPLIANT | X | WH3779-OCC11M | | | \$2,867 |

MODEL WH3775 & WH3776 SERIES BESTCARE®

LIGATURE-RESISTANT SINK





MODEL NO. WH3775-09

The BestCare® Ligature-Resistant Sink is casted out of solid surface Blanco Corterra, reducing ligature points with safely rounded edges and a seamless mount to the wall. Available in 9 Corterra color options.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|-----------|---------------|--------------|------------|
| LIGATURE-RESISTANT BLANCO CORTERRA SOLID SURFACE LAVY (THREE HOLE PUNCH W/ 4" CENTERSET) | X | WH3775-09 | 105.0 | 77.5 | \$1,327 |

OPTIONS

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADD PRICE |
|---|--------------------|-------|-------------|
| MOUNTING CARRIER FOR STAINLESS STEEL LAVY | x | - MC | \$915 |

MODEL NO. WH3776R-09

When it comes to keeping patients and healthcare facilities safe, we don't cut corners. The Ligature-Resistant Corner Sink provides plenty of valuable counter space by utilizing the normally unused corner of the wall, while also limiting ligature points and providing access to both left-handed and right-handed users (based on optional left/right configurations). Constructed of cast solid surface, this unit features rounded corners and a sloped side splash to limit hazardous ligature points. Faucet is not included.





MODEL NO. WH3776R-09


| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|------------|---------------|--------------|------------|
| LIGATURE-RESISTANT BLANCO CORTERRA SOLID SURFACE LEFT-HAND CORNER LAVY (THREE HOLE PUNCH W/ 4" CENTERSET) | X | WH3776L-09 | 170.0 | 77.5 | \$1,699 |
| LIGATURE-RESISTANT BLANCO CORTERRA SOLID SURFACE RIGHT-HAND CORNER LAVY (THREE HOLE PUNCH W/ 4" CENTERSET) | X | WH3776R-09 | 170.0 | 77.5 | \$1,699 |


OPTIONS

| DESCRIPTION | In-Stock | MODEL | + ADD PRICE |
|----------------------------------|----------|-------|-------------|
| MOUNTING CARRIER FOR CORNER SINK | x | - MC | \$1,275 |

MODEL WH3741 & WH3778 SERIES BESTCARE®

LIGATURE-RESISTANT SINK





MODEL NO. WH3741L-09

Ligature Resistant Corner Stainless Steel Basin is engineered to combine the look and feel of commercial grade designer basins and countertops with durability and economy in mind. Constructed of 16 gage stainless steel, exposed surface are White Enviro-Glaze. Available in Stainless steel finish.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|----------------|---------------|--------------|------------|
| LIGATURE-RESISTANT STAINLESS-STEEL LEFT-HAND CORNER BASIN, WHITE POWDER-COAT FINISH (THREE HOLE PUNCH W/ 4" CENTERSET) | X | WH3741L-09 | 60.0 | 77.5 | \$1,652 |
| LIGATURE-RESISTANT STAINLESS-STEEL LEFT-HAND CORNER BASIN, WHITE POWDER-COAT FINISH (THREE HOLE PUNCH W/ 8" CENTERSET) | X | WH3741R-09 | 60.0 | 77.5 | \$1,652 |
| LIGATURE-RESISTANT STAINLESS-STEEL RIGHT-HAND CORNER BASIN, WHITE POWDER-COAT FINISH (THREE HOLE PUNCH W/ 4" CENTERSET) | | WH3741L-09-H38 | 60.0 | 77.5 | \$1,652 |
| LIGATURE-RESISTANT STAINLESS-STEEL RIGHT-HAND CORNER BASIN, WHITE POWDER-COAT FINISH (THREE HOLE PUNCH W/ 8" CENTERSET) | | WH3741R-09-H38 | 60.0 | 77.5 | \$1,652 |







MODEL NO. WH3778-L

This is a solid surface basin with large rounded corners, integral D-shaped bowl and large counter space on the left or right. The basin features tapered side splashes, specialized drain and overflow providing ligature-resistant protection. The unit also meets ADA guidelines. Faucet is not included.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|------------|---------------|--------------|------------|
| LIGATURE-RESISTANT BLANCO CORTERRA SOLID SURFACE OFFSET VANITY, LEFT OFFSET BASIN (THREE HOLE PUNCH W/ 4" CENTERSET) | | WH3778L-09 | 60.0 | 77.5 | \$1,882 |
| LIGATURE-RESISTANT BLANCO CORTERRA SOLID SURFACE OFFSET VANITY, RIGHT OFFSET BASIN (THREE HOLE PUNCH W/ 4" CENTERSET) | | WH3778R-09 | 60.0 | 77.5 | \$1,882 |

Model WH3820 Series Corterra® Alcove Basin

LIGATURE-RESISTANT ALCOVE BASIN



| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|------------------------------------|--------------------|--------|---------------|--------------|------------|
| Alcove Countertop (only), No Basin | | WH3820 | | | POA |
| One-Basin Alcove Countertop | | WH3821 | | | POA |
| Two-Basin Alcove Countertop | | WH3822 | | | POA |
| Three-Basin Alcove Countertop | | WH3823 | | | POA |
| Four-Basin Alcove Countertop | | WH3824 | | | POA |

OPTIONS

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|------------|---------------|--------------|------------|
| Powder Coat Pedestal Frame, Enviro-Glaze® Color: Snow White | | -EG-10 | | | POA |
| P-Trap Waste (Specify Type) (One Provided Per Station) | | -PT | | | POA |
| Thermostatic Tempering Valve 3/8" | | -WHST70-38 | | | POA |
| Thermostatic Tempering Valve 1/2" | | -WHST70-12 | | | POA |

BOWL STATION OPTIONS



Single Station



Two Station




Three Station




Four Station


BOWL SHAPE OPTIONS




Square



Rectangle



"D" shape basin




Edge

FAUCET LOCATION OPTIONS


Single Hole



4" Centerset



8" Three Hole Punch



BestCare® Ligature-Resistant Faucet Buying Guide

All BestCare® faucets are made of Lead-Free Brass and carefully designed to be Ligature-Resistant, ADA compliant & Retro-Fit but most importantly, with patient safety in mind. We offer a variety of faucet options to cater to specific facility and project needs.



Dual Temperature Sensor Faucet



Single Temperature Sensor Faucet



Dual Temperature Piezo Faucet



Single Temperature Piezo Faucet



Dual Temperature
Pneumatic Faucet



Single Temperature
Pneumatic Faucet



Widespread Sensor Faucet
(Ideal for Retro-Fit projects)



Widespread Piezo Faucet
(Ideal for Retro-Fit projects)



Widespread Pneumatic Faucet
(Ideal for Retro-Fit projects)

Sensor-Operated (Hands-Free)

- Sensor-activation allows for a hands-free experience
- ADA Compliant when correctly installed
- Single & Dual Temperature options available
- Spray nozzle is non-splashing, non-aerated, multi-stream with a 0.5 GPM flow
- Features temperature control changing valve
- Choose from AC/DC plug in transformer or Battery Box option
- Widespread options available

Piezo (Electronic)

- Manual-touch Piezo pushbutton activation
- ADA Compliant when correctly installed
- Single & Dual Temperature options available
- Spray nozzle is non-splashing, non-aerated, multi-stream laminar with 0.5 GPM flow
- Features temperature control changing valve
- Choose from AC/DC plug in transformer or Battery Box option
- Widespread options available

Pneumatic (Does Not Require Electricity)


- Manual-touch pushbutton/temperature pneumatic activation
- ADA Compliant when correctly installed
- Single & Dual Temperature options available
- Spray nozzle is non-splashing, non-aerated, multi-stream laminar with 0.5 GPM flow
- Features an air-controlled, pneumatically operated valve (no electricity)
- Widespread options available

| SINGLE TEMPERATURE BESTCARE® | | LIGATURE-RESISTANT FAUCET | | |  | |
|---|--------------------|---|--------|--------------|---|---|
| SENSOR | | | | | | |
|  | | MODEL NO. WH3375-SO Ligature-Resistant Sensor Activated Faucet for hands-free operation . Universally designed for bathrooms and facilities where ligature points are a concern. 4" centerset, sensor activated single temperature faucet. Valve includes 9 Volt DC. Battery operated available. (BAT) | | | |  |
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT | FREIGHT CODE | LIST PRICE | |
| LIGATURE-RESISTANT ADA SINGLE TEMPERATURE FAUCET W/ SENSOR, ELECTRONIC (AC/DC) VALVE ASSEMBLY, 4" CENTERSET | X | WH3375-SO | 7.0 | 100.0 | \$561 | |
| LIGATURE-RESISTANT ADA SINGLE TEMPERATURE FAUCET W/ SENSOR, ELECTRONIC (BATTERY) VALVE ASSEMBLY, 4" CENTERSET, (FOR WHITEHALL BASINS ONLY) | | WH3375L-SO | 7.0 | 100.0 | \$561 | |
| LIGATURE-RESISTANT ADA SINGLE TEMPERATURE FAUCET W/ SENSOR, ELECTRONIC (BATTERY) VALVE ASSEMBLY, 4" CENTERSET | | WH3375-SO-BAT | 7.0 | 100.0 | \$561 | |
| LIGATURE-RESISTANT ADA SINGLE TEMPERATURE FAUCET W/ SENSOR, ELECTRONIC (BATTERY) VALVE ASSEMBLY, 4" CENTERSET, (FOR WHITEHALL BASINS ONLY) | | WH3375L-SO-BAT | 7.0 | 100.0 | \$561 | |
|  | | MODEL NO. WH3375-HC-SO Ligature-resistant dual-temperature, sensor-activated faucet for hands-free operation. This faucet is recommended for bathrooms and facilities where ligature points are a concern. 4" centerset. Valve includes 9 Volt DC. Battery operated available. (BAT) | | | |  |
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT | FREIGHT CODE | LIST PRICE | |
| LIGATURE-RESISTANT ADA DUAL TEMPERATURE FAUCET W/ SENSOR, ELECTRONIC (AC/DC) VALVE ASSEMBLY, 4" CENTERSET | | WH3375-HC-SO | 7.0 | 100.0 | \$1,106 | |
| LIGATURE-RESISTANT ADA DUAL TEMPERATURE FAUCET W/ SENSOR, ELECTRONIC (AC/DC) VALVE ASSEMBLY, 4" CENTERSET, (FOR WHITEHALL BASINS ONLY) | | WH3375L-HC-SO | 7.0 | 100.0 | \$1,106 | |
| LIGATURE-RESISTANT ADA DUAL TEMPERATURE FAUCET W/ SENSOR, ELECTRONIC (BATTERY) VALVE ASSEMBLY, 4" CENTERSET | | WH3375-HC-SO-BAT | 7.0 | 100.0 | \$1,096 | |
| LIGATURE-RESISTANT ADA DUAL TEMPERATURE FAUCET W/ SENSOR, ELECTRONIC (BATTERY) VALVE ASSEMBLY, 4" CENTERSET, (FOR WHITEHALL BASINS ONLY) | | WH3375L-HC-SO-BAT | 7.0 | 100.0 | \$1,096 | |
| LIGATURE-RESISTANT ADA DUAL TEMPERATURE FAUCET W/ SENSOR, 9 VOLT TRANSFORMER & ELECTRONIC (BATTERY) VALVE ASSEMBLY, 4" CENTERSET, (FOR WHITEHALL BASINS ONLY) | | WH3375L-HC-SO-110V | 8.0 | 100.0 | \$1,118 | |
|  | | MODEL NO. WH3378-HC Ligature-resistant, dual-temperature push button faucet. This faucet features a triangular design to limit use as a ligature device. 4 inch centerset. Push button operation with dual temperature air-control® pneumatic valve. | | | |  |
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT | FREIGHT CODE | LIST PRICE | |
| LIGATURE-RESISTANT ADA DUAL TEMPERATURE CAST FAUCET W/ PNEUMATIC AIR-CONTROL ELECTRONIC (AC/DC) VALVE ASSEMBLY, 4" CENTERSET | | WH3378-HC | 7.0 | 100.0 | \$961 | |
| LIGATURE-RESISTANT ADA DUAL TEMPERATURE CAST FAUCET W/ PNEUMATIC AIR-CONTROL ELECTRONIC (AC/DC) VALVE ASSEMBLY, 4" CENTERSET, (FOR WHITEHALL BASINS ONLY) | | WH3378L-HC | 8.0 | 100.0 | \$961 | |
|  | | MODEL NO. WH3378-HC-PPZ Ligature-resistant, dual-temperature Piezo button faucet. This faucet features a triangular design to limit use as a ligature device. 4 inch centerset. Piezo button operation with dual temperature solenoid valve. | | | |  |
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT | FREIGHT CODE | LIST PRICE | |
| LIGATURE-RESISTANT ADA DUAL TEMPERATURE CAST FAUCET W/ PROGRAMMABLE PIEZO ELECTRONIC (AC/DC) VALVE ASSEMBLY, 4" CENTERSET | | WH3378-HC-PPZ | 8.0 | 100.0 | \$994 | |
| LIGATURE-RESISTANT ADA DUAL TEMPERATURE CAST FAUCET W/ PROGRAMMABLE PIEZO ELECTRONIC (AC/DC) VALVE ASSEMBLY, 4" CENTERSET, (FOR WHITEHALL BASINS ONLY) | | WH3378L-HC-PPZ | 8.0 | 100.0 | \$994 | |
| LIGATURE-RESISTANT ADA DUAL TEMPERATURE CAST FAUCET W/ PROGRAMMABLE PIEZO ELECTRONIC (BATTERY) VALVE ASSEMBLY, 4" CENTERSET | | WH3378-HC-PPZ-BAT | 8.0 | 100.0 | \$983 | |
| LIGATURE-RESISTANT ADA DUAL TEMPERATURE CAST FAUCET W/ PROGRAMMABLE PIEZO ELECTRONIC (BATTERY) VALVE ASSEMBLY, 4" CENTERSET, (FOR WHITEHALL BASINS ONLY) | | WH3378L-HC-PPZ-BAT | 8.0 | 100.0 | \$983 | |


| SINGLE TEMPERATURE BESTCARE® | | LIGATURE-RESISTANT FAUCET | | |  | | |
|---|--------------------|---|--------|--------------|---|--|---|
| PNEUMATIC | | | | | | | |
|  | | WH3376 Single temperature hemispherical pushbutton pneumatic valve, patented conical spout, includes coverplate for 4" centerset retrofit or new construction. | | | | |  |
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT | FREIGHT CODE | LIST PRICE | | |
| LIGATURE-RESISTANT ADA SINGLE TEMPERATURE FAUCET W/ PNEUMATIC BUTTON, AIR CONTROL VALVE ASSEMBLY & CONICAL FAUCET SPRAYHEAD, 4" OBROUND ESCUTCHEON (DOES NOT REQUIRE ELECTRICITY) | X | WH3376 | 6.0 | 100.0 | \$736 | | |
| LIGATURE-RESISTANT ADA SINGLE TEMPERATURE PNEUMATIC FAUCET W/ AIR-CONTROL VALVE ASSEMBLY AND CONICAL FAUCET SPRAYHEAD, 4" OBROUND ESCUTCHEON, (FOR WHITEHALL BASINS ONLY) | X | WH3376L-0001 | 6.0 | 100.0 | \$736 | | |
|  | | WH3376-8IN Single temperature hemispherical pushbutton pneumatic valve, patented conical spout, includes coverplate for 8" centerset retrofit or new construction. | | | | |  |
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT | FREIGHT CODE | LIST PRICE | | |
| LIGATURE-RESISTANT ADA SINGLE TEMPERATURE FACUET W/ PNEUMATIC BUTTON, AIR CONTROL VALVE ASSEMBLY & CONICAL FAUCET SPRAYHEAD, 8" OBROUND ESCUTCHEON | X | WH3376-8IN | 6.0 | 100.0 | \$753 | | |
| PIEZO | | | | | | | |
|  | | WH3376-PPZ & WH3376-PPZ-BAT Single temperature Piezo touch-button, patented conical spout, includes coverplate for 4" centerset retrofit or new construction. | | | | |  |
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT | FREIGHT CODE | LIST PRICE | | |
| LIGATURE-RESISTANT ADA SINGLE TEMPERATURE FAUCET W/ PROGRAMMABLE PIEZO BUTTON, ELECTRONIC (AC/DC) VALVE ASSEMBLY & CONICAL FAUCET SPRAYHEAD, 4" OBROUND ESCUTCHEON | X | WH3376-PPZ | 6.0 | 100.0 | \$736 | | |
| "L" Faucet with Programmable Piezo Single Temp Button, Electronic (AC/DC) Valve Assembly, Conical Faucet Sprayhead, 4" Obround Escutcheon ADA (To be used with Whitehall BestCare Sink) | X | WH3376L-0003 | 6.0 | 100.0 | \$736 | | |
| LIGATURE-RESISTANT ADA SINGLE TEMPERATURE FAUCET W/ PROGRAMMABLE PIEZO BUTTON, ELECTRONIC (BATTERY) VALVE ASSEMBLY & CONICAL FAUCET SPRAYHEAD, 4" OBROUND ESCUTCHEON | X | WH3376-PPZ-BAT | 6.0 | 100.0 | \$736 | | |
| "L" Faucet with Programmable Piezo Single Temp Button, Electronic (Battery) Valve Assembly, Conical Faucet Sprayhead, 4" Obround Escutcheon ADA (To be used with Whitehall BestCare Sink) | X | WH3376L-0005 | 6.0 | 100.0 | \$736 | | |
|  | | WH3376-PPZ-8IN & WH3376-PPZ-8IN-BAT Single temperature Piezo touch-button, patented conical spout, includes coverplate for 8" centerset retrofit or new construction. | | | | |  |
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT | FREIGHT CODE | LIST PRICE | | |
| LIGATURE-RESISTANT ADA SINGLE TEMPERATURE FAUCET W/ PROGRAMMABLE PIEZO BUTTON, ELECTRONIC (AC/DC) VALVE ASSEMBLY & CONICAL FAUCET SPRAYHEAD, 8" OBROUND ESCUTCHEON | X | WH3376-PPZ-8IN | 6.0 | 100.0 | \$753 | | |
| LIGATURE-RESISTANT ADA SINGLE TEMPERATURE FAUCET W/ PROGRAMMABLE PIEZO BUTTON, ELECTRONIC (BATTERY) VALVE ASSEMBLY & CONICAL FAUCET SPRAYHEAD, 8" OBROUND ESCUTCHEON | X | WH3376-PPZ-BAT-8IN | 6.0 | 100.0 | \$753 | | |

HOT & COLD WIDESPREAD & RETROFITTABLE
BESTCARE®


LIGATURE-RESISTANT FAUCET



PNEUMATIC




WH3377-WSF
Hot and cold hemispherical pushbuttons, pneumatic valves, patented conical spout, without coverplate, allowing this faucet to achieve a universal rough-in for retrofit or new construction.




| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT | FREIGHT CODE | LIST PRICE |
|---|-----------------------|------------------|--------|-----------------|------------|
| LIGATURE-RESISTANT ADA DUAL TEMPERATURE PNEUMATIC "RETRO-FIT" FAUCET W/ AIR-CONTROL VALVE ASSEMBLY & CONICAL FAUCET SPRAYHEAD, UNIVERSAL CENTERSET | X | WH3377-WSF | 8.0 | 100.0 | \$1,135 |
| "L" Faucet with Pneumatic (Hot & Cold), Air-Control Valve Assembly, Conical Faucet Sprayhead, Universal Centerset ADA (To be used with Whitehall BestCare Sink) | X | WH3377L-WSF-0021 | 8.0 | 100.0 | \$1,135 |

PIEZO




WH3377-WSF-PPZ & WH3377-WSF-PPZ-BAT
Hot and cold Piezo touch-buttons, electronic valves, patented conical spout, without coverplate, allowing this faucet to achieve a universal rough-in for retrofit or new construction.




| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT | FREIGHT CODE | LIST PRICE |
|---|-----------------------|--------------------|--------|-----------------|------------|
| LIGATURE-RESISTANT ADA DUAL TEMPERATURE "RETRO-FIT" FAUCET W/ PROGRAMMABLE PIEZO PLUG, ELECTRONIC (AC/DC) VALVE ASSEMBLY & CONICAL FAUCET SPRAYHEAD, UNIVERSAL CENTERSET | X | WH3377-WSF-PPZ | 8.0 | 100.0 | \$1,180 |
| "L" Faucet with Programmable Piezo (Hot & Cold), Plug, Electronic (AC/DC) Valve Assembly, Conical Faucet Sprayhead, Universal Centerset ADA (To be used with Whitehall BestCare Sink) | X | WH3377L-WSF-0023 | 8.0 | 100.0 | \$1,180 |
| LIGATURE-RESISTANT ADA DUAL TEMPERATURE "RETRO-FIT" FAUCET W/ PRO-GRAMMABLE PIEZO PLUG, ELECTRONIC (BATTERY) VALVE ASSEMBLY & CONICAL FAUCET SPRAYHEAD, UNIVERSAL CENTERSET | X | WH3377-WSF-PPZ-BAT | 8.0 | 100.0 | \$1,180 |
| "L" Faucet with Programmable Piezo (Hot & Cold), Plug, Electronic (Battery) Valve Assembly, Conical Faucet Sprayhead, Universal Centerset ADA (To be used with Whitehall BestCare Sink) | X | WH3377L-WSF-0025 | 8.0 | 100.0 | \$1,180 |

VALVES



WHST70-12
1/2" NPT CONNECTIONS THERMOSTATIC LAVATORY TEMPERING VALVE
Thermostatic tempering valve is factory set at 105° F / 41° C and is field-adjustable.

| MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|-----------|------------------|--------------|------------|
| WHST70-12 | 0.9 | 100.0 | \$75 |



WHST70-38
3/8" O.D. TUBE COMPRESSION CONNECTIONS THERMOSTATIC LAVATORY TEMPERING VALVE
This option provides for a lavatory tempering valve which shall be IAPMO lab certified per ASSE 1070 at 0.25 GPM (1.0 LPM) and CSA standards. The valve features 3/8" O.D. Tube Compression Connections.

| MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|-----------|------------------|--------------|------------|
| WHST70-38 | 0.9 | 100.0 | \$75 |

MODEL WH2142-ADA SERIES
BESTCARE®

LIGATURE-RESISTANT ADA TOILET - TOP SUPPLY





MODEL NO. WH2142-ADA-T
ADA Height Siphon Jet type toilet with elongated bowl, configured for front mounted, on-floor installation. The toilet is configured with a top spud to accommodate a Top Supply flush valve. The toilet is fabricated with 16 gage 304 stainless steel with exterior surfaces White Enviro-Glaze®. Floor and wall waste outlet available. **A ligature-resistant ABS grey toilet seat is included.**

*Must use a WH2802-ADA ligature-resistant flush valve cover. Sold separately.



| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|-----------------------|-------------------|------------------|-----------------|------------|
| LIGATURE-RESISTANT, STAINLESS STEEL ADA TOILET, TOP SUPPLY, WALL OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 5.5" ROUGH-IN | X | WH2142-ADA-T-0021 | 55.0 | 92.5 | \$1,192 |
| LIGATURE-RESISTANT, STAINLESS STEEL ADA TOILET, TOP SUPPLY, WALL OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 4.25" ROUGH-IN | | WH2142-ADA-T-0022 | 55.0 | 92.5 | \$1,192 |
| LIGATURE-RESISTANT, STAINLESS STEEL ADA TOILET, TOP SUPPLY, FLOOR OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 10" ROUGH-IN | X | WH2142-ADA-T-0023 | 55.0 | 92.5 | \$1,192 |
| LIGATURE-RESISTANT, STAINLESS STEEL ADA TOILET, TOP SUPPLY, FLOOR OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 12" ROUGH-IN | X | WH2142-ADA-T-0024 | 55.0 | 92.5 | \$1,192 |



MODEL NO. WH2142-ADA-W
ADA Height Siphon Jet type toilet with elongated bowl, configured for front mounted, on-floor installation. The toilet is configured with a rear spud to accommodate an optional concealed Wall supply flush valve. The toilet is fabricated with 16 gage 304 stainless steel with exterior surfaces White Enviro-Glaze®. Floor and wall waste outlet available. **A ligature-resistant ABS grey toilet seat is included.**

* WH2898-ADA ligature-resistant flush valve cover sold separately.



| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|-----------------------|-------------------|------------------|-----------------|------------|
| LIGATURE-RESISTANT, STAINLESS STEEL ADA TOILET, WALL SUPPLY, WALL OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 5.5" ROUGH-IN | X | WH2142-ADA-W-0021 | 55.0 | 92.5 | \$1,192 |
| LIGATURE-RESISTANT, STAINLESS STEEL ADA TOILET, WALL SUPPLY, WALL OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 4.25" ROUGH-IN | | WH2142-ADA-W-0022 | 55.0 | 92.5 | \$1,192 |
| LIGATURE-RESISTANT, STAINLESS STEEL ADA TOILET, WALL SUPPLY, FLOOR OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 10" ROUGH-IN | X | WH2142-ADA-W-0023 | 55.0 | 92.5 | \$1,192 |
| LIGATURE-RESISTANT, STAINLESS STEEL ADA TOILET, WALL SUPPLY, FLOOR OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 12" ROUGH-IN | X | WH2142-ADA-W-0024 | 55.0 | 92.5 | \$1,192 |

MODEL WH2142 SERIES BESTCARE®

LIGATURE-RESISTANT TOILET - TOP SUPPLY



MODEL NO. WH2142-T
Siphon Jet type toilet with elongated bowl, configured for front mounted, on-floor installation. The toilet is configured with a top spud to accommodate a Top Supply flush valve. The toilet is fabricated with 16 gage 304 stainless steel with exterior surfaces White Enviro-Glaze®. Floor and wall waste outlet available.
A ligature-resistant ABS grey toilet seat is included.

*Must use a WH2802 series ligature-resistant flush valve cover. Sold separately.



| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|---------------|---------------|--------------|------------|
| LIGATURE-RESISTANT, STAINLESS STEEL TOILET, TOP SUPPLY, WALL OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 5.5" ROUGH-IN | X | WH2142-T-0021 | 55.0 | 92.5 | \$1,192 |
| LIGATURE-RESISTANT, STAINLESS STEEL TOILET, TOP SUPPLY, WALL OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 4.25" ROUGH-IN | | WH2142-T-0022 | 55.0 | 92.5 | \$1,192 |
| LIGATURE-RESISTANT, STAINLESS STEEL TOILET, TOP SUPPLY, WALL OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 10" ROUGH-IN | X | WH2142-T-0023 | 55.0 | 92.5 | \$1,192 |
| LIGATURE-RESISTANT, STAINLESS STEEL TOILET, TOP SUPPLY, WALL OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 12" ROUGH-IN | X | WH2142-T-0024 | 55.0 | 92.5 | \$1,192 |



MODEL NO. WH2142-W
Siphon Jet type toilet with elongated bowl, configured for front mounted, on-floor installation. The toilet is configured with a rear spud to accommodate an optional concealed Wall supply flush valve. The toilet is fabricated with 16 gage 304 stainless steel with exterior surfaces White Enviro-Glaze®. Floor and wall waste outlet available. **A ligature-resistant ABS grey toilet seat is included.**

* WH2898-ADA ligature-resistant flush valve cover sold separately.



| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|---------------|---------------|--------------|------------|
| LIGATURE-RESISTANT, STAINLESS STEEL TOILET, WALL SUPPLY, WALL OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 5.5" ROUGH-IN | X | WH2142-W-0021 | 55.0 | 92.5 | \$1,192 |
| LIGATURE-RESISTANT, STAINLESS STEEL TOILET, WALL SUPPLY, WALL OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 4.25" ROUGH-IN | | WH2142-W-0022 | 55.0 | 92.5 | \$1,192 |
| LIGATURE-RESISTANT, STAINLESS STEEL TOILET, WALL SUPPLY, WALL OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 10" ROUGH-IN | X | WH2142-W-0023 | 55.0 | 92.5 | \$1,192 |
| LIGATURE-RESISTANT, STAINLESS STEEL TOILET, WALL SUPPLY, WALL OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 12" ROUGH-IN | X | WH2142-W-0024 | 55.0 | 92.5 | \$1,192 |

MODEL WH2145 SERIES BESTCARE®

LIGATURE-RESISTANT TANK STYLE TOILET



MODEL NO. WH2145_10
Siphon jet type with an elongated bowl and self-draining flushing rim. uses standard residential water inlet and waste outlet. Toilet trap includes minimum 3.5 inch seal and shall pass a 2.125 inch diameter ball and is fully enclosed. Toilet tank has a polyethylene inner liner and flushes with a conventional Fluidmaster® float/flapper mechanism. Exterior surfaces are White Enviro-Glaze®. **A ligature-resistant ABS grey toilet seat is included.**

*Perfect for retrofitting applications, the tank allows for ease of installation and maintenance.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|------------------|---------------|--------------|------------|
| LIGATURE-RESISTANT STAINLESS STEEL TANK TOILET, WALL SUPPLY, FLOOR OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 10" ROUGH-IN | X | WH2145_10 | 100.0 | 92.5 | \$2,293 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA TANK TOILET, WALL SUPPLY, FLOOR OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 10" ROUGH-IN | X | WH2145ADA-10 | 100.0 | 92.5 | \$2,293 |
| LIGATURE-RESISTANT STAINLESS STEEL TANK TOILET, WALL SUPPLY, FLOOR OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 12" ROUGH-IN | X | WH2145_12 | 100.0 | 92.5 | \$2,293 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA TANK TOILET, WALL SUPPLY, FLOOR OUTLET, WHITE POWDER-COAT FINISH EXTERIOR, 12" ROUGH-IN | X | WH2145ADA-12 | 100.0 | 92.5 | \$2,293 |
| LIGATURE-RESISTANT CISTERN TANK TOILET, RIGHT-HAND FLUSH BUTTON, (FLOOR WASTE 10" FROM WALL TO CENTER OF WASTE OUTLET) | | WH2145-10-PBR | | | \$2,293 |
| LIGATURE-RESISTANT CISTERN TANK TOILET, RIGHT-HAND FLUSH BUTTON, (FLOOR WASTE 12" FROM WALL TO CENTER OF WASTE OUTLET) | | WH2145-12-PBR | | | \$2,293 |
| LIGATURE-RESISTANT, ADA, CISTERN TANK TOILET, RIGHT-HAND FLUSH BUTTON, (FLOOR WASTE 10" FROM WALL TO CENTER OF WASTE OUTLET) | | WH2145ADA-10-PBR | | | \$2,293 |
| LIGATURE-RESISTANT, ADA, CISTERN TANK TOILET, RIGHT-HAND FLUSH BUTTON, (FLOOR WASTE 12" FROM WALL TO CENTER OF WASTE OUTLET) | | WH2145ADA-12-PBR | | | \$2,293 |

MODEL WH2158 SERIES BESTCARE®

LIGATURE-RESISTANT URINALS



MODEL NO. WH2158W-SLPT-EB-EG10

Urinal features a sloped top and an enclosed bottom panel provided to limit vandalism yet provide access for installation and servicing. The urinal is configured for with a rear spud to accommodate an optional concealed Wall Supply flush valve. 18 gage 304 stainless steel housing with 16 gage contour bowl. Exposed surface White Enviro-Glaze®.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|-----------------|---------------|--------------|------------|
| LIGATURE-RESISTANT, STAINLESS STEEL HIGH-EFFICIENCY URINAL, TOP SUPPLY, WHITE POWDER-COAT FINISH EXTERIOR | X | WH2158-T-EB | 45.0 | 77.5 | \$1,557 |
| LIGATURE-RESISTANT, STAINLESS STEEL HIGH-EFFICIENCY URINAL, LESS FLUSH VALVE, WHIT POWDER-COAT FINISH EXTERIOR | X | WH2158W-SLPT-EB | 45.0 | 77.5 | \$1,557 |
| LIGATURE-RESISTANT, STAINLESS STEEL WATERLESS URNIAL, ENCLOSED BOTTOM, WHITE POWDER-COAT FINISH EXTERIOR | X | WH2159-EB-EG10 | 45.0 | 77.5 | \$1,557 |

MODEL WH2802 SERIES BESTCARE®


LIGATURE-RESISTANT TOILET & URINAL ACCESSORIES




MODEL NO. WH2802-SLPT-1.28

Providing a ligature resistant solution, a top supply toilet valve is covered by stainless steel box with a sloped top. A hole is provided on the front of the the box for the actuating pushbutton. Designed for conservation, the toilet flush valve supplied operates with 1.6 gallon or 1.28 gallon per flush. Fluidmaster® float/flapper mechanism. Exterior surfaces are White Enviro-Glaze®.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|--------------------|---------------|--------------|------------|
| LIGATURE-RESISTANT "RETRO-FIT" STAINLESS STEEL FLUSH VALVE COVER, WHITE POWDER-COAT FINISH | | WH2801 | | | \$685 |
| LIGATURE-RESISTANT "RETRO-FIT" STAINLESS STEEL FLUSH VALVE COVER, STAINLESS STEEL FINISH | | WH2801-SS | | | \$685 |
| LIGATURE-RESISTANT STAINLESS STEEL BOX W/ FLUSH VALVE FOR TOP SUPPLY URINAL, LEFT-HAND FLUSH INLET, 0.125 GPF, WHITE POWDER-COAT FINISH | X | WH2802SLPT-.125 | 18.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT STAINLESS STEEL BOX W/ FLUSH VALVE FOR TOP SUPPLY URINAL, LEFT-HAND FLUSH INLET, 0.5 GPF, WHITE POWDER-COAT FINISH | X | WH2802SLPT-0.5 | 18.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT STAINLESS STEEL BOX W/ FLUSH VALVE FOR TOP SUPPLY URINAL, LEFT-HANDED FLUSH INLET, 0.5 GPF, STAINLESS-STEEL FINISH | | WH2802SLPT-SS-0.5 | 18.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT STAINLESS STEEL BOX W/ FLUSH VALVE FOR TOP SUPPLY URINAL, LEFT-HAND FLUSH INLET, 1.28 GPF, WHITE POWDER-COAT FINISH | X | WH2802SLPT-1.28 | 18.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT STAINLESS STEEL BOX W/ FLUSH VALVE FOR TOP SUPPLY URINAL, RIGHT-HAND FLUSH INLET, 1.28 GPF, WHITE POWDER-COAT FINISH | X | WH2802SLPT-1.28-A | 18.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT STAINLESS STEEL BOX W/ FLUSH VALVE FOR TOP SUPPLY URINAL, LEFT-HAND FLUSH INLET, 1.6 GPF, WHITE POWDER-COAT FINISH | X | WH2802SLPT-1.6 | 18.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT STAINLESS STEEL BOX W/ FLUSH VALVE FOR TOP SUPPLY URINAL, RIGHT-HAND FLUSH INLET, 1.6 GPF, WHITE POWDER-COAT FINISH | X | WH2802SLPT-1.6-A | 18.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT STAINLESS STEEL BOX W/ FLUSH VALVE FOR TOP SUPPLY URINAL, SENSOR-OPERATED FLUSH VALVE, 1.6 GPF, WHITE POWDER-COAT FINISH | X | WH2802SLPT-SO-1.6 | 18.0 | 92.5 | \$1,916 |
| LIGATURE-RESISTANT STAINLESS STEEL BOX W/ FLUSH VALVE FOR TOP SUPPLY URINAL, SENSOR-OPERATED FLUSH VALVE, 0.125 GPF, WHITE POWDER-COAT FINISH | | WH2802SLPT-SO-.125 | 18.0 | 92.5 | \$1,916 |
| LIGATURE-RESISTANT STAINLESS STEEL BOX W/ FLUSH VALVE FOR TOP SUPPLY URINAL, SENSOR-OPERATED FLUSH VALVE, 1.28 GPF, WHITE POWDER-COAT FINISH | X | WH2802SLPT-SO-1.28 | 18.0 | 92.5 | \$1,916 |

| MODEL WH2802 SERIES BESTCARE® | | LIGATURE-RESISTANT TOILET & URINAL ACCESSORIES | | | |
|---|--------------------|--|---------------|--------------|------------|
|  | | MODEL NO. WH2802-ADA-1.6 Providing a ligature resistant solution, a top supply hydraulic toilet flush valve is covered by stainless steel box with a sloped top. Holes are provided on the front of the box for the actuating pushbutton. Designed for conservation, the toilet flush valve supplied operates with 1.6 gallon or 1.28 gallon per flush. Exterior surfaces are White Enviro-Glaze®. | | | |
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
| LIGATURE-RESISTANT ADA STAINLESS STEEL BOX W/ FLUSH VALVE FOR TOP SUPPLY TOILET, LEFT-HAND FLUSH INLET, 0.125 GPF, WHITE POWDER-COAT FINISH | | WH2802-ADA-.125 | | | \$983 |
| LIGATURE-RESISTANT ADA STAINLESS STEEL BOX W/ FLUSH VALVE FOR TOP SUPPLY TOILET, LEFT-HAND FLUSH INLET, 0.5 GPF, WHITE POWDER-COAT FINISH | | WH2802-ADA-0.5 | | | \$983 |
| LIGATURE-RESISTANT ADA STAINLESS STEEL BOX W/ FLUSH VALVE FOR TOP SUPPLY TOILET, LEFT-HAND FLUSH INLET, 0.5 GPF, STAINLESS-STEEL FINISH | | WH2802-ADA-0.5-SS | | | \$983 |
| LIGATURE-RESISTANT ADA STAINLESS STEEL BOX W/ FLUSH VALVE FOR TOP SUPPLY TOILET, LEFT-HAND FLUSH INLET, 1.28 GPF, WHITE POWDER-COAT FINISH | X | WH2802-ADA-1.28 | 18.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT ADA STAINLESS STEEL BOX W/ FLUSH VALVE FOR TOP SUPPLY TOILET, LEFT-HAND FLUSH INLET, 1.28 GPF, STAINLESS-STEEL FINISH | | WH2802-ADA-1.28-SS | 18.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT ADA STAINLESS STEEL BOX W/ FLUSH VALVE FOR TOP SUPPLY TOILET, LEFT-HAND FLUSH INLET, 1.6 GPF, WHITE POWDER-COAT FINISH | X | WH2802-ADA-1.6 | 18.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT ADA STAINLESS STEEL BOX W/ FLUSH VALVE FOR TOP SUPPLY TOILET, LEFT-HAND FLUSH INLET, 1.6 GPF, STAINLESS-STEEL FINISH | | WH2802-ADA-1.6-SS | 18.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT ADA STAINLESS STEEL BOX W/ FLUSH VALVE FOR TOP SUPPLY TOILET, LEFT-HAND FLUSH INLET, 3.5 GPF, STAINLESS-STEEL FINISH | | WH2802-ADA-3.5 | 18.0 | 92.5 | \$983 |



| MODEL WH2898 SERIES BESTCARE® | | LIGATURE-RESISTANT TOILET & URINAL ACCESSORIES | | | |
|---|--------------------|---|---------------|--------------|------------|
|  | | MODEL NO. WH2898-ADA-1.6 Includes Hydraulic Flush valve, pushbutton operated with access cover and secured with stainless steel vandal-resistant fasteners. Recommended for flushing standard or ADA compliant toilets/urinal with wall supply (concealed) flush valve connections. All exposed stainless steel surfaces are White Enviro-Glaze®. | | | |
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
| LIGATURE-RESISTANT STAINLESS STEEL ADA RECESSED ACCESS PANEL W/ HYDRAULIC FLUSH VALVE FOR URINAL, 0.125 GPF, WHITE POWDER-COAT FINISH | | WH2898-ADA-0.125 | 21.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA RECESSED ACCESS PANEL W/ HYDRAULIC FLUSH VALVE FOR URINAL, 0.5 GPF, WHITE POWDER-COAT FINISH | X | WH2898-ADA-0.5 | 21.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA RECESSED ACCESS PANEL W/ HYDRAULIC FLUSH VALVE FOR URINAL, 0.5 GPF, STAINLESS-STEEL FINISH | | WH2898-ADA-SS-0.5 | 21.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA RECESSED ACCESS PANEL W/ HYDRUALIC FLUSH VALVE FOR TOILET, 1.28 GPF, WHITE POWDER-COAT FINISH | X | WH2898-ADA-1.28 | 21.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA RECESSED ACCESS PANEL W/ HYDRAULIC FLUSH VALVE FOR TOILET, 1.28 GPF, STAINLESS-STEEL FINISH | | WH2898-ADA-SS-1.28 | 21.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA RECESSED ACCESS PANEL W/ HYDRAULIC FLUSH VALVE FOR TOILET, 1.6 GPF, WHITE POWDER-COAT FINISH | X | WH2898-ADA-1.6 | 21.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA RECESSED ACCESS PANEL W/ HYDRAULIC FLUSH VALVE FOR TOILET, 1.6 GPF, STAINLESS-STEEL FINISH | | WH2898-ADA-SS-1.6 | 21.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA RECESSED ACCESS PANEL W/ HYDRAULIC FLUSH VALVE FOR TOILET, 3.5 GPF, WHITE POWDER-COAT FINISH | | WH2898-ADA-3.5 | 21.0 | 92.5 | \$983 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA FLUSH VALVE ACCESS COVER, LESS FLUSH VALVE, WHITE POWDER-COAT FINISH | | WH2898-BLANK | 21.0 | 92.5 | \$631 |



MODEL WH-LRSC SERIES BESTCARE®

LIGATURE-RESISTANT TOILET SEATS



Standard **MODEL NO. WH-LRSC-GRAY**, Recommended for patient rooms and facilities where ligature points are a concern. Designed to be permanently affixed by means of mechanical fasteners. This seat is designed to fit Whitehall Ligature-Resistant Toilets exclusively and is constructed of ABS plastic with anti-microbial additives to protect from fungal growth and reduces development of odors due to the growth of bacteria.



WHITE



GRAY



BLUE

*Can only be used with Whitehall Toilets
PATENTED

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|---------------|---------------|--------------|------------|
| LIGATURE-RESISTANT ABS PLASTIC TOILET SEAT COVER, DIGNITY BLUE | X | WH-LRSC-BLUE | 5.0 | 92.5 | \$165 |
| LIGATURE-RESISTANT ABS PLASTIC TOILET SEAT COVER, GRAY | X | WH-LRSC-GRAY | 5.0 | 92.5 | \$165 |
| LIGATURE-RESISTANT ABS TOILET SEAT COVER, WHITE | X | WH-LRSC-WHITE | 5.0 | 92.5 | \$165 |

MODEL WH418 & WH458 SERIES
BESTCARE®

LIGATURE-RESISTANT SHOWER



MODEL NO. WH418-CSH
Surface Mounted
Ligature-Resistant Conical
Shower Head and ADA
Compliant Ligature
Resistant Tri-Lever Handle
T/P mixing valve mounted
on a removable 18 gage
White Enviro-Glaze® type 304
stainless steel flush panel.
An in-wall mounting frame is
also supplied.



MODEL NO. WH418-FH-CSH
Ligature-Resistant Conical Shower
Head and ADA Compliant
Ligature Resistant Tri-Lever Handle
T/P mixing valve and diverter
valve mounted on a removable
18 gage White Enviro-Glaze type
304 stainless steel flush panel.
An in-wall mounting frame is
also supplied.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|-----------------|---------------|--------------|------------|
| LIGATURE-RESISTANT STAINLESS STEEL RECESSED SHOWER, CONICAL SHOWER HEAD, TEMPERATURE/ PRESSURE MIXING VALVE W/ TRI-LEVER HANDLE, WHITE POWDER-COAT FINISH | X | WH418-CSH | 20.0 | 70.0 | \$855 |
| LIGATURE-RESISTANT STAINLESS STEEL RECESSED SHOWER, FIXED CONICAL SHOWER HEAD, DIVERTER W/ TRI-LEVER HANDLE, TEMPERATURE/ PRESSURE MIXING VALVE, WHITE POWDER-COAT FINISH | X | WH418-FH-CSH | 30.0 | 70.0 | \$1,333 |
| LIGATURE-RESISTANT STAINLESS STEEL RECESSED SHOWER, FIXED CONICAL SHOWER HEAD, DIVERTER W/ TRI-LEVER HANDLE, TEMPERATURE/ PRESSURE MIXING VALVE, STAINLESS STEEL FINISH | | WH418-FH-CSH-SS | 30.0 | 70.0 | \$1,333 |



MODEL NO. WH458-CSH
Surface Mounted Ligature-Resistant Conical Shower Head and ADA Compliant Ligature Resistant Tri-Lever Handle with T/P mixing valve. These components are mounted on a Ligature-Resistant 18 gage White Enviro-Glaze® type 304 stainless steel housing.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|-----------------|---------------|--------------|------------|
| LIGATURE-RESISTANT STAINLESS STEEL SURFACE MOUNT WALL SHOWER, CONICAL SHOWER HEAD, TEMPERATURE/ PRESSURE MIXING VALVE W/ TRI-LEVER HANDLE, WHITE POWDER-COAT FINISH | X | WH458-CSH | 20.0 | 70.0 | \$855 |
| LIGATURE-RESISTANT STAINLESS STEEL SURFACE MOUNT WALL SHOWER, CONICAL SHOWER HEAD, TEMPERATURE/ PRESSURE MIXING VALVE W/ TRI-LEVER HANDLE, STAINLESS STEEL FINISH | | WH458-CSH-SS | 20.0 | 70.0 | \$855 |
| LIGATURE-RESISTANT STAINLESS STEEL SURFACE MOUNT WALL SHOWER, FIXED CONICAL SHOWER HEAD, TEMPERATURE/ PRESSURE MIXING VALVE W/ TRI-LEVER HANDLE, WHITE POWDER-COAT FINISH | X | WH458-FH-CSH | 30.0 | 70.0 | \$1,333 |
| LIGATURE-RESISTANT STAINLESS STEEL SURFACE MOUNT WALL SHOWER, FIXED CONICAL SHOWER HEAD, TEMPERATURE/ PRESSURE MIXING VALVE W/ TRI-LEVER HANDLE, STAINLESS STEEL FINISH | | WH458-FH-CSH-SS | 30.0 | 70.0 | \$1,333 |

MODEL WH538 SERIES BESTCARE®

LIGATURE-RESISTANT SHOWER HEADS,
VALVES & DIVERTERS



MODEL NO. WH538-CSH-SRCH
Conical Showerhead with ADA Compliant
Ligature-Resistant Tri-Lever Handle. Includes
Temperature-Pressure Balancing Mixing Valve.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|-----------------------|-------------------|------------------|-----------------|------------|
| LIGATURE-RESISTANT STAINLESS STEEL CONICAL SHOWER HEAD, TRI-LEVER HANDLE, TEMPERATURE/PRESSURE BALANCING MIXING VALVE, WHITE POWDER-COAT FINISH | X | WH538-CSH-SRCH | 12.0 | 70.0 | \$655 |
| LIGATURE-RESISTANT STAINLESS STEEL CONICAL SHOWER HEAD, TRI-LEVER HANDLE, TEMPERATURE/PRESSURE BALANCING MIXING VALVE, STAINLESS STEEL FINISH | X | WH538-CSH-SRCH-SS | 12.0 | 70.0 | \$655 |
| LIGATURE-RESISTANT STAINLESS STEEL CONICAL TUB SPOUT W/ CONICAL VALVE, WHITE POWDER-COAT FINISH | X | WH538-CTS | 12.0 | 70.0 | \$708 |
| LIGATURE-RESISTANT STAINLESS STEEL CONICAL SHOWER HEAD W/ CONICAL TUB SPOUT, CONICAL VALVE AND CONICAL DIVERTER, WHITE POWDER-COAT FINISH | X | WH538-CTS-DIV | 18.0 | 70.0 | \$1,061 |



MODEL NO. WH538-FH-CSH
Includes two conical showers
heads, ADA, Ligature-Resistant,
Tri-Lever Handle, Temperature/
Pressure Balancing Mixing Valve
and a Diverter Valve.



MODEL NO. WHCHS
WHCHS is a handheld shower
with a ligature resistant adapter
base. It includes a 60 inch
(1.524 meter) flexible stainless
steel hose, handheld shower
and a collapsible handheld
shower mounting bracket.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|-----------------------|-------------------|------------------|-----------------|------------|
| LIGATURE-RESISTANT STAINLESS STEEL TWO CONICAL SHOWER HEADS W/ CONICAL VALVE & CONICAL DIVERTER, WHITE POWDER-COAT FINISH | X | WH538-FH-CSH-SRCH | 18.0 | 70.0 | \$985 |
| LIGATURE-RESISTANT FLEXIBLE METAL HOSE W/ COLLAPSABLE MOUNTING BRACKET AND ADAPTER BASE | X | WHCHS | 18.0 | 70.0 | \$478 |

MODEL WHCSH, WHDIV & WHSV
BESTCARE®

LIGATURE-RESISTANT SHOWER HEADS,
VALVES & DIVERTERS



MODEL NO. WHCSH15
Ligature-Resistant Conical Shower
Head with Sloped Escutchen.
Available in 1.5 or 2.5 GPM.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|-----------------------|------------|------------------|-----------------|------------|
| LIGATURE-RESISTANT STAINLESS STEEL CONICAL SHOWER HEAD W/ WHITE POWDER-COAT FINISH ESCUTCHEON, FIXED SPRAY 1.5 GPM | X | WHCSH15 | 6.0 | 70.0 | \$248 |
| LIGATURE-RESISTANT STAINLESS STEEL CONICAL SHOWER HEAD W/ STAINLESS STEEL FINISH ESCUTCHEON, FIXED SPRAY 1.5 GPM | | WHCSH15-SS | 6.0 | 70.0 | \$248 |
| LIGATURE-RESISTANT STAINLESS STEEL CONICAL SHOWER HEAD W/ WHITE POWDER-COAT FINISH ESCUTCHEON, FIXED SPRAY 2.5 GPM | X | WHCSH25 | 6.0 | 70.0 | \$236 |
| LIGAURE-RESISTANT STAINLESS STEEL CONICAL SHOWER HEAD W/ WHITE POWDER COAT FINISH ESCUTCHEON, FIXED SPRAY 1.6 GPM | | WHCSH16 | 6.0 | 70.0 | \$248 |
| LIGAURE-RESISTANT STAINLESS STEEL CONICAL SHOWER HEAD W/ STAINLESS STEEL FINISH ESCUTCHEON, FIXED SPRAY 1.6 GPM | | WHCSH16-SS | 6.0 | 70.0 | \$248 |
| LIGATURE-RESISTANT STAINLESS STEEL WATER-SENSE CONICAL SHOWER HEAD W/ STAINLESS-STEEL ESCUTCHEON, FIXED SPRAY 1.5 GPM | | WHCSH-WSB | 6.0 | 70.0 | \$272 |
| LIGATURE-RESISTANT STAINLESS STEEL CONICAL TUB SPOUT W/ WHITE POWDER-COAT FINISH ESCUTCHEON | X | WHCTS | 6.0 | 70.0 | \$354 |



MODEL NO. WHDIV
The valve is used to divert water flow from one
location to the other. Features ligature-resistant
conical design providing no ligature points.



| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|-----------------------|-------|------------------|-----------------|------------|
| LIGATURE-RESISTANT TRI-LEVER HANDLE, DIVERTER | X | WHDIV | 6.0 | 70.0 | \$178 |



MODEL NO. WHSV16
Tri-Lever Ligature-Resistant Mixing Valve Handle is all-metal
and ADA compliant. Ceramic shut-off components for long-
term, drip-free reliability. Lead-Free certified DZR brass body
with corrosion-resistant and internal components. Serviceable
inlet screens.





| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|-----------------------|--------|------------------|-----------------|------------|
| LIGATURE-RESISTANT TRI-LEVER HANDLE, TEMPERATURE/PRESSURE BALANCING MIXING VALVE | X | WHSV16 | 6.0 | 70.0 | \$307 |

| MODEL WHFD & WHDG SERIES BESTCARE® | | LIGATURE-RESISTANT DRAINS | | |  |
|--|--------------------|---|---------------|--------------|---|
|  BestCare ligature-resistant circular floor drains are designed with an internal gusset system that minimizes ligature points. MODEL NO. WHDG-5RD Round Floor Drain Strainer | |  With all the ligature-resistant benefits of circular drains, square drains offer aesthetically pleasing corners to maintain universal design in floors with square or straight-line patterns. MODEL NO. WHDG-5SQ Square Floor Drain Strainer | | | |
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
| LIGATURE-RESISTANT NICKEL BRONZE FLOOR DRAIN GRATE, 5" ROUND | X | WHDG-5RD | 3.0 | 50.0 | \$218 |
| LIGATURE-RESISTANT STAINLESS STEEL FLOOR DRAIN GRATE, 5" ROUND, STAINLESS-STEEL FINISH | | WHDG-5RD-SS | 3.0 | 50.0 | \$265 |
| LIGATURE-RESISTANT STAINLESS STEEL FLOOR DRAIN GRATE FOR ZURN DRAIN, 5" ROUND, STAINLESS-STEEL FINISH | | WHDG-5RD-ZURN | 3.0 | 50.0 | \$218 |
| LIGATURE-RESISTANT NICKEL BRONZE FLOOR DRAIN GRATE, 5" SQUARE | X | WHDG-5SQ | 3.0 | 50.0 | \$218 |
| LIGATURE-RESISTANT FLOW DRAIN GRATE, 5" SQUARE, STAINLESS-STEEL FINISH | | WHDG-5SQ-SS | 3.0 | 50.0 | \$265 |
| LIGATURE-RESISTANT STAINLESS STEEL FLOOR DRAIN GRATE FOR ZURN DRAIN, 5" SQUARE | | WHDG--5SQ- ZURN | 3.0 | 50.0 | \$218 |
| LIGATURE-RESISTANT NICKEL BRONZE FLOOR DRAIN GRATE, 6" ROUND | X | WHDG-6RD | 3.0 | 50.0 | \$218 |
| LIGATURE-RESISTANT STAINLESS STEEL FLOOR DRAIN GRATE, 6" ROUND, STAINLESS-STEEL FINISH | | WHDG-6RD-SS | 3.0 | 50.0 | \$265 |
| LIGATURE-RESISTANT STAINLESS STEEL FLOOR DRAIN GRATE FOR ZURN DRAIN, 6" ROUND | | WHDG-6RD-ZURN | 3.0 | 50.0 | \$218 |
| LIGATURE-RESISTANT NICKEL BRONZE FLOOR DRAIN GRATE, 6" SQUARE | X | WHDG-6SQ | 3.0 | 50.0 | \$225 |
| LIGATURE-RESISTANT STAINLESS STEEL FLOOR DRAIN GRATE, 6" SQUARE, STAINLESS-STEEL FINISH | | WHDG-6SQ-SS | 3.0 | 50.0 | \$272 |
| LIGATURE-RESISTANT STAINLESS STEEL FLOOR DRAIN GRATE FOR ZURN DRAIN, 6" SQUARE | | WHDG-6SQ-ZURN | 3.0 | 50.0 | \$225 |
| LIGATURE-RESISTANT STAINLESS STEEL SHOWER DRAIN GRATE, 4-1/8" ROUND | | WHPG | 3.0 | 50.0 | \$152 |
|  Ligature-Resistant floor drains are designed with an internal gusset system that helps prevent ligature points. The round top strainer head is used for all types of poured finished floors. MODEL NO. WHFD-5RD-2NH Round Floor Drain Strainer | |  Ligature-Resistant floor drains are designed with an internal gusset system that helps prevent ligature points. The square top is particularly adaptable to floors that are finished in square or straight line patterns. MODEL NO. WHDG-5SQ-2NH Square Floor Drain Strainer | | | |
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
| LIGATURE-RESISTANT NICKEL BRONZE FLOOR DRAIN STRAINER AND GRATE, 5" ROUND | X | WHFD-5RD-2NH | 10.0 | 50.0 | \$490 |
| LIGATURE-RESISTANT NICKEL BRONZE FLOOR DRAIN STRAINER AND GRATE, 5" SQUARE | X | WHFD-5SQ-2NH | 10.0 | 50.0 | \$508 |
| LIGATURE-RESISTANT NICKET BRONZE FLOOR DRAIN STRAINER AND GRATE, 6" ROUND | X | WHFD-6RD-2NH | 12.0 | 50.0 | \$537 |
| LIGATURE-RESISTANT NICKEL BRONZE FLOOR DRAIN STRAINER AND GRATE, 6" SQUARE | X | WHFD-6SQ-2NH | 12.0 | 50.0 | \$596 |
| LIGATURE-RESISTANT STAINLESS STEEL STRAINER GRATE & NO-CAULK SHOWER DRAIN, 4-1/8" ROUND | | WHPD-2NH | 10.0 | 50.0 | \$270 |

MODEL WHFDV & WHLD SERIES
BESTCARE®

LIGATURE-RESISTANT DRAINS






MODEL NO. WHFDV-6RD-2NH


Floor drain with a ligature and vandal-resistant grate. Internal gusset system in the grate assembly helps prevent ligature points. The round top grate head is designed for clamping vinyl flooring or other waterproof material at the finish floor level. Reversible 4" flashing collar permits adjustment of grate to meet finished floor level.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|---------------|---------------|--------------|------------|
| LIGATURE-RESISTANT VINYL FLOOR DRAIN, 6" ROUND | | WHFDV-6RD-2NH | 12.0 | 50.0 | \$467 |

MODEL WHLD SERIES BESTCARE®

LIGATURE-RESISTANT LINEAR DRAINS





MODEL NO. WHLD-12-F


12" Linear Drain. BestCare Stainless Steel Linear Shower Drains are an aesthetically pleasing alternative to traditional shower drains, featuring fewer ligature points.


Call for custom sizes.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|-----------|---------------|--------------|------------|
| LIGATURE-RESISTANT STAINLESS STEEL LINEAR DRAIN W/ FLASHING FLANGE, 12" | X | WHLD-12-F | 2.0 | 70.0 | \$461 |
| LIGATURE-RESISTANT STAINLESS STEEL LINEAR DRAIN W/ FLASHING FLANGE, 24" | X | WHLD-24-F | 3.0 | 70.0 | \$557 |
| LIGATURE-RESISTANT STAINLESS STEEL LINEAR DRAIN W/ FLASHING FLANGE, 30" | | WHLD-30-F | 4.0 | 70.0 | \$590 |
| LIGATURE-RESISTANT STAINLESS STEEL LINEAR DRAIN W/ FLASHING FLANGE, 36" | X | WHLD-36-F | 5.0 | 70.0 | \$643 |
| LIGATURE-RESISTANT STAINLESS STEEL LINEAR DRAIN W/ FLASHING FLANGE, 48" | X | WHLD-48-F | 6.0 | 70.0 | \$702 |
| LIGATURE-RESISTANT STAINLESS STEEL LINEAR DRAIN W/ FLASHING FLANGE, 60" | X | WHLD-60-F | 7.0 | 70.0 | \$737 |

MODEL WHLVD SERIES
BESTCARE®

LIGATURE-RESISTANT LINEAR DRAIN FOR VINYL FLOOR





MODEL NO. WHLVD


The WHLVD series is designed specifically for Vinyl Flooring or similar water-resistant materials. The Drain system incorporates a Clamping Collar to mechanically clamp the vinyl in place to provide a water-resistant seal. Clamping Collar is 16-gauge type 304 stainless steel with #4 satin finish. Drain Grate has elongated 1/16" wide drain slots to increase ligature resistance and is fabricated of 14-gauge type 304 stainless steel.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|----------|---------------|--------------|------------|
| LIGATURE-RESISTANT LINEAR VINYL FLOOR CLAMPING DRAIN, 12" | | WHLVD-12 | | | \$461 |
| LIGATURE-RESISTANT LINEAR VINYL FLOOR CLAMPING DRAIN, 24" | | WHLVD-24 | | | \$557 |
| LIGATURE-RESISTANT LINEAR VINYL FLOOR CLAMPING DRAIN, 36" | | WHLVD-36 | | | \$643 |
| LIGATURE-RESISTANT LINEAR VINYL FLOOR CLAMPING DRAIN, 48" | | WHLVD-48 | | | \$702 |

| MODEL WHLD SERIES BESTCARE® | | LIGATURE-RESISTANT FLOOR CLAMPING DRAINS | | | |
|---|--------------------|--|---------------|--------------|------------|
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
| LIGATURE-RESISTANT LINEAR VINYL FLOOR CLAMPING DRAIN, 12" | | WHLVD-12 | | | \$461.17 |
| LIGATURE-RESISTANT LINEAR VINYL FLOOR CLAMPING DRAIN, 24" | | WHLVD-24 | | | \$557.47 |
| LIGATURE-RESISTANT LINEAR VINYL FLOOR CLAMPING DRAIN, 36" | | WHLVD-36 | | | \$643.07 |
| LIGATURE-RESISTANT LINEAR VINYL FLOOR CLAMPING DRAIN, 48" | | WHLVD-48 | | | \$701.92 |

| MODEL A9100080-A & WHBF6-EG10 BESTCARE® | | LIGATURE-RESISTANT DRINKING FOUNTAIN WITH BOTTLE FILLER | | | |
|---|--------------------|---|---------------|--------------|------------|
| <div>  <div> MODEL NO. A9100080-A Remote Chiller, 8 GPH </div> </div> <div>  <div> MODEL NO. WHBF6-EG10 Ligature-Resistant Stainless Steel Drinking Fountain with Bottle Filler is intended to be mounted on a finished wall and accessed from the front. The unit combines a patient friendly, hands-free drinking bubbler and bottle filler in a safe, ligature-resistant design. </div> </div> | | | | | |
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
| 8 GPH GALVANIZED STEEL REMOTE WATER CHILLER | | A9100080-A | | | \$825 |
| LIGATURE-RESISTANT STAINLESS STEEL DRINK FOUNTAIN W/ BOTTLE FILLER, ADA COMPLIANT, WHITE POWDER-COAT FINISH | | WHBF6-EG10 | | | \$4,134 |
| LIGATURE-RESISTANT STAINLESS STEEL DRINK FOUNTAIN W/ BOTTLE FILLER, ADA COMPLIANT, STAINLESS STEEL FINISH | | WHBF6-SS | | | \$4,134 |

| MODEL WHBF3 & WHBF4 BESTCARE® | | LIGATURE-RESISTANT BOTTLE FILLERS | | | |
|--|--------------------|-----------------------------------|---------------|--------------|------------|
| <div>  <div> MODEL NO. WHBF3-EG10 Semi-Recessed Cup Filler is ADA compliant, Vandal- & Ligature-Resistant with a pneumatic hemispherical pushbutton. Exposed stainless steel is White Enviro-Glaze®. </div> </div> <div>  <div> MODEL NO. WHBF4-EG10 Semi-Recessed Sensor Activated Cup Filler is ADA compliant, Vandal & Ligature-Resistant. Exposed stainless steel is White Enviro-Glaze. </div> </div> | | | | | |
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
| LIGATURE-RESISTANT STAINLESS STEEL SEMI-RECESSED PUSHBUTTON BOTTLE/CUP FILLER, ADA COMPLIANT, WHITE POWDER-COAT FINISH | | WHBF3-EG10 | 34.0 | 92.5 | \$944 |
| LIGATURE-RESISTANT STAINLESS STEEL SEMI-RECESSED PUSBUTTON BOTTLE/CUP FILLER, WATER FILLER, ADA COMPLIANT, WHITE POWDER-COAT FINISH | | WHBF3-WF1-EG10 | 34.0 | 92.5 | \$1,020 |
| LIGATURE-RESISTANT STAINLESS STEEL PUSHBUTTON BOTTLE/CUP FILLER, BATTERY OPERATED, W/ WATER FILTER, WHITE POWDER-COAT FINISH | | WHBF4-BAT-WF1-EG10 | 34.0 | 92.5 | \$1,221 |
| LIGATURE-RESISTANT STAINLESS STEEL RECESSED SENSOR ACTIVATED BOTTLE/CUP FILLER, ADA COMPLIANT, WHITE POWDER-COAT FINISH | | WHBF4-EG10 | 40.0 | 92.5 | \$1,145 |
| LIGATURE-RESISTANT STAINLESS STEEL RECESSED SENSOR ACTIVATED BOTTLE/CUP FILLER, WATER FILLER, ADA COMPLIANT, WHITE POWDER-COAT FINISH | | WHBF4-WF1-EG10 | 40.0 | 92.5 | \$1,221 |
| OPTION WATER FILTER FOR WHBF3 | | WF1 | 3.0 | 70.0 | \$161 |



FEATURES & BENEFITS

- 18 gage stainless steel
- Quick fill rate
- Laminar flow eliminates splash
- Key latch opens adjacent hinge door for simple filter replacement and maintenance
- Optional non-proprietary filter readily available
- Easy installation and maintenance




MODEL NO. WHCSB3636ADA-LRTD-L
This shower base combines attractive looks with a spacious, easy-to-maintain shower receptacle that features a non-slip, matte finish. The shower base sizes and configurations provide flexibility to best suit the building requirements. Units are designed for versatility, durability, and ease of installation.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|--------------|---------------|--------------|------------|
| LIGATURE-RESISTANT SOLID SURFACE SHOWER BASE, 36" X 36" | | WHCSB3636 | | | POA |
| LIGATURE-RESISTANT ADA SOLID SURFACE SHOWER BASE, 36" X 36" | | WHCSB3636ADA | | | POA |
| LIGATURE-RESISTANT SOLID SURFACE SHOWER BASE, 60" X 30" | | WHCSB6030 | | | POA |
| LIGATURE-RESISTANT ADA SOLID SURFACE SHOWER BASE, 60" X 30" | | WHCSB6030ADA | | | POA |

| OPTIONS + ADD PRICE | | | |
|--|--------------------|--------|--------------------|
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
| DRAIN | | | |
| Ligature and Vandal Resistant Round Drain | | - LRRD | POA |
| Ligature and Vandal Resistant Trench Drain | | -LRTD | POA |
| DRAIN LOCATION | | | |
| Centered Drain (N/A with Optional -TD Drain) | | - C | POA |
| Left Hand Drain (From Entry) | | -L | POA |
| Right Hand Drain (From Entry) | | -R | POA |
| MISCELLANEOUS | | | |
| SteriTouch Anti-Microbial Additive | | - AMA | POA |
| Optional Corterra Color | | - OCC | POA |



The BestCare® ligature-resistant line features a wide array of restroom accessories including auto-release towel and clothing hooks, toilet paper and paper towel holders, as well as grab bars with ligature-resistant closure plates.



MODEL WH1109 SERIES
BESTCARE®

LIGATURE-RESISTANT GRAB BARS



MODEL NO. WH1109

Constructed of 1-1/2" outer diameter type 304 stainless steel tubing with a 14 gage closure plate welded to the bottom of the bar and includes 3" diameter wall flanges. Bottom closure includes intermittent welds along the grab bar with small holes opposite the grab bar to prevent pooling of water and allow water to drain. Flanges have countersunk holes for furnished 2" long stainless steel vandal-resistant screws. Exposed surfaces are polished to a satin finish.



| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|-----------------|---------------|--------------|------------|
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ CLOSURE PLATE, 24" | X | WH1109-1 | 6.0 | 70.0 | \$96 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ CLOSURE PLATE, WHITE POWDER-COAT FINISH, 24" | | WH1109-1-EG10 | 6.0 | 70.0 | \$102 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ CLOSURE PLATE, 30" | X | WH1109-2 | 6.0 | 70.0 | \$116 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ CLOSURE PLATE, WHITE POWDER-COAT FINISH, 30" | | WH1109-2-EG10 | 6.0 | 70.0 | \$121 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA LEFT ORIENTATION TWO-WALL GRAB BAR W/ CLOSURE PLATE, 32" X 18" | X | WH1109-3-L | 10.0 | 70.0 | \$324 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA LEFT ORIENTATION TWO-WALL GRAB BAR W/ CLOSURE PLATE, WHITE POWDER-COAT FINISH, 32" X 18" | | WH1109-3-L-EG10 | 10.0 | 70.0 | \$340 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA RIGHT ORIENTATION TWO-WALL GRAB BAR W/ CLOSURE PLATE, 32" X 18" | X | WH1109-3-R | 10.0 | 70.0 | \$324 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA RIGHT ORIENTATION TWO-WALL GRAB BAR W/ CLOSURE PLATE, WHITE POWDER-COAT FINISH, 32" X 18" | | WH1109-3-R-EG10 | 10.0 | 70.0 | \$340 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ CLOSURE PLATE, 36" | X | WH1109-4 | 6.0 | 70.0 | \$120 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ CLOSURE PLATE, WHITE POWDER-COAT FINISH, 36" | | WH1109-4-EG10 | 6.0 | 70.0 | \$126 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ CLOSURE PLATE, 42" | X | WH1109-5 | 6.0 | 70.0 | \$147 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ CLOSURE PLATE, WHITE POWDER-COAT FINISH, 42" | | WH1109-5-EG10 | 6.0 | 70.0 | \$153 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ CLOSURE PLATE, 48" | X | WH1109-6 | 10.0 | 70.0 | \$159 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ CLOSURE PLATE, WHITE POWDER-COAT FINISH, 48" | | WH1109-6-EG10 | 10.0 | 70.0 | \$167 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ CLOSURE PLATE, 18" | X | WH1109-7 | 6.0 | 70.0 | \$102 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ CLOSURE PLATE, WHITE POWDER-COAT FINISH, 18" | | WH1109-7-EG10 | 6.0 | 70.0 | \$106 |

MODEL WH1140 SERIES
BESTCARE®

LIGATURE-RESISTANT GRAB BARS



MODEL NO. WH1140-18

Constructed of 1-1/2" outer diameter type 304 stainless steel tubing with a 14 gage "V" shaped closure strip welded to the bottom of the bar. Closure plate includes intermittent welds along wall plate and small holes opposite grab bar to prevent pooling of water and allow water to drain. Exposed surfaces are polished to a satin finish.



PATENTED

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|----------------|---------------|--------------|------------|
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ "V" CLOSURE STRIP, 18" | X | WH1140-18 | 6.0 | 70.0 | \$150 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ "V" CLOSURE STRIP, WHITE POWDER-COAT FINISH, 18" | | WH1140-18-EG10 | 6.0 | 70.0 | \$150 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ "V" CLOSURE STRIP, 24" | X | WH1140-24 | 6.0 | 70.0 | \$152 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ "V" CLOSURE STRIP, WHITE POWDER-COAT FINISH, 24" | | WH1140-24-EG10 | 6.0 | 70.0 | \$159 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ "V" CLOSURE STRIP, 30" | X | WH1140-30 | 6.0 | 70.0 | \$178 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ "V" CLOSURE STRIP, WHITE POWDER-COAT FINISH, 30" | | WH1140-30-EG10 | 6.0 | 70.0 | \$186 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ "V" CLOSURE STRIP, 36" | X | WH1140-36 | 6.0 | 70.0 | \$197 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ "V" CLOSURE STRIP, WHITE POWDER-COAT FINISH, 36" | | WH1140-36-EG10 | 6.0 | 70.0 | \$207 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ "V" CLOSURE STRIP, 42" | X | WH1140-42 | 6.0 | 70.0 | \$211 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ "V" CLOSURE STRIP, WHITE POWDER-COAT FINISH, 42" | | WH1140-42-EG10 | 6.0 | 70.0 | \$221 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ "V" CLOSURE STRIP, 48" | X | WH1140-48 | 10.0 | 70.0 | \$232 |
| LIGATURE-RESISTANT STAINLESS STEEL ADA GRAB BAR W/ "V" CLOSURE STRIP, WHITE POWDER-COAT FINISH, 48" | | WH1140-48-EG10 | 10.0 | 70.0 | \$232 |

MODEL WH1811, WH1813 & WH1817
BESTCARE®

LIGATURE-RESISTANT MIRRORS

**MODEL NO. WH1811-SLPT**

The stainless steel frame features sloped bevels on all four side for Ligature-Resistant needs. Mirror is type 400 stainless steel polished to a mirror finish. Frames are White Enviro-Glaze®.

**MODEL NO. WH1817**

Mirror surface is a 400 stainless steel polished to a mirror finish; The frame feature round corners. Frame is 304 stainless steel. Mounting holes are provided for front access installation.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|----------------|---------------|--------------|------------|
| LIGATURE-RESISTANT SHATTER-PROOF FRONT-MOUNT STAINLESS STEEL FRAME MIRROR, WHITE POWDER-COAT FINISH, 13" X 17" | X | WH1811-SLPT | 7.0 | 70.0 | \$178 |
| LIGATURE-RESISTANT SHATTER-PROOF FRONT-MOUNT STAINLESS STEEL FRAME MIRROR, STAINLESS STEEL FINISH, 13" X 17" | | WH1811-SLPT-SS | 7.0 | 70.0 | \$195 |
| LIGATURE-RESISTANT SHATTER-PROOF SURFACE-MOUNT STAINLESS STEEL FRAME MIRROR, WHITE POWDER-COAT FINISH, 13" X 20" | X | WH1813-SLPT | 9.0 | 70.0 | \$265 |
| LIGATURE-RESISTANT SHATTER-PROOF SURFACE-MOUNT STAINLESS STEEL FRAME MIRROR, STAINLESS STEEL FINISH, 13" X 20" | X | WH1813-SLPT-SS | 9.0 | 70.0 | \$295 |
| LIGATURE-RESISTANT SHATTER-PROOF ROUNDED INTEGRAL STAINLESS STEEL FRAME MIRROR, STAINLESS STEEL FINISH, 11.25" X 17.25" | X | WH1817 | 4.0 | 70.0 | \$100 |

MODEL WH1850 & WH1860
SERIES BESTCARE®

LIGATURE-RESISTANT MIRRORS

**MODEL NO. WH1853**

This is the WH1850-SLPT shown; different sizes and Stainless Steel Frame versions available.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|----------------|---------------|--------------|------------|
| LIGATURE-RESISTANT SHATTER-PROOF STAINLESS STEEL FRAME MIRROR W/ CONCEALED FRONT MOUNTING, WHITE POWDER-COAT FINISH, 13" X 16" | | WH1850-SLPT | 10 | 125 | \$389 |
| LIGATURE-RESISTANT SHATTER-PROOF STAINLESS STEEL FRAME MIRROR W/ CONCEALED FRONT MOUNTING, STAINLESS STEEL FINISH, 13" X 16" | | WH1850-SLPT-SS | 10 | 125 | \$401 |
| LIGATURE-RESISTANT SHATTER-PROOF STAINLESS STEEL FRAME MIRROR W/ CONCEALED FRONT MOUNTING, WHITE POWDER-COAT FINISH, 16" X 26" | | WH1851-SLPT | 16 | 125 | \$472 |
| LIGATURE-RESISTANT SHATTER-PROOF STAINLESS STEEL FRAME MIRROR W/ CONCEALED FRONT MOUNTING, STAINLESS STEEL FINISH, 16" X 26" | | WH1851-SLPT-SS | 16 | 125 | \$485 |
| LIGATURE-RESISTANT SHATTER-PROOF STAINLESS STEEL FRAME MIRROR W/ CONCEALED FRONT MOUNTING, WHITE POWDER-COAT FINISH, 18" X 24" | | WH1852-SLPT | 18 | 125 | \$485 |
| LIGATURE-RESISTANT SHATTER-PROOF STAINLESS STEEL FRAME MIRROR W/ CONCEALED FRONT MOUNTING, STAINLESS STEEL FINISH, 18" X 24" | | WH1852-SLPT-SS | 18 | 125 | \$495 |
| LIGATURE-RESISTANT SHATTER-PROOF STAINLESS STEEL FRAME MIRROR W/ CONCEALED FRONT MOUNTING, WHITE POWDER-COAT FINISH, 20" X 37" | x | WH1853-SLPT | 20 | 125 | \$635 |
| LIGATURE-RESISTANT SHATTER-PROOF STAINLESS STEEL FRAME MIRROR W/ CONCEALED FRONT MOUNTING, STAINLESS STEEL FINISH, 20" X 37" | | WH1853-SLPT-SS | 20 | 125 | \$647 |
| LIGATURE-RESISTANT SHATTER-PROOF STAINLESS STEEL FRAME MIRROR W/ CONCEALED FRONT MOUNTING, WHITE POWDER-COAT FINISH, 27" X 37" | x | WH1854-SLPT | 25 | 125 | \$705 |
| LIGATURE-RESISTANT SHATTER-PROOF STAINLESS STEEL FRAME MIRROR W/ CONCEALED FRONT MOUNTING, STAINLESS STEEL FINISH, 27" X 37" | | WH1854-SLPT-SS | 25 | 125 | \$718 |

**MODEL NO. WH1860**

The mirror is stainless steel polished to a mirror finish and applied to a wood backing for extra strength. Frame is fabricated Blanco Corterra™ solid surface. Mirror is furnished with wall mounting disks and locking block for use with screws.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|--------------|---------------|--------------|------------|
| LIGATURE-RESISTANT BLANCO CORTERRA SOLID SURFACE SHATTER-PROOF MIRROR W/ CONCEALED FRONT MOUNTING, 14-1/2" X 17-1/2" | x | WH1860-OCC11 | | 125 | \$691 |
| LIGATURE-RESISTANT BLANCO CORTERRA SOLID SURFACE SHATTER-PROOF MIRROR W/ CONCEALED FRONT MOUNTING, 17-1/2" X 27-1/2" | x | WH1861-OCC11 | | 125 | \$892 |
| LIGATURE-RESISTANT BLANCO CORTERRA SOLID SURFACE SHATTER-PROOF MIRROR W/ CONCEALED FRONT MOUNTING, 19-1/2" X 25-1/2" | x | WH1862-OCC11 | | 125 | \$889 |
| LIGATURE-RESISTANT BLANCO CORTERRA SOLID SURFACE SHATTER-PROOF MIRROR W/ CONCEALED FRONT MOUNTING, 21-1/2" X 38-1/2" | x | WH1863-OCC11 | 49 | 125 | \$1,095 |
| LIGATURE-RESISTANT BLANCO CORTERRA SOLID SURFACE SHATTER-PROOF MIRROR W/ CONCEALED FRONT MOUNTING, 28-1/2" X 38-1/2" | x | WH1864-OCC11 | | 125 | \$1,170 |

MODEL WH1824 & WH1826
SERIES BESTCARE®

LIGATURE-RESISTANT SHELVES



MODEL NO. WH1826-SLPT
Unit has sloped bookends and a base with sloped edges. The shelf is fabricated of 304 stainless steel and White Enviro-Glaze®.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|----------------|---------------|----------------------|------------|
| LIGATURE-RESISTANT STAINLESS STEEL AUTO-RELEASE HOOK FRONT-MOUNT BOOKSHELF (4 HOOKS) | | WH1824A-SLPT | 24.00 | 70.0 LEGACY MODEL | \$514 |
| LIGATURE-RESISTANT STAINLESS STEEL FRONT-MOUNT BOOKSHELF (4 HOOKS), WHITE POWDER-COAT FINISH | | WH1824-SLPT | 24.00 | 70.0 LEGACY MODEL | \$514 |
| LIGATURE-RESISTANT STAINLESS STEEL FRONT-MOUNT BOOKSHELF (4 HOOKS), STAINLESS STEEL FINISH | | WH1824-SLPT-SS | 24.00 | 70.0 LEGACY MODEL | \$566 |
| LIGATURE-RESISTANT STAINLESS STEEL BOOKSHELF, WHITE POWDER-COAT FINISH | X | WH1826-SLPT | 9.0 | 70.0 LEGACY MODEL | \$336 |
| LIGATURE-RESISTANT STAINLESS STEEL BOOKSHELF, STAINLESS STEEL FINISH | | WH1826-SLPT-SS | 9.0 | 70.0 LEGACY MODEL | \$372 |



MODEL NO. WH1820FA
Recessed rectangular stainless steel shelf. Holes are provided on the flange for front mounting. The shelf is White Enviro-Glaze.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|----------------|---------------|--------------|------------|
| LIGATURE-RESISTANT STAINLESS STEEL FRONT-MOUNT RECESSED SHELF, WHITE POWDER-COAT FINISH, 19" | | WH1820FA | 8.0 | 70.0 | \$201 |
| LIGATURE-RESISTANT STAINLESS STEEL FRONT-MOUNT RECESSED SHELF, WHITE POWDER-COAT FINISH, 14" | | WH1820FA-14 | 8.0 | 70.0 | \$236 |
| LIGATURE-RESISTANT STAINLESS STEEL FRONT-MOUNT RECESSED SHELF, STAINLESS STEEL FINISH, 14" | | WH1820FA-14-SS | 8.0 | 70.0 | \$260 |
| LIGATURE-RESISTANT STAINLESS STEEL FRONT-MOUNT RECESSED SHELF, STAINLESS STEEL FINISH, 19" | | WH1820FA-14-SS | 8.0 | 70.0 | \$218 |

MODEL WH1182 & WH1183 SERIES
BESTCARE®

LIGATURE-RESISTANT SHOWER CADDY & VANITY



MODEL NO. WH1183
The Ligature Resistant Shower Caddy is designed to be used in Shower or Tub areas. The Shower Caddy is installed on finished wall from the front side. The Sloping Top makes this item ideal for ligature resistant applications. The open Shelf design is easily inspected preventing the concealment of contraband. The die formed Soap Dish has raised dimples to provide air circulation around the soap bar, keeping it dry. This Shower Caddy is fabricated from 16 gage, type 304 stainless steel with all exposed White Enviro-Glaze. Stainless steel finish is also available.



MODEL NO. WH1182
The Ligature Resistant Vanity Shelf is designed to be used in place of medicine cabinets where concealment of items is not recommended. The Vanity Shelf is installed on finished wall from the front side. The sloping top makes this item ideal for ligature resistant applications. The open shelf design is easily inspected preventing the concealment of contraband. The Two-Shelf design allows storage for short and tall items. This Vanity Shelf is fabricated from 16 gage, type 304 stainless steel with all exposed surfaces White Enviro-Glaze. Available in Stainless Steel finish.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|-----------|---------------|--------------|------------|
| LIGATURE-RESISTANT STAINLESS STEEL VANITY SHELF, WHITE POWDER-COAT FINISH | X | WH1182 | 10 | 70 | \$139 |
| LIGATURE-RESISTANT STAINLESS STEEL VANITY SHELF, STAINLESS STEEL FINISH | | WH1182-SS | 10 | 70 | \$139 |
| LIGATURE-RESISTANT STAINLESS STEEL SHOWER CADDY, WHITE POWDER-COAT FINISH | X | WH1183 | 8 | 70 | \$129 |
| LIGATURE-RESISTANT STAINLESS STEEL SHOWER CADDY, STAINLESS STEEL FINISH | | WH1183-SS | 8 | 70 | \$129 |

MODEL WH1832 SERIES BESTCARE®

LIGATURE-RESISTANT HOOKS & SOAP DISH




MODEL NO. WH1832-PF
Recessed Soap Dish in White Enviro-Glaze.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|--------------|---------------|--------------|------------|
| LIGATURE-RESISTANT STAINLESS STEEL RECESSED SOAP DISH, WHITE POWDER-COAT FINISH | X | WH1832-PF | 3.0 | 70.0 | \$83 |
| LIGATURE-RESISTANT STAINLESS STEEL RECESSED SOAP DISH, STAINLESS STEEL FINISH | | WH1832-PF-SS | 3.0 | 70.0 | \$89 |

MODEL WH1828 SERIES BESTCARE®

LIGATURE-RESISTANT HOOKS




MODEL NO. WH1828A-SLPT

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|----------------|---------------|--------------------|------------|
| LIGATURE-RESISTANT STAINLESS STEEL BATHROOM AUTO-RELEASE HOOK, POWDER-COAT FINISH | | WH1828A-SLPT | 9.00 | 70 LEGACY MODEL | \$360 |
| LIGATURE-RESISTANT STAINLESS STEEL AUTO-RELEASE SECURITY HOOK, POWDER-COAT FINISH | | WH1828-SLPT | 9.00 | 70 LEGACY MODEL | \$360 |
| LIGATURE-RESISTANT STAINLESS STEEL AUTO-RELEASE SECURITY HOOK, STAINLESS STEEL FINISH | | WH1828-SLPT-SS | 9.00 | 70 LEGACY MODEL | \$396 |

MODEL WH1828 SERIES BESTCARE®

LIGATURE-RESISTANT HOOKS




MODEL NO. WH1830A-SLPT
description


| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|-----------------|---------------|--------------------|------------|
| LIGATURE-RESISTANT ADJUSTABLE AUTO-RELEASE CLOTHES HOOK, STAINLESS STEEL PLATE W/ WHITE POWDER-COAT FINISH | | WH1830A-SLPT | 5.0 | 70 LEGACY MODEL | \$100 |
| LIGATURE-RESISTANT ADJUSTABLE AUTO-RELEASE CLOTHES HOOK, STAINLESS STEEL PLATE W/ STAINLESS STEEL FINISH | | WH1830A-SLPT-SS | 5.0 | 70 LEGACY MODEL | \$112 |
| LIGATURE-RESISTANT STAINLESS STEEL AUTO-RELEASE SINGLE CLOTHES HOOK, POWDER-COAT FINISH | | WH1830-SLPT | 5.0 | 70 LEGACY MODEL | \$100 |
| LIGATURE-RESISTANT STAINLESS STEEL AUTO-RELEASE SINGLE CLOTHES HOOK, STAINLESS STEEL INISH | | WH1830-SLPT-SS | 5.0 | 70 LEGACY MODEL | \$112 |

MODEL WH1840, WH1845 & WH1847 BESTCARE®

LIGATURE-RESISTANT TOILET PAPER HOLDERS



MODEL NO. WH1845B
Recessed, spindleless, Spindle Button Toilet Paper Holder in White Enviro-Glaze®.



MODEL NO. WH1847B
Surface Mounted, spindleless, Spindle Button Toilet Paper Holder in White Enviro-Glaze.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|-------------|---------------|----------------------|------------|
| LIGATURE-RESISTANT RECESSED STAINLESS STEEL TOILET PAPER HOLDER W/ CIRCULAR COMPARTMENT, WHITE POWDER-COAT FINISH | X | WH1840FA | 4.0 | 70.0 | \$131 |
| LIGATURE-RESISTANT RECESSED STAINLESS STEEL TOILET PAPER HOLDER W/ CIRCULAR COMPARTMENT, STAINLESS STEEL FINISH | | WH1840FA-SS | 4.0 | 70.0 | \$141 |
| LIGATURE-RESISTANT SEMI-RECESSED BEVELED TOILET PAPER HOLDER, RECTANGULAR COMPARTMENT W/ LOADED SPINDLE BUTTONS, WHITE POWDER-COAT FINISH | X | WH1845B | 4.0 | 70.0 | \$219 |
| LIGATURE-RESISTANT SEMI-RECESSED BEVELED TOILET PAPER HOLDER, RECTANGULAR COMPARTMENT W/ LOADED SPINDLE BUTTONS, STAINLESS STEEL FINISH | X | WH1845B-SS | 4.0 | 70.0 | \$242 |
| LIGATURE-RESISTANT RECESSED TOILET PAPER HOLDER, CIRCULAR COMPARTMENT, WHITE POWDER-COAT FINISH | | WH1845FA | 4.0 | 70.0 LEGACY MODEL | \$242 |
| LIGATURE-RESISTANT RECESSED TOILET PAPER HOLDER, CIRCULAR COMPARTMENT, STAINLESS STEEL FINISH | | WH1845FA-SS | 4.0 | 70.0 LEGACY MODEL | \$265 |
| LIGATURE-RESISTANT STAINLESS STEEL RECESSED TOILET PAPER HOLDER, POWDER COAT-FINISH | | WH1847 | 6.0 | 70.0 LEGACY MODEL | \$354 |
| LIGATURE-RESISTANT STAINLESS STEEL RECESSED TOILET PAPER HOLDER, POWDER COAT-FINISH | | WH1847A | 6.0 | 70.0 LEGACY MODEL | \$354 |
| LIGATURE-RESISTANT STAINLESS STEEL SURFACE MOUNT BEVELED SIDES TOILET PAPER HOLDER W/ RECTANGULAR COMPARTMENT & SPINDLE BUTTONS, WHITE POWDER-COAT FINISH | X | WH1847B | 6.0 | 70.0 | \$264 |
| LIGATURE-RESISTANT STAINLESS STEEL SURFACE MOUNT BEVELED SIDES TOILET PAPER HOLDER W/ RECTANGULAR COMPARTMENT & SPINDLE BUTTONS, STAINLESS STEEL FINISH | | WH1847B-SS | 6.0 | 70.0 | \$281 |
| LIGATURE-RESISTANT STAINLESS STEEL RECESSED TOILET PAPER HOLDER, STAINLESS STEEL FINISH | | WH1847-SS | 6.0 | 70.0 LEGACY MODEL | \$378 |
| LIGATURE-RESISTANT STAINLESS STEEL PAPER TOWEL DISPENSER, WHITE POWDER-COAT FINISH | | WH1848 | | LEGACY MODEL | \$378 |
| LIGATURE-RESISTANT STAINLESS STEEL PAPER TOWEL DISPENSER, STAINLESS STEEL FINISH | | WH1848-SS | | LEGACY MODEL | \$401 |

MODEL WH1181 ACCESSORIES
BESTCARE®

LIGATURE-RESISTANT C-FOLD PAPER HOLDERS



MODEL NO. WH1181-1



MODEL NO. WH1181-2




MODEL NO. WH1181-3

The Whitehall Ligature Resistant C-Fold Paper Holder is designed to be installed on finished wall. The unique vertical Storage Bay design holds 1/2 ream of 10-1/4" x 3-5/8" Folded sheets of C-Fold Paper per Bay. The Sloping Top and open Bays make this item ideal for ligature resistant applications. The open vertical Bay design eliminates the need for a lock and has no moving parts that can be vandalized. The open Bay design is easily inspected preventing the concealment of contraband.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|-----------------------|-------------|------------------|-----------------|------------|
| LIGATURE-RESISTANT STAINLESS STEEL SINGLE BAY C-FOLD PAPER TOWEL HOLDER, WHITE POWDER-COAT FINISH | x | WH1181-1 | 3 | 70 | \$85 |
| LIGATURE-RESISTANT STAINLESS STEEL SINGLE BAY C-FOLD PAPER TOWEL HOLDER, STAINLESS STEEL FINISH | | WH1181-1-SS | 3 | 70 | \$92 |
| LIGATURE-RESISTANT STAINLESS STEEL TWO BAY C-FOLD PAPER TOWEL HOLDER, WHITE POWDER-COAT FINISH | x | WH1181-2 | 6 | 70 | \$147 |
| LIGATURE-RESISTANT STAINLESS STEEL TWO BAY C-FOLD PAPER TOWEL HOLDER, STAINLESS STEEL FINISH | | WH1181-2-SS | 6 | 70 | \$161 |
| LIGATURE-RESISTANT STAINLESS STEEL THREE BAY C-FOLD PAPER TOWEL HOLDER, WHITE POWDER-COAT FINISH | x | WH1181-3 | 9 | 70 | \$185 |
| LIGATURE-RESISTANT STAINLESS STEEL THREE BAY C-FOLD PAPER TOWEL HOLDER, STAINLESS STEEL FINISH | | WH1181-3-SS | 9 | 70 | \$204 |

MODEL WH1846 BESTCARE®

LIGATURE-RESISTANT PAPER TOWEL HOLDERS



MODEL NO. WH1846B
Recessed Spindle Button Paper Towel Holder in
White Enviro-Glaze®



MODEL NO. WH1848B
Surface Mounted Paper Towel Holder w/ 2
Spindle Buttons, White Enviro-Glaze®

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|-----------------------|-------------|------------------|-----------------|------------|
| LIGATURE-RESISTANT STAINLESS STEEL PAPER TOWEL HOLDER, WHITE POWDER-COAT FINISH | | WH1846A-FA | 4.0 | 70.0 | \$575 |
| | | | | LEGACY MODEL | |
| LIGATURE-RESISTANT STAINLESS STEEL SEMI-RECESSED BEVELED PAPER TOWEL HOLDER W/ RECTANGULAR COMPARTMENT & SPINDLE BUTTONS, WHITE POWDER-COAT FINISH | x | WH1846B | 4.0 | 70.0 | \$201 |
| LIGATURE-RESISTANT STAINLESS STEEL SEMI-RECESSED BEVELED PAPER TOWEL HOLDER W/ RECTANGULAR COMPARTMENT & SPINDLE BUTTONS, STAINLESS STEEL FINISH | | WH1846B-SS | 4.0 | 70.0 | \$225 |
| LIGATURE-RESISTANT STAINLESS STEEL PAPER TOWEL HOLDER, WHITE POWDER-COAT FINISH | | WH1846FA | 4.0 | 70.0 | \$524 |
| | | | | LEGACY MODEL | |
| LIGATURE-RESISTANT STAINLESS STEEL PAPER TOWEL HOLDER, STAINLESS STEEL FINISH | | WH1846FA-SS | 4.0 | 70.0 | \$579 |
| | | | | LEGACY MODEL | |
| LIGATURE-RESISTANT STAINLESS STEEL PAPER TOWEL DISPENSER, WHITE POWDER-COAT FINISH | | WH1848 | 9.0 | 70.0 | \$377.71 |
| | | | | LEGACY MODEL | |
| LIGATURE-RESISTANT STAINLESS STEEL SURFACE MOUNT PAPER TOWEL HOLDER W/ SPRING LOADED SPINDLE BUTTONS, WHITE POWDER-COAT FINISH | x | WH1848B | 9.0 | 70.0 | \$264.29 |

MODEL WH-BC-C & WH-BC-D
BESTCARE®

LIGATURE-RESISTANT CHAIRS & DESKS



STAINLESS STEEL SHELVING
DESK/CHAIRS

MODEL NO. WH-BC-CD

Chair and Desk in Stainless Steel

Ideal for behavioral healthcare facilities with workstations, BestCare desk/chairs feature rounded edges and gentle sloping construction to minimize ligature points. Enviro-Glaze options are available to match your facility's color scheme.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|-----------------------|--------------|------------------|-----------------|------------|
| LIGATURE-RESISTANT STAINLESS STEEL CHAIR ONLY (ENVIRO-GLAZE® OPTIONS AVAILABLE) | | WH-BC-C-0001 | 40.0 | 100.0 | — |
| STAINLESS STEEL CHAIR AND DESK, ENVIRO-GLAZE AVAILABLE | | WH-BC-CD | 76.0 | 100.0 | POA |
| STAINLESS STEEL DESK ONLY, ENVIRO-GLAZE AVAILABLE | | WH-BC-D | 36.0 | 100.0 | POA |

MODEL WH1704 , WH1724 & WH1754
BESTCARE®

LIGATURE-RESISTANT CABINETS -
FIRE EXTINGUISHER



MODEL NO. WH1704-A
BestCare® Ligature-Resistant
Recessed Fire Extinguisher Cabinet



MODEL NO. WH1724-A
BestCare® Ligature-Resistant
Semi-Recessed Fire
Extinguisher Cabinet



MODEL NO. WH1754-A
BestCare® Ligature-Resistant
Surface Mount Fire
Extinguisher Cabinet

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|-----------------------|----------------|------------------|-----------------|-----------------------|
| LIGATURE-RESISTANT STAINLESS STEEL RECESSED FIRE EXTIN- GUISHER CABINET, WHITE POWDER-COAT FINISH | | WH1704-A | | | \$307 |
| LIGATURE-RESISTANT STAINLESS STEEL RECESSED FIRE EXTINGUISHER CABINET, WHITE POWDER-COAT FINISH | X | WH1704-FS-ANTL | 14.0 | 150.0 | \$307 LEGACY MODEL |
| LIGATURE-RESISTANT STAINLESS STEEL, SEMI-RECESSED FIRE EXTINGUISHER CABINET, WHITE POWDER-COAT FINISH | | WH1724-A | | | \$336 |
| LIGATURE-RESISTANT STAINLESS STEEL SEMI-RECESSED FIRE EXTINGUISHER CABINET, WHITE POWDER-COAT FINISH | X | WH1724-FS-ANTL | 16.0 | 150.0 | \$336 |
| LIGATURE-RESISTANT STAINLESS STEEL SURFACE MOUNTED FIRE EXTINGUISHER CABINET, WHITE POWDER-COAT FINISH | | WH1754-A | | | \$508 |
| LIGATURE-RESISTANT STAINLESS STEEL SURFACE MOUNTED FIRE EXTINGUISHER CABINET, WHITE POWDER-COAT FINISH | X | WH1754-FS-ANTL | 18.0 | 150.0 | \$508 LEGACY MODEL |

MODEL WH2805 SERIES
BESTCARE®

LIGATURE-RESISTANT CABINETS - ACCESS DOORS



MODEL NO. WH2805-08
BestCare® Ligature-Resistant Access Doors with White Enviro-Glaze® provide access to behind-the-wall components such as water valves and electrical lines. Access doors are attached with a continuous hinge and feature sloped edges to minimize ligature points. Also available in stainless steel.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|--------------|---------------|--------------|------------|
| LIGATURE-RESISTANT 8" ACCESS DOOR W/ STAINLESS STEEL FRAME, ROUNDED SIDES, WHITE POWDER-COAT FINISH | X | WH2805-08 | 3.0 | 70.0 | \$192 |
| LIGATURE-RESISTANT 12" ACCESS DOOR W/ STAINLESS STEEL FRAME, ROUNDED SIDES, WHITE POWDER-COAT FINISH | X | WH2805-12 | 5.5 | 70.0 | \$208 |
| LIGATURE-RESISTANT 14" ACCESS DOOR W/ STAINLESS STEEL FRAME, ROUNDED SIDES, WHITE POWDER-COAT FINISH | X | WH2805-14 | 6.0 | 70.0 | \$230 |
| LIGATURE-RESISTANT 18" ACCESS DOOR W/ STAINLESS STEEL FRAME, ROUNDED SIDES, WHITE POWDER-COAT FINISH | X | WH2805-18 | 9.0 | 70.0 | \$259 |
| LIGATURE-RESISTANT 8" ACCESS DOOR W/ STAINLESS STEEL FRAME, ROUNDED SIDES, STAINLESS STEEL FINISH | | WH2805-08-SS | 3.0 | 70.0 | \$192 |
| LIGATURE-RESISTANT 12" ACCESS DOOR W/ STAINLESS STEEL FRAME, ROUNDED SIDES, STAINLESS STEEL FINISH | | WH2805-12-SS | 5.5 | 70.0 | \$208 |
| LIGATURE-RESISTANT 14" ACCESS DOOR W/ STAINLESS STEEL FRAME, ROUNDED SIDES, STAINLESS STEEL FINISH | | WH2805-14-SS | 6.0 | 70.0 | \$230 |
| LIGATURE-RESISTANT 18" ACCESS DOOR W/ STAINLESS STEEL FRAME, ROUNDED SIDES, STAINLESS STEEL FINISH | | WH2805-18-SS | 9.0 | 70.0 | \$259 |

MODELS 8190, 8191, 8195,
& 8196 WHITEHALL

DIALYSIS BOXES



Stainless Steel recessed dialysis box features a 3-3/4" deep 8-5/8" square interior and 10-1/2" exterior 304 stainless steel wall flange. The single PVC ball valve features viton seal. The discharge hose bracket has a rubber grommet. A 2-3/8" waste outlet is provided.

IN-STOCK MODELS

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|-------|---------------|--------------|------------|
| WHITEHALL STAINLESS STEEL RECESSED DIALYSIS SUPPLY & WASTE BOX, (TWO VALVE, NO DOOR) | X | 8190 | 10.0 | 70.0 | \$870 |
| WHITEHALL STAINLESS STEEL RECESSED DIALYSIS SUPPLY & WASTE BOX, (ONE VALVE, NO DOOR) | X | 8191 | 10.0 | 70.0 | \$754 |



Stainless steel recessed dialysis box features a 3-3/4" deep 8-5/8" square interior, locking door and 10-1/2" exterior 304 stainless steel wall flange. The dual PVC ball valves features viton seals. The discharge hose brackets have rubber grommets. 2-3/8" waste outlet is provided.

IN-STOCK MODELS

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|-------|---------------|--------------|------------|
| WHITEHALL STAINLESS STEEL RECESSED DIALYSIS SUPPLY & WASTE BOX, (TWO VALVE SUPPLY W/ DOOR & LOCK) | X | 8195 | 10.0 | 70.0 | \$899 |
| WHITEHALL STAINLESS STEEL RECESSED DIALYSIS SUPPLY & WASTE BOX, (ONE VALVE SUPPLY W/ DOOR & LOCK) | X | 8196 | 10.0 | 70.0 | \$813 |

OPTIONS FOR 8190, 8191, 8195, AND 8196 CONTINUED

+ ADD PRICE

| DESCRIPTION | MODEL | + ADDITIONAL PRICE |
|--|-------|--------------------|
| ENVIRO-GLAZE® POWDER COAT ON DOOR & FRAME ONLY | - EG | \$86 |
| Less Logo | - LLG | N/C |
| SATIN FINISH INTERIOR | - SFI | \$54 |
| STAINLESS STEEL BALL VALVES IN LIEU OF PVC | - SV | \$427 |

MODELS 8193 & 8194
WHITEHALL

WD MANOR BOXES



MODEL NO. 8193



MODEL NO. 8194

The W.D. Manor by Whitehall dialysis wall box protects patients at their most vulnerable, minimizes liability, and promotes significant job savings for the installer. Each dialysis box is prefabricated and pre-plumbed and includes an integrated reduced pressure backflow preventer. This eliminates the need to pipe back to a shared backflow preventer and eliminates the possibilities of cross-contamination that can arise from that arrangement.

IN-STOCK MODELS

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|-------|---------------|--------------|------------|
| Backflow Preventer and Wall Flange with Door | X | 8193 | | | POA |
| Backflow Preventer, Thermostatic Mixing Valve, and Wall Flange with Door | X | 8194 | | | POA |

OPTIONS

+ ADD PRICE

| DESCRIPTION | MODEL | + ADDITIONAL PRICE |
|-----------------------------|-------|--------------------|
| Less Door (with Frame Only) | - LDR | POA |
| Less Trap Primer | - LTP | POA |

WHITEHALL

SINKS



Handwashing is one of the most powerful tools in the fight against the spread of infection.

It is estimated that 100,000 people die from hospital-acquired infections each year. According to the United Nations Health Agency, hundreds of millions of infections could be prevented if healthcare professionals, patients and their families wash their hands with alcohol-based rub or soap and water before and after touching patients and their surroundings. When done regularly by food handlers, handwashing can also prevent the spread of food borne illness. Whitehall's Infection Prevention Sink has features that assist healthcare workers, patients, and food handlers with proper handwashing and reduce the spread of bacteria.



SURGICAL SCRUB SINKS,
SOLID SURFACE SINKS,
INFECTION PREVENTION
SINKS & BARIATRIC SINKS

MODEL 4121ADA
WHITEHALL

SCRUBWARE -ADA ONE STATION COMPACT SCRUB SINK



Stainless Steel single station ADA Compact Scrub Sink with removable gooseneck spout assembly spray head(s), sink has a 1-1/2" O.D. tail piece with a 3" flat strainer drain(s), removable front access panel, thermostatic mixing valve, and hands free sensor operation. Sink complies with ADA requirements.



| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--------------------------|--------------------|---------|---------------|--------------|------------|
| One Station - Basic Unit | | 4121ADA | 127.0 | 150.0 | POA |

OPTIONS + ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|---|--------------------|----------------|--------------------|
| MOUNTING | | | |
| Mounting Carrier for 4121ADA | | - MC | POA |
| SPOUT | | | |
| Laminar Flow Nozzle | | - LFN | POA |
| Swivel Nozzle on Gooseneck | | - SWV | POA |
| MISCELLANEOUS | | | |
| Swing Down Eye/Face Wash | | - EFW | POA |
| Whitehall Supplied ASSE 1071 Compliant Mixing Valve for Eye/Face Wash | | ET71-1-BVS-OTG | POA |
| Chronomite Point-of-Use Tankless Electric Heater | | - HTR | CALL |

MODEL 4122ADA
WHITEHALL

SCRUBWARE -ADA TWO STATION COMPACT SCRUB SINK



Stainless Steel 2 station ADA Compact Scrub Sink with, removable gooseneck spout assembly spray head(s), sink has a 1-1/2" O.D. tail piece with a 3" flat strainer drain(s), removable front access panel, thermostatic mixing valve, and hands free sensor operation. Sink complies with ADA requirements.



| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--------------------------|--------------------|---------|---------------|--------------|------------|
| Two Station - Basic Unit | | 4122ADA | 270.0 | 150.0 | POA |

OPTIONS + ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|---|--------------------|------------------|--------------------|
| MOUNTING | | | |
| Mounting Carrier for 4122ADA | | - MC | POA |
| SPOUT | | | PER STATION |
| Laminar Flow Nozzle | | - LFN | POA |
| Swivel Nozzle on Gooseneck | | - SWV | POA |
| MISCELLANEOUS | | | PER STATION |
| Swing Down Eye/Face Wash | | - EFW | POA |
| Whitehall Supplied ASSE 1071 Compliant Mixing Valve for Eye/Face Wash | | - ET71-1-BVS-OTG | POA |
| Chronomite Point-of-Use Tankless Electric Heater | | - HTR | CALL |
| Splash Panel for 4122ADA | | - SA | POA |

OTHER COMPATIBLE OPTIONS



-EFW
Swing Down Eye Wash



-MC
Mounting Carrier



-ET71-1-BVS-OTG
Mixing Valve for EFW

OTHER COMPATIBLE OPTIONS



-EFW
Swing Down Eye Wash



-SA
Splash Panel



-ET71-1-BVS-OTG
Mixing Valve for EFW

MODEL 4123ADA
WHITEHALL

SCRUBWARE -ADA THREE STATION COMPACT SCRUB SINK



Stainless Steel 3 station ADA Compact Scrub Sink with, removable gooseneck spout assembly spray head(s), sink has a 1-1/2" O.D. tail piece with a 3" flat strainer drain(s), removable front access panel, thermostatic mixing valve, and hands free sensor operation. Sink complies with ADA requirements



| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|----------------------------|--------------------|---------|---------------|--------------|------------|
| Three Station - Basic Unit | | 4123ADA | 400.0 | 150.0 | POA |

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|---|--------------------|-------------------|--------------------|
| MOUNTING | | | |
| Mounting Carrier for 4123ADA | | - MC | POA |
| SPOUT | | | PER STATION |
| Laminar Flow Nozzle | | - LFN | POA |
| Swivel Nozzle on Gooseneck | | - SWV | POA |
| MISCELLANEOUS | | | PER STATION |
| Swing Down Eye/Face Wash (EFW option requires one additional mixing valve.) | | - EFW | POA |
| Whitehall Supplied ASSE 1071 Compliant Mixing Valve for Eye/Face Wash | | - ET71-1 -BVS-OTG | POA |
| Chronomite Point-of-Use Tankless Electric Heater | | - HTR | CALL |
| Splash Panels for 4123ADA | | - SA | POA |

OTHER COMPATIBLE OPTIONS



CuVerro Whitehall

COPPER SINK & TOILET



CuVerro® bactericidal copper surfaces meet nearly every required characteristic for ideal surfaces in healthcare environments. Products made with CuVerro can be easily installed and fit seamlessly in almost any space. These smooth surfaces are durable and easy to clean, but most importantly they actively kill infectious bacteria.


| DESCRIPTION | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---------------|-------|---------------|--------------|------------|
| Copper Sink | | | | POA |
| Copper Toilet | | | | POA |


OTHER COMPATIBLE OPTIONS



MODEL 4111 WHITEHALL

SCRUBWARE - ONE-STATION COMPACT SCRUB SINK





One-station stainless steel compact scrub sink features gooseneck spout assemblies with removable spray heads. The sink has a 1-1/2" O.D. tail piece with a 3" flat strainer drains, removable front access panel, thermostatic mixing valve, and hands free sensor operation.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--------------------------|--------------------|-------|---------------|--------------|------------|
| One-Station - Basic Unit | | 4111 | 127.0 | 150.0 | POA |

MODEL 4112 WHITEHALL

SCRUBWARE - TWO-STATION COMPACT SCRUB SINK






Two-station stainless steel compact scrub sink features gooseneck spout assemblies with removable spray heads. The sink has a 1-1/2" O.D. tail piece with a 3" flat strainer drains, removable front access panel, thermostatic mixing valve, and hands free sensor operation.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--------------------------|--------------------|-------|---------------|--------------|------------|
| Two-Station - Basic Unit | | 4112 | 270.0 | 150.0 | POA |


| OPTIONS | | + ADD PRICE | |
|---|--------------------|----------------------|--------------------|
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
| MOUNTING | | | |
| Mounting Carrier for 4111 | | - MC | POA |
| SPOUT | | | |
| Laminar Flow Nozzle | | - LFN | POA |
| Swivel Nozzle on Gooseneck | | - SWV | POA |
| MISCELLANEOUS | | | |
| Swing Down Eye/Face Wash (EFW option requires one additional mixing valve.) | | - EFW | POA |
| Whitehall Supplied ASSE 1071 Compliant Mixing Valve for Eye/Face Wash | | - ET71-1 -BVS-OTG | POA |
| Chronomite Point-of-Use Tankless Electric Heater | | -HTR | CALL |

| OPTIONS | | + ADD PRICE | |
|---|--------------------|----------------------|--------------------|
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
| MOUNTING | | | |
| Mounting Carrier for 4112 | | - MC | POA |
| SPOUT | | | |
| Laminar Flow Nozzle | | - LFN | POA |
| Swivel Nozzle on Gooseneck | | - SWV | POA |
| MISCELLANEOUS | | | |
| Swing Down Eye/Face Wash (EFW option requires one additional mixing valve.) | | - EFW | POA |
| Whitehall Supplied ASSE 1071 Compliant Mixing Valve for Eye/Face Wash | | - ET71-1 -BVS-OTG | POA |
| Chronomite Point-of-Use Tankless Electric Heater | | - HTR | CALL |
| Splash Panel for 4112 | | - SA | POA |


OTHER COMPATIBLE OPTIONS



-LFN
Laminar Flow Nozzle



-MC
Mounting Carrier



-ET71-1-BVS-OTG
Mixing Valve for EFW

OTHER COMPATIBLE OPTIONS



-EFW
Swing Down Eye Wash



-LFN
Laminar Flow Nozzle



-ET71-1-BVS-OTG
Mixing Valve for EFW

MODEL 4113 WHITEHALL

SCRUBWARE -THREE-STATION COMPACT SCRUB SINK



Three-station stainless steel compact scrub sink features gooseneck spout assemblies with removable spray heads. The sink has 1-1/2" O.D. tail pieces with a 3" flat strainer drains, removable front access panel, thermostatic mixing valve, and hands free sensor operation.


| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|----------------------------|--------------------|-------|---------------|--------------|------------|
| Three-Station - Basic Unit | | 4113 | 400.0 | 150.0 | POA |

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|---|--------------------|----------------------|--------------------|
| MOUNTING | | | |
| Mounting Carrier for 4113 | | - MC | POA |
| SPOUT | | | PER STATION |
| Laminar Flow Nozzle | | - LFN | POA |
| Swivel Nozzle on Gooseneck | | - SWV | POA |
| MISCELLANEOUS | | | PER STATION |
| Swing Down Eye/Face Wash (EFW option requires one additional mixing valve.) | | - EFW | POA |
| Whitehall Supplied ASSE 1071 Compliant Mixing Valve for Eye/Face Wash | | - ET71-1 -BVS-OTG | POA |
| Chronomite Point-of-Use Tankless Electric Heater | | - HTR | CALL |
| Splash Panel for 4112 | | - SA | POA |

OTHER COMPATIBLE OPTIONS



MODEL 4171, 4172 & 4173 WHITEHALL

ALL-IN-ONE HYGIENIC HAND WASHING SYSTEM



MODEL NO. 4171

Infection prevention with a sink that does it all. Featuring the Dyson Wash + Dry faucet, this unit allows healthcare providers to wash and dry hands directly at the sink to prevent infection and water from being dripped on the floor.

- HEPA filter removes 99.9% of bacteria and viral particles as small as 0.3 microns, so hands are dried with cleaner air
- Eliminates the need for a wall-mounted hand dryer
- Economic and sanitary alternative to paper towels – 69% less cost
- Offset drain reduces splashing of contaminated water and further prevents the spread of infection


| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|----------------------------|--------------------|-------|---------------|--------------|------------|
| One-Station - Basic Unit | | 4171 | 120.0 | 150.0 | POA |
| Two-Station - Basic Unit | | 4172 | 127.0 | 150.0 | POA |
| Three-Station - Basic Unit | | 4173 | | | POA |

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|---|--------------------|----------------------|--------------------|
| MOUNTING | | | |
| Mounting Carrier for 4111 | | - MC | POA |
| FAUCET | | | PER STATION |
| Sensor Operated Deck Mount Spout | | - SO | POA |
| Sensor Operated Deck Mount Spout - Battery Powered | | - SO-BAT | POA |
| Without Valve | | -9 | N/C |
| MISCELLANEOUS | | | PER STATION |
| Swing Down Eye/Face Wash | | - EFW | POA |
| Whitehall Supplied ASSE 1071 Compliant Mixing Valve for Eye/Face Wash | | - ET71-1 -BVS-OTG | POA |
| Mixing Valve | | WHST70-12 | POA |
| Whitehall Supplied ASSE 1070 Compliant Mixing Valve for Faucet | | -316 | POA |

OTHER COMPATIBLE OPTIONS



MODEL 4101 WHITEHALL

SCRUBWARE -ONE-STATION FULL SIZE SCRUB SINK



One-station stainless steel scrub sink features a gooseneck spout with a 1-1/2" removable spray head, 1-1/2" O.D. tail piece with a 3" flat strainer drains, thermostatic mixing valves and on/off valve which is knee actuated from the front panels.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--------------------------|--------------------|-------|---------------|--------------|------------|
| One-Station - Basic Unit | | 4101 | 175.0 | 150.0 | POA |

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|---|--------------------|-----------------------|--------------------|
| MOUNTING | | | |
| Mounting Carrier (Off-Floor Installation) | | - MC | POA |
| Pedestal Base (On-Floor Installation) | | - PB | POA |
| SPOUT/VALVE/TIMING | | | |
| Digital Time Display | | - DTD | POA |
| Electronic Timing Controller (this option will not work with -SO) | | - ETC | POA |
| Laminar Flow Nozzle | | - LFN | POA |
| Sensor Operated (this option will not work with -ETC) | | - SO | POA |
| Swivel Nozzle on Gooseneck | | - SWV | POA |
| SOAP | | | |
| Metering Liquid Soap Dispenser | | - PDM | POA |
| Soap Flush System | | - SFS | POA |
| MISCELLANEOUS | | | |
| Swing Down Eye/Face Wash (EFW option requires one additional mixing valve.) | | - EFW | POA |
| Whitehall Supplied ASSE 1071 Compliant Mixing Valve for Eye/Face Wash | | - ET71-1 - BVS-OTG | POA |
| Chronomite Point-of-Use Tankless Electric Heater | | - HTR | CALL |
| Light Module | | - LM | POA |
| Storage Shelf | | - SS | POA |

OTHER COMPATIBLE OPTIONS



MODEL 4102 WHITEHALL

SCRUBWARE -TWO-STATION FULL SIZE SCRUB SINK



Two-station stainless steel scrub sink features gooseneck spout assemblies with a 1-1/2" removable spray heads, 1-1/2" O.D. tail piece with a 3" flat strainer drains, thermostatic mixing valves and on/off valve which is knee actuated from the front panels.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--------------------------|--------------------|-------|---------------|--------------|------------|
| Two-Station - Basic Unit | | 4102 | 395.0 | 150.0 | POA |

OPTIONS

+ ADD PRICE


| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|---|--------------------|-----------------------|--------------------|
| MOUNTING | | | |
| Mounting Carrier (Off-Floor Installation) | | - MC | POA |
| Pedestal Base (On-Floor Installation) | | - PB | POA |
| SPOUT/VALVE/TIMING | | | |
| Digital Time Display | | - DTD | POA |
| Electronic Timing Controller (this option will not work with -SO) | | - ETC | POA |
| Laminar Flow Nozzle | | - LFN | POA |
| Sensor Operated (this option will not work with -ETC) | | - SO | POA |
| Swivel Nozzle on Gooseneck | | - SWV | POA |
| SOAP | | | |
| Metering Liquid Soap Dispenser | | - PDM | POA |
| Soap Flush System | | - SFS | POA |
| MISCELLANEOUS | | | |
| Swing Down Eye/Face Wash | | - EFW | POA |
| Whitehall Supplied ASSE 1071 Compliant Mixing Valve for Eye/Face Wash | | - ET71-1 - BVS-OTG | POA |
| Chronomite Point-of-Use Tankless Electric Heater | | - HTR | CALL |
| Light Module | | - LM | POA |
| Splash Panel for 4102 | | - SA | POA |
| Storage Shelf | | - SS | POA |


OTHER COMPATIBLE OPTIONS



MODEL 4103 WHITEHALL

SCRUBWARE -THREE-STATION FULL SIZE SCRUB SINK





Three-station stainless steel scrub sink features gooseneck spout assemblies with a 1-1/2" removable spray heads, 1-1/2" O.D. tail piece with a 3" flat strainer drains, thermostatic mixing valves and on/off valve which is knee actuated from the front panels.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--------------------------|--------------------|-------|---------------|--------------|------------|
| One-Station - Basic Unit | | 4103 | 635.0 | 150.0 | POA |

| OPTIONS | | + ADD PRICE | |
|---|--------------------|-----------------------|--------------------|
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
| MOUNTING | | | |
| Mounting Carrier (Off-Floor Installation) | | - MC | POA |
| Pedestal Base (On-Floor Installation) | | - PB | POA |
| SPOUT/VALVE/TIMING | | | |
| | | | PER STATION |
| Digital Time Display | | - DTD | POA |
| Electronic Timing Controller (this option will not work with -SO) | | - ETC | POA |
| Laminar Flow Nozzle | | - LFN | POA |
| Sensor Operated (this option will not work with -ETC) | | - SO | POA |
| Swivel Nozzle on Gooseneck | | - SWV | POA |
| SOAP | | | |
| | | | PER STATION |
| Metering Liquid Soap Dispenser | | - PDM | POA |
| Soap Flush System | | - SFS | POA |
| MISCELLANEOUS | | | |
| | | | PER STATION |
| Swing Down Eye/Face Wash (EFW option requires one additional mixing valve.) | | - EFW | POA |
| Whitehall Supplied ASSE 1071 Compliant Mixing Valve for Eye/Face Wash | | - ET71-1 - BVS-OTG | POA |
| Chronomite Point-of-Use Tankless Electric Heater | | - HTR | CALL |
| Light Module | | - LM | POA |
| Splash Panel for 4102 | | - SA | POA |
| Storage Shelf | | - SS | POA |

OTHER COMPATIBLE OPTIONS



MODEL 4150 WHITEHALL

INFECTION PREVENTION SINK - SOLID SURFACE





Blanco (white) non-porous solid surface sink infused with SteriTouch® anti-microbial protection, deep integral slope (prevents water from the spout to flow directly into the drain and splashing bacteria out), daisy pattern strainer and elbow. The faucet configuration must be specified.



PATENTED

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|-------|---------------|--------------|------------|
| Basic Unit- (Does NOT include Faucet or Trap Cover) | X | 4150 | 127.0 | 150.0 | POA |

| OPTIONS | | + ADD PRICE | |
|---|--------------------|-------------|--------------------|
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
| FAUCETS | | | |
| Without Valve | | - 9 | N/C |
| Single Hole | | - H1 | N/C |
| Two Holes, 4" Centered Punching | | -H24 | N/C |
| Three Holes, 4" Centerset | | -H34 | N/C |
| 4" Centerset Gooseneck Faucet, Wrist Blade Handles | | -CSG | POA |
| Sensor Operation Gooseneck Faucet (Plug-in Transformer) | | -SO | POA |
| Sensor Operation Gooseneck Faucet (Battery Powered) | | -SO-BAT | POA |
| Foot valve, single spout combination | | -VF | POA |
| MISCELLANEOUS | | | |
| Chronomite® Point-of-use Water Heater | | -HTR | CALL |
| Trap Enclosure | | -TE | POA |
| ASSE Compliant Thermostatic/Pressure Balance Valve | | -MXTP | POA |
| Tubular P-Trap | | -TPT | POA |
| Mounting Carrier, Infection Prevention Sink | | -MC | POA |

OTHER COMPATIBLE OPTIONS



MODEL 4151 WHITEHALL

ADA INFECTION PREVENTION SINK - SOLID SURFACE



Blanco (white) non-porous solid surface ADA compliant sink infused with SteriTouch® anti-microbial protection, deep integral slope (prevents water from the spout to flow directly into the drain and splashing bacteria out), daisy pattern strainer and elbow. The faucet configuration must be specified.



PATENTED

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|-------|---------------|--------------|------------|
| Basic Unit- (Does NOT include Faucet or Trap Cover) | X | 4151 | 127.0 | 150.0 | POA |

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|---|--------------------|----------|--------------------|
| Without Valve | | - 9 | N/C |
| Single Hole Punching | | - H1 | N/C |
| Two Holes 4" Centered Punching | | - H24 | N/C |
| Three Holes 4" Centerset | | - H34 | N/C |
| 4" Centerset Gooseneck Faucet, Wrist Blade Handles | | - CSG | POA |
| Sensor Operation Gooseneck Faucet (plug-in transformer) | | - SO | POA |
| Sensor Operation Gooseneck Faucet (battery powered) | | - SO-BAT | POA |
| MISCELLANEOUS | | | |
| Chronomite Point-of-use Water Heater | | - HTR | CALL |
| Trap Enclosure | | - TE | POA |
| ASSE Compliant Thermostatic/Pressure Balance Valve | | - MXTP | POA |
| Tubular P-Trap | | - TPT | POA |
| Mounting Carrier for Infection Prevention Sink | | - MC | POA |

OTHER COMPATIBLE OPTIONS



-SO
Sensor Operation
Gooseneck Faucet



-HTR
Chronomite Point-of-use
Water Heater

MODEL 4160 WHITEHALL

SOLID SURFACE CORNER SINK



Space-saving corner basin with a 10 x 14.5" rectangular bowl integrated onto a 34 x 21" deck constructed of cast Corterra recycled solid surface poly resin material. Basin includes waste opening for 1.25" waste assembly by others. Fixture conforms to ANSI Z124.3 and ANSI - Z124.6 load ratings. The back of basin measures 24" on either sides.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|-------|---------------|--------------|------------|
| LIGATURE-RESISTANT CORTERRA CAST SOLID SURFACE COMPACT CORNER BASIN, BLANCO, (NO TRAP ENCLOSURE) | | 4160 | 127.0 | 150.0 | \$1,220 |

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|---|--------------------|-----------|--------------------|
| Blanco White | | - OCC11 | N/C |
| Standard Corterra Colors - specify_____ | | - OCC__ _ | POA |
| Custom Corterra Corterra | | - OCC | CALL |
| Anti-Microbial Additive on Cast Resin or Solid Surface Countertops - SteriTouch | | - AMA | POA |
| VALVE/FAUCET/FAUCET CONFIGURATIONS | | | |
| Without Valve | | - 9 | N/C |
| Single Hole | | - H1 | N/C |
| Three Holes 4" Centerset Punching | | - H34 | N/C |
| SENSOR OPERATION GOOSENECK FAUCET, PLUG-IN TRANSFORMER, (-SO) | | - SO | \$706 |
| SENSOR OPERATION GOOSENECK FAUCET, BATTERY POWERED, (-SO-BAT) | | - SO-BAT | \$706 |
| ASSE 1070 COMPLIANT THERMOSTATIC/PRESSURE BALANCE VALVE (-ST70-12) | | - ST70-12 | \$209 |
| FOOT VALVE, SINGLE SPOUT COMBINATION (-VF) | | - VF | \$872 |
| MISCELLANEOUS | | | |
| Chronomite Point-of-Use Tankless Electric Heater | | - HTR | CALL |
| TAP ENCLOSURE, WHITE POWDER-COAT | | - TE-EG10 | \$86 |
| TUBULAR P-TRAP | | - TPT | \$251 |

MODEL 4161 WHITEHALL

ADA SOLID SURFACE CORNER SINK





ADA Compliant, space-saving corner basin with integral rectangular 10 x 14.5" rectangular bowl onto a 52.63 x 34.69" deck constructed of Corterra recycled solid surface poly resin material. Basin includes waste opening for 1.25" waste assembly by others. Fixture conforms to ANSI Z124.3 and ANSI - Z124.6 load ratings. The back of Model Shown: 4161 the basin measures 37.44" on either side.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|--------------------|-------|---------------|--------------|------------|
| LIGATURE-RESISTANT CORTERRA CAST SOLID SURFACE COMPACT CORNER BASIN, BLANCO, ADA COMPLIANT, (NO TRAP ENCLOSURE) | | 4161 | CALL | CALL | \$2,022 |

| OPTIONS | | + ADD PRICE | |
|---|--------------------|-------------|--------------------|
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
| CORTERRA SOLID SURFACE COLOR | | | |
| Blanco White | | - OCC11 | N/C |
| Standard Corterra Colors - specify_____ | | - OCC___ | POA |
| Custom Corterra Corterra | | - OCC | CALL |
| Anti-Microbial Additive on Cast Resin or Solid Surface Countertops - SteriTouch | | - AMA | POA |
| VALVE/FAUCET/FAUCET CONFIGURATIONS | | | |
| Without Valve | | - 9 | N/C |
| Single Hole | | - H1 | N/C |
| Three Holes 4" Centerset Punching | | - H34 | N/C |
| 4" Centerset Gooseneck Faucet, Wrist Blade Handles | | - CSG | \$235.00 |
| SENSOR OPERATION GOOSENECK FAUCET, PLUG-IN TRANSFORMER, (-SO) | | - SO | \$706 |
| SENSOR OPERATION GOOSENECK FAUCET, BATTERY POWERED, (-SO-BAT) | | - SO-BAT | \$706 |
| ASSE 1070 COMPLIANT THERMOSTATIC/PRESSURE BALANCE VALVE (-ST70-12) | | - ST70-12 | \$209 |
| MISCELLANEOUS | | | |
| Chronomite Point-of-Use Tankless Electric Heater | | - HTR | CALL |
| TAP ENCLOSURE, WHITE POWDER-COAT | | - TE-EG10 | \$86 |
| TUBULAR P-TRAP | | - TPT | \$251 |

PRODUCT OPTIONS



-SWF

Swivel Nozzle on Gooseneck



-LFN

Laminar Flow Nozzle



-MC

Mounting Carrier



-VF

Metering Liquid Soap Dispenser



-LM

Light Module



-EFW

Swing Down Eye Wash



-SA

Splash Panel



-ETC

Electric Timing Controller



-SO

Sensor Operation Gooseneck Faucet



-VF

Foot valve, single spout combination



ET71-1-BVS-OTG



-XXX

Soap Flushing System



BARIATRIC

Bariatric patients will require toilets with a higher maximum weight capacity than the average toilet you will find in most healthcare facilities. A traditional china toilet will have a maximum capacity of about 300-350 lbs. Toilets with this capacity are more likely to break and cause injuries to patients.



Countertop and Basin are constructed of 16 gage stainless steel with exposed surfaces White Enviro-Glaze® with a 14 gage stainless steel sub- frame. Basin includes sloped side splashes, overflow, grid strainer, waste piping and 1-1/2" P-Trap.




IN-STOCK MODELS

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | + ADD PRICE + ADDITIONAL PRICE |
|--|--------------------|--------------|---------------|--------------|-----------------------------------|
| LIGATURE-RESISTANT, STAINLESS STEEL BARIATRIC LAVY, WHITE-POWDER COAT FINISH, (THREE HOLE PUNCH W/ 4" CENTERSET) | X | WH3740BAR-09 | 60.0 | 77.5 | \$1,533 |

OPTIONS

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADD PRICE + ADDITIONAL PRICE |
|--|--------------------|-------|-----------------------------------|
| MOUNTING CARRIER BARIATRIC W/ 1000LB. RATING | | - MC | \$915 |
| 4" Centerset Faucet Punching (no faucet provided) | | - 09 | N/C |
| Single Hole Faucet Punching (no faucet provided) | | - H1 | N/C |
| 8" Centerset Faucet Punching (no faucet provided) | | - H38 | N/C |
| 4" CENTERSET GOOSENECK FAUCET, WRIST BLADE HANDLES | | - CSG | \$278 |

OTHER COMPATIBLE OPTIONS



MODEL WH2105BAR
WHITEHALL

BARIATRIC OFF-FLOOR WALL OUTLET
STAINLESS STEEL TOILET





Stainless steel off-floor Siphon Jet toilet features reinforced housing. Fixture is rated at 1000 lbs bariatric load when used in conjunction with an appropriately rated carrier supplied by others.

IN-STOCK MODELS

DESCRIPTION

TYPICALLY
IN-STOCK

MODEL

WEIGHT
(LBS.)

FREIGHT
CODE

LIST PRICE

| | | | | | |
|---|---|---------------|----|-----|---------|
| LIGATURE-RESISTANT, STAINLESS STEEL, TOP SUPPLY, BARIATRIC OFF-FLOOR SIPHON JET TOILET, WHITE POWDER-COAT FINISH | X | WH2105BAR-T-1 | 70 | 125 | \$2,290 |
| LIGATURE-RESISTANT, STAINLESS STEEL, WALL SUPPLY, BARIATRIC OFF-FLOOR SIPHON JET TOILET, WHITE POWDER-COAT FINISH | X | WH2105BAR-W-1 | 70 | 125 | \$2,290 |

IN-STOCK MODELS

DESCRIPTION

TYPICALLY
IN-STOCK

MODEL

WEIGHT
(LBS.)

FREIGHT
CODE

LIST PRICE

| | | | | | |
|---|---|---------------|----|-----|---------|
| LIGATURE-RESISTANT, STAINLESS STEEL, TOP SUPPLY, BARIATRIC OFF-FLOOR SIPHON JET TOILET, WHITE POWDER-COAT FINISH | X | WH2105BAR-T-1 | 70 | 125 | \$2,290 |
| LIGATURE-RESISTANT, STAINLESS STEEL, WALL SUPPLY, BARIATRIC OFF-FLOOR SIPHON JET TOILET, WHITE POWDER-COAT FINISH | X | WH2105BAR-W-1 | 70 | 125 | \$2,290 |

OPTIONS

DESCRIPTION


MODEL

+ ADDITIONAL PRICE

| | | |
|---|---------|---------|
| FLUSH VALVE/INLET | | |
| 3.5 GPF/13.25 LPF Flush | - 3.5 | N/C |
| Ultra Low Flush (1.6 GPF/6.1 LPF) | - ULF | N/C |
| HIGH EFFICIENCY TOILET, 1.28 GPF/4.85 LPF | - HET | \$161 |
| Flush Valve by Others | - FVBO | N/C |
| FLUSH VALVE, MECHANICAL, | - FV | \$417 |
| FLUSH VALVE, HYDRAULIC, FOR ADA TOILETS | - FVH | \$637 |
| CONCEALED FLUSH VALVE W/ LEVER HANDLE FOR WALL SUPPLY ADA TOILET ONLY | - FVL | \$342 |
| TIME-TROL ELECTRONIC FLUSH VALVE WALL SUPPLY TOILET ONLY | - MVCFV | \$203 |
| TRANSFORMER FOR TIME-TROL | - TF | \$107 |
| FLOOD-TROL MANUAL RESET ON WALL SUPPLY TOILETS ONLY | - FT | \$508 |
| FLOOD-TROL AUTO-RESET ON WALL SUPPLY TOILETS ONLY | - FTA | \$610 |
| FLUSH VALVE THRU WALL CONNECTION FOR WALL SUPPLY TOILETS ONLY | - FVT | \$62 |
| Acorn Vac Vacuum System | - VAC | POA |
| MOUNTING | | |
| MOUNTING CARRIER BARIATRIC W/ 1000LB. RATING | - MC | \$1,017 |
| BLIND CAP NUTS | - BCN | \$86 |
| CAP NUTS (4) PER UNIT | - CN | \$107 |

MODEL WH2105BAR
WHITEHALL

BARIATRIC OFF-FLOOR WALL OUTLET
STAINLESS STEEL TOILET



OPTIONS CONTINUED

DESCRIPTION

MODEL

+ ADDITIONAL PRICE

| | | |
|--|-------------|-------|
| TOILET SEAT | | |
| HIGH POLISH SEAT W/ #7 FINISH, TOILET RIM ONLY | - HPS | \$24 |
| BIG JOHN HINGED TOILET SEAT, OPEN FRONT LESS COVER | - HSBJ-OFLC | \$300 |
| BIG JOHN HINGED TOILET SEAT, OPEN FRONT W/ COVER | - HSBJ-OFWC | \$358 |
| Punched for Hinged Seat by Others | - PFS | N/C |
| MISCELLANEOUS | | |
| BEDPAN LUGS | - BL | \$107 |
| White Enviro-Glaze, Exterior Only (DOES NOT INCLUDE INTERIOR OF TOILET BOWL) | - EGE | N/C |
| TOILET SHIPPING COVER | - TSC | \$32 |
| WASTE OUTLET 2-3/8" P-TRAP W/ 3" O.D. PLAIN END | - WO3B | \$102 |

MODEL WH2125BAR
WHITEHALL

BARIATRIC ON-FLOOR OUTLET STAINLESS STEEL TOILET



MODEL NO. WH2125BAR

This bariatric toilet is designed to be installed on a finished wall either from the front or in a rear (chase) application. The exterior is White Enviro-Glaze® and bowl interior has a satin finish. It can handle loads up to 5,000 pounds with no permanent damage. Toilet complies with ADA requirements for accessibility. The tank allows for ease of installation and maintenance, while floor and wall supports allow bariatric patients to feel safe and comfortable using the toilet.



| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|--------------|---------------|--------------|------------|
| LIGATURE-RESISTANT, STAINLESS STEEL, WALL SUPPLY, BARIATRIC ON-FLOOR OUTLET TOILET, WHITE POWDER-COAT FINISH, 10" ROUGH-IN | | WH2125BAR_10 | 70.0 | 92.5 | \$2,188 |
| LIGATURE-RESISTANT, STAINLESS STEEL, WALL SUPPLY, BARIATRIC ON-FLOOR OUTLET TOILET, WHITE POWDER-COAT FINISH, 12" ROUGH-IN | | WH2125BAR_12 | 70.0 | 92.5 | \$2,188 |



MODEL WH2125A
WHITEHALL

BARIATRIC ON-FLOOR, WALL OR FLOOR OUTLET STAINLESS STEEL TOILET



This bariatric toilet is designed to be installed on a finished wall either from the front or in a rear (chase) application. The exterior is White Enviro-Glaze® and bowl interior has a satin finish. It can handle loads up to 5,000 pounds with no permanent damage. Toilet complies with ADA requirements for accessibility.



| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--|--------------------|-------------|---------------|--------------|------------|
| LIGATURE-RESISTANT, STAINLESS STEEL, TOP SUPPLY, BARIATRIC WALL WASTE TOILET, WHITE POWDER-COAT FINISH | | WH2125A-T-2 | 45.0 | 92.5 | \$2,659 |
| LIGATURE-RESISTANT, STAINLESS STEEL, TOP SUPPLY, BARIATRIC FLOOR WASTE TOILET, WHITE POWDER-COAT FINISH | | WH2125A-T-3 | 45.0 | 92.5 | \$2,659 |
| LIGATURE-RESISTANT, STAINLESS STEEL, WALL SUPPLY, BARIATRIC WALL WASTE TOILET, WHITE POWDER-COAT FINISH | | WH2125A-W-2 | 45.0 | 92.5 | \$2,659 |
| LIGATURE-RESISTANT, STAINLESS STEEL, WALL SUPPLY, BARIATRIC FLOOR WASTE TOILET, WHITE POWDER-COAT FINISH | | WH2125A-W-3 | 45.0 | 92.5 | \$2,659 |

OPTIONS CONTINUED

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|---|--------------------|---------|--------------------|
| FLUSH VALVE/INLET | | | |
| 3.5 GPF/13.25 LPF Flush | | - 3.5 | N/C |
| Ultra Low Flush (1.6 GPF/6.1 LPF) | | - ULF | N/C |
| High Efficiency Toilet (1.28 GPF/4.85 LPF) | | - HET | \$161 |
| Flush Valve by Others | | - FVBO | N/C |
| Flush Valve (Mechanical) | | - FV | \$417 |
| Flush Valve (Hydraulic) for ADA Toilets | | - FVH | \$637 |
| Concealed Flush Valve with Lever Handle for Wall Supply ADA Toilet Only | | - FVL | \$342 |
| Time-trol Electronic Flush Valve Wall Supply Toilet Only | | - MVCFV | \$203 |
| Transformer for Time-Trol | | - TF | \$107 |
| Flood-trol Manual Reset on Wall Supply Toilets Only | | - FT | \$492 |
| Flood-trol Auto-Reset on Wall Supply Toilets Only | | - FTA | \$610 |
| Flush Valve thru Wall Connection for Wall Supply Toilets Only | | - FVT | \$62 |
| Left Inlet Location for Wall Supply Toilets Only | | - LfV | N/C |
| Right Inlet Location for Wall Supply Toilets Only | | - RFV | N/C |
| Acorn Vac System | | - VAC | POA |

MODEL WH2125BAR
WHITEHALL

BARIATRIC ON-FLOOR, WALL OR FLOOR OUTLET
STAINLESS STEEL TOILET



OPTIONS CONTINUED

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|---|-----------------------|-------------|--------------------|
| MOUNTING | | | |
| Toilet configured for Front Mounting | | - FM | N/C |
| Toilet configured for Rear (Chase) Mounting | | - RM | N/C |
| WALL SLEEVE FOR REAR MOUNTING | | - SW | \$183 |
| TOILET SEAT | | | |
| BIG JOHN HINGED TOILET SEAT, OPEN FRONT LESS COVER | | - HSBJ-OFLC | \$300 |
| BIG JOHN HINGED TOILET SEAT, OPEN FRONT W/ COVER | | - HSBJ-OFWC | \$358 |
| Less Punch for Hinged Seat (17" flood rim AFF) | | - LPFS | N/C |
| MISCELLANEOUS | | | |
| BEDPAN LUGS | | - BL | \$107 |
| Enviro-Glaze, Exterior Only (DOES NOT INCLUDE INTERIOR OF TOILET BOWL) | | - EGE | N/C |
| TOILET SHIPPING COVER | | - TSC | \$32 |
| WASTE OUTLET 2-3/8" P-TRAP W/ 3" O.D. PLAIN END | | - WO3B | \$102 |

MODEL WWD SERIES

WUDU WASH STATION



NEW



MODEL NO. WWD-1

This Wudu Wash Station provides an ideal solution for washing in preparation for ritual prayer, making them ideal for places of worship. Unit is fabricated of stainless steel to ensure durability and features a hinged grate assembly to facilitate cleaning and an adjustable spray nozzle operated by an ADA-compliant pushbutton. A metering valve is provided and cycle time is adjustable up to 60 seconds.


| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|---|-----------------------|--------|------------------|-----------------|-------------|
| SINGLE USER WUDU STAINLESS STEEL WASH STATION | | WWD-1 | | | \$1,514 |
| TWO USER WUDU STAINLESS STEEL TROUGH WASH STATION | | WWD-2 | | | \$2,188 |
| THREE USER WUDU STAINLESS STEEL TROUGH WASH STATION | | WWD-3 | | | \$3,365 |
| OPTIONS | | | | | PER STATION |
| ENVIRO-GLAZE® COLOR (-EG) | | - EG | | | \$171 |
| WUDU STOOL, FLOOR MOUNTED (-WWDS) EACH | | - WWDS | | | \$171 |



CARE-WARE®

WHY CHOOSE PATIENTCARE UNITS:

- Space Saving
- Seamless counters which are easily cleaned
- Durable for heavy use, 1,000 lb. load
- Customized for ICU & CCU (Acute care healthcare centers)
- Patented toilet swivel design that is maintenance free
- Infection Prevention
- **PLEASE CALL FOR A QUOTE**



MODEL CARE-WARE 4010 Series
WHITEHALL

SWIVETTE FREE STANDING MODELS



MODEL NO. 4010
38" wide cabinet, pivoting (hidden) stainless steel toilet, hydraulic flush valve with pushbutton, lavy, deck mounted center set faucet with wrist blade handles and 10" rigid gooseneck spout, countertop and cabinet. This unit is free-standing and configured with a back wall waste connection.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|------------------------|--------------------|-------|---------------|--------------|------------|
| Back Wall Waste Outlet | | 4010 | 335 | 150.0 | POA |
| Side Wall Waste Outlet | | 4012 | 335 | 150.0 | POA |
| Floor Waste Outlet | | 4015 | 335 | 150.0 | POA |

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|--|--------------------|-----------|--------------------|
| TOILET | | | |
| Specify Waste Location with the Model Base Number | | | |
| 4010 (Back Wall); 4012 (Side Wall - Same Side as Toilet); 4015 (Floor) | | | |
| L (Left) indicates toilet location in opened position when facing the fixture. | | - L | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| R (Right) indicates toilet location in opened position when facing the fixture. | | - R | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| Powder Coating -, exterior ONLY (NOT INTERIOR OF TOILET BOWL) | | - EGE | POA |
| Waste Outlet 3" in lieu of standard 2-3/8" | | - WO3 | POA |
| TOILET FLUSHING | | | |
| Default Toilet Flush Valve Supplied: Hydraulic Accuat-ed (-ULF 1.6 gpf/6.1Lpf) | | - ULF | N/C |
| 3.5 gpf/13.3 Lpf Flush Valve | | - 3.5 GPF | N/C |
| Infectious Control Flush includes Exposed Toilet Paper Holder | | - FCI | POA |
| (Toilet will NOT flush unless toilet is inconcealed position) | | | |
| High Efecieny Toilet Flushing (1.28 gpf/4.8 Lpf) | | - HET | POA |
| CABINET | | | |
| Default cabinet material is MDF. Solid color laminate (typically Wilson Art - must specify color) applied on exterior. Back side of cabinet door is melamine laminate. Cabinet interior is stainless stain-less steel. | | - LCC | N/C |
| Powder Coating - stainless steel cabinet interior | | - EG | POA |
| Polyethelyne Color Cabinet Material | | - OCP | POA |

MODEL CARE-WARE 4010 Series
WHITEHALL

SWIVETTE FREE STANDING MODELS

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|--|--------------------|----------|--------------------|
| COUNTER, BACKSPLASH, LAVY | | | |
| Backsplash on Back Wall Only | | - 1 | N/C |
| Backsplash on Right Hand (Corner) | | - 2 | POA |
| Backsplash on Left Hand (Corner) | | - 3 | POA |
| Backsplash on both Right & Left for Alcove Installation | | - 4 | POA |
| Anti-Microbial Additive on Resin or Solid Surface - SteriTouch® | | - AMA | POA |
| Integral Corterra® Cast Solid Surface Counter, Back-splash, Lavy | | - CCL | POA |
| Integral Corterra® Cast Solid Surface Counter, Back-splash, | | - CCT | POA |
| Integral Corian® Counter, Backsplash, Stainless Steel Lavy | | - CNCT | POA |
| Integral Corian® Counter, Backsplash, Lavy | | - CNCTL | POA |
| Integral Stainless Steel Counter, Backsplash, Lavy | | - CS | POA |
| Extended Counter (with material selected) | | - EC | POA |
| Powder Coating - Stainless Steel Lavy | | - EG | POA |
| LESS Counter, FURNISH Stainless Stl. Lavy & Valve | | - LCT | POA |
| LESS Counter, Backsplash, Lavy FURNISH Valve | | - LCTL | POA |
| LESS Counter, Basksplash, Lavy, Valve | | - LCTLV | POA |
| LESS Lavy and Valve, FURNISH Counter & Backsplash | | - LLV | POA |
| Cast Translucent Color Resin Counter | | - OCR | POA |
| Embedded Stainless Steel Basin | | - ESB | N/C |
| LAVY VALVE | | | |
| Default Lavy Valve: Deck-mounted hot and cold mixing valve with wrist blade handle and a 10" (256 mm) rigid gooseneck faucet | | - CSG | N/C |
| Battery Operated (-SO) | | - SO-BAT | POA |
| Laminar Flow Nozzle | | - LFN | POA |
| Lavatory Hose Spray | | - LS | POA |
| LESS Valve, FURNISH Counter, Backsplash, Lavy | | - LV | POA |
| Sensor Operated Valve w/plug in style transformer | | - SO | POA |
| Concealed H & C Foot Pedal Operated Air-Control Valve | | - VF | POA |
| MISCELLANEOUS | | | |
| Bedpan Lugs on Toilet | | - BL | POA |
| Bedpan Washer (in lieu of storage compartment) | | - BW | POA |
| Hemo-Dialysis Box Single Valve (in lieu of storage compartment) | | - DB1 | POA |
| Hemo-Dialysis Box Single Valve, S/S Ball Valve w/T-Handle (in lieu of storage compartment) | | - DB1SV | POA |
| Hemo-Dialysis Box Dual Valve (in lieu of storage compartment) | | - DB2 | POA |
| Hemo-Dialysis Box Dual Valve, S/S Ball Valves w/T-Handle (in lieu of storage compartment) | | - DB2SV | POA |
| Storage Shelf (Not available when Dialysis is requested) | | - SS | POA |
| Swing Up Grab Bar | | - SUG | POA |
| Exposed Paper Holder | | - EP | N/C |
| Enclosed Paper Holder (Not available w/Stainless Steel or Corian Basin) | | - PHE | POA |

MODEL CARE-WARE 4010BIS Series
WHITEHALL

SWIVETTE FREE STANDING MODELS WITH
BUILT-IN SEAT



MODEL NO. 4010BIS

38" wide cabinet, pivoting (hidden) stainless steel toilet, hydraulic flush valve with pushbutton, lavy, deck mounted centerset faucet with wrist blade handles and 10" rigid gooseneck spout, countertop and cabinet. This unit is free-standing and includes a built-in seat. The unit is configured with a back wall waste connection.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|------------------------|--------------------|---------|---------------|--------------|------------|
| Back Wall Waste Outlet | | 4010BIS | 335 | 150.0 | POA |
| Side Wall Waste Outlet | | 4012BIS | 335 | 150.0 | POA |
| Floor Waste Outlet | | 4015BIS | 335 | 150.0 | POA |

OPTIONS

+ ADD PRICE


| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|--|--------------------|-----------|--------------------|
| TOILET | | | |
| Specify Waste Location with the Model Base Number | | | |
| 4010BIS (Back Wall); 4012BIS (Side Wall - Same Side as Toilet); 4015BIS (Floor) | | | |
| L (Left) indicates toilet location in opened position when facing the fixture. | | - L | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| R (Right) indicates toilet location in opened position when facing the fixture. | | - R | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| Powder Coating -,exterior ONLY (NOT INTERIOR OF TOILET BOWL) | | - EGE | POA |
| Waste Outlet 3" in lieu of standard 2-3/8" | | - WO3 | POA |
| TOILET FLUSHING | | | |
| Default Toilet Flush Valve Supplied: Hydraulic Accuat-ed (-ULF 1.6 gpf/6.1Lpf) | | - ULF | N/C |
| 3.5 gpf/13.3 Lpf Flush Valve | | - 3.5 GPF | N/C |
| Infectious Control Flush includes Exposed Toilet Paper Holder | | - FCI | POA |
| (Toilet will NOT flush unless toilet is inconcealed position) | | | |
| High Efficiency Toilet Flushing (1.28 gpf/4.8 Lpf) | | - HET | POA |
| CABINET | | | |
| Default cabinet material is MDF. Solid color laminate (typically Wilson Art - must specify color) applied on exterior. Back side of cabinet door is melamine laminate. Cabinet interior is stainless stain-less steel. | | - LCC | N/C |
| Powder Coating - stainless steel cabinet interior | | - EG | POA |
| Polyethelyne Color Cabinet Material | | - OCP | POA |


| MODEL CARE-WARE 4010BIS Series WHITEHALL | | SWIVETTE FREE STANDING MODELS WITH BUILT-IN SEAT | |
|--|-----------------------|---|--------------------|
| OPTIONS | | + ADD PRICE | |
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
| COUNTER, BACKSPLASH, LAVY | | | |
| Backsplash on Back Wall Only | | - 1 | N/C |
| Backsplash on Right Hand (Corner) | | - 2 | POA |
| Backsplash on Left Hand (Corner) | | - 3 | POA |
| Backsplash on both Right & Left for Alcove Installation | | - 4 | POA |
| Anti-Microbial Additive on Resin or Solid Surface - SteriTouch® | | - AMA | POA |
| Integral Cast Solid Surface Counter, Backsplash, Lavy | | - CCL | POA |
| Integral Cast Solid Surface Counter, Backsplash & Stainless Steel Lavy | | - CCT | POA |
| Integral Corian Counter, Backsplash & Stainless Steel Lavy | | - CNCT | POA |
| Integral Corian Counter, Backsplash, Lavy | | - CNCTL | POA |
| Integral Stainless Steel Counter, Backsplash, Lavy | | - CS | POA |
| Extended Counter (with material selected) | | - EC | POA |
| Powder Coating - Stainless Steel Lavy | | - EG | POA |
| LESS Counter, FURNISH Stainless Stl. Lavy & Valve | | - LCT | POA |
| LESS Counter, Backsplash, Lavy FURNISH Valve | | - LCTL | POA |
| LESS Counter, Baskplash, Lavy, Valve | | - LCTLV | POA |
| LESS Lavy and Valve, FURNISH Counter & Backsplash | | - LLV | POA |
| Cast Translucent Color Resin Counter | | - OCR | POA |
| Embedded Stainless Steel Basin | | - ESB | N/C |
| LAVY VALVE | | | |
| Default Lavy Valve: Deck-mounted hot and cold mixing valve with wrist blade handle and a 10" (256 mm) rigid gooseneck faucet | | - CSG | N/C |
| Battery Operated (-SO) | | - SO-BAT | POA |
| Laminar Flow Nozzle | | - LFN | POA |
| Lavatory Hose Spray | | - LS | POA |
| LESS Valve, FURNISH Counter, Backsplash, Lavy | | - LV | POA |
| Sensor Operated Valve w/plug in style transformer | | - SO | POA |
| Concealed H & C Foot Pedal Operated Air-Control Valve | | - VF | POA |
| MISCELLANEOUS | | | |
| Bedpan washer cabinet with handheld washer | | | N/C |
| Integral seat provided | | | N/C |
| Bedpan Lugs on Toilet | | - BL | POA |
| Cushioned Seat Pad | | - CSP | POA |
| Swing Up Grab Bar | | - SUG | POA |
| Exposed Paper Holder | | - EP | POA |
| Enclosed Paper Holder (Not available w/Stainless Steel or Corian Basin) | | - PHE | POA |

MODEL CARE-WARE 4020 Series

WHITEHALL

SWIVETTE BUILT-IN MODEL





MODEL NO. 4020

38" wide cabinet features pivoting (hidden) stainless steel toilet, hydraulic flush valve with pushbutton. The unit is suited for built-in applications. (No countertop, no lavy, no faucet). The unit is configured with a back wall waste connection.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|------------------------|--------------------|-------|---------------|--------------|------------|
| Back Wall Waste Outlet | | 4020 | 320 | 150.0 | POA |
| Side Wall Waste Outlet | | 4022 | 320 | 150.0 | POA |
| Floor Waste Outlet | | 4025 | 320 | 150.0 | POA |

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|---|--------------------|-----------|--------------------|
| TOILET | | | |
| Specify Waste Location with the Model Base Number | | | |
| 4020 (Back Wall); 4022 (Side Wall - Same Side as Toilet); 4025 (Floor) | | | |
| L (Left) indicates toilet location in opened position when facing the fixture. | | - L | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| R (Right) indicates toilet location in opened position when facing the fixture. | | - R | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| Powder Coating -, exterior ONLY (NOT INTERIOR OF TOILET BOWL) | | - EGE | POA |
| Waste Outlet 3" in lieu of standard 2-3/8" | | - WO3 | POA |
| TOILET FLUSHING | | | |
| Default Toilet Flush Valve Supplied: Hydraulic Accuated (-ULF 1.6 gpf/6.1Lpf) | | - ULF | N/C |
| 3.5 gpf/13.3 Lpf Flush Valve | | - 3.5 GPF | N/C |
| Infectious Control Flush includes Exposed Toilet Paper Holder | | - FCI | POA |
| (Toilet will NOT flush unless toilet is inconcealed position) | | | |
| High Efeciciency Toilet Flushing (1.28 gpf/4.8 Lpf) | | - HET | POA |
| CABINET | | | |
| Default cabinet material is MDF. Solid color laminate (typically Wilson Art - must specify color) applied on exterior. Back side of cabinet door is melamine laminate. Cabinet interior is stainless stainless steel. | | - LCC | N/C |
| Powder Coating - stainless steel cabinet interior | | - EG | POA |
| Polyethelyne Color Cabinet Material | | - OCP | POA |

| MODEL CARE-WARE 4020 Series WHITEHALL | | SWIVETTE BUILT-IN MODEL | |
|--|-----------------------|-------------------------|--------------------|
| OPTIONS | | + ADD PRICE | |
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
| MISCELLANEOUS | | | |
| Bedpan Lugs | | - BL | POA |
| Bedpan Flusher (in lieu of storage compartment) | | - BW | POA |
| Hemo-Dialysis Box Single Valve (in lieu of storage compartment) | | - DB1 | POA |
| Hemo-Dialysis Box Single Valve, S/S Ball Valve w/T-Handle (in lieu of storage compartment) | | - DB1SV | POA |
| Hemo-Dialysis Box Dual Valve (in lieu of storage compartment) | | - DB2 | POA |
| Hemo-Dialysis Box Dual Valve, S/S Ball Valves w/T-Handle (in lieu of storage compartment) | | - DB2SV | POA |
| Storage Shelf (Not available when Dialysis is requested) | | - SS | POA |
| Swing Up Grab Bar | | - SUG | POA |
| Exposed Paper Holder | | - EP | POA |
| Enclosed Paper Holder (Not available w/Stainless Steel or Corian Basin) | | - PHE | POA |

MODEL CARE-WARE 4030 Series

WHITEHALL

SWIVETTE FREE STANDING MODEL WITH

BED PAN WASHER CABINET

MODEL NO. 4030

47"wide cabinet(must specify cabinet material), pivoting stainless steel toilet, and hydraulic flush valve. Counter is priced according to material choice.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|------------------------|--------------------|-------|---------------|--------------|------------|
| Back Wall Waste Outlet | | 4030 | 385 | 150.0 | POA |
| Side Wall Waste Outlet | | 4032 | 385 | 150.0 | POA |
| Floor Waste Outlet | | 4035 | 385 | 150.0 | POA |

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|---|--------------------|-----------|--------------------|
| TOILET | | | |
| Specify Waste Location with the Model Base Number | | | |
| 4030 (Back Wall); 4032 (Side Wall - Same Side as Toilet); 4035 (Floor) | | | |
| L (Left) indicates toilet location in opened position when facing the fixture. | | - L | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| R (Right) indicates toilet location in opened position when facing the fixture. | | - R | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| Powder Coating -,exterior ONLY (NOT INTERIOR OF TOILET BOWL) | | - EGE | POA |
| Waste Outlet 3" in lieu of standard 2-3/8" | | - WO3 | POA |
| TOILET FLUSHING | | | |
| Default Toilet Flush Valve Supplied: Hydraulic Accuated (-ULF 1.6 gpf/6.1Lpf) | | - ULF | N/C |
| 3.5 gpf/13.3 Lpf Flush Valve | | - 3.5 GPF | N/C |
| Infectious Control Flush includes Exposed Toilet Paper Holder | | - FCI | POA |
| (Toilet will NOT flush unless toilet is inconcealed position) | | | |
| High Efficiency Toilet Flushing (1.28 gpf/4.8 Lpf) | | - HET | POA |
| CABINET | | | |
| Default cabinet material is MDF. Solid color laminate (typically Wilson Art - must specify color) applied on exterior. Back side of cabinet door is melamine laminate. Cabinet interior is stainless steel. | | - LCC | N/C |
| Powder Coating - stainless steel cabinet interior | | - EG | POA |
| Polyethelyne Color Cabinet Material | | - OCP | POA |

MODEL CARE-WARE 4030 Series
WHITEHALLSWIVETTE FREE STANDING MODEL WITH
BED PAN WASHER CABINET

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|--|-----------------------|----------|--------------------|
| COUNTER, BACKSPLASH, LAVY | | | |
| Backsplash on Back Wall Only | | - 1 | N/C |
| Backsplash on Right Hand (Corner) | | - 2 | POA |
| Backsplash on Left Hand (Corner) | | - 3 | POA |
| Backsplash on both Right & Left for Alcove Installation | | - 4 | POA |
| Anti-Microbial Additive on Resin or Solid Surface - SteriTouch® | | - AMA | POA |
| Integral Cast Solid Surface Counter, Backsplash, Lavy | | - CCL | POA |
| Integral Cast Solid Surface Counter, Backsplash & Stainless Steel Lavy | | - CCT | POA |
| Integral Corian Counter, Backsplash & Stainless Steel Lavy | | - CNCT | POA |
| Integral Corian Counter, Backsplash, Lavy | | - CNCTL | POA |
| Integral Stainless Steel Counter, Backsplash, Lavy | | - CS | POA |
| Extended Counter (with material selected) | | - EC | POA |
| Powder Coating - Stainless Steel Lavy | | - EG | POA |
| LESS Counter, FURNISH Stainless Stl. Lavy & Valve | | - LCT | POA |
| LESS Counter, Backsplash, Lavy FURNISH Valve | | - LCTL | POA |
| LESS Counter, Backsplash, Lavy, Valve | | - LCTLV | POA |
| LESS Lavy and Valve, FURNISH Counter & Backsplash | | - LLV | POA |
| Cast Translucent Color Resin Counter | | - OCR | POA |
| Embedded Stainless Steel Basin | | - ESB | N/C |
| LAVY VALVE | | | |
| Default Lavy Valve: Deck-mounted hot and cold mixing valve with wrist blade handle and a 10" (256 mm) rigid gooseneck faucet | | - CSG | N/C |
| Battery Operated (-SO) | | - SO-BAT | POA |
| Laminar Flow Nozzle | | - LFN | POA |
| Lavatory Hose Spray | | - LS | POA |
| LESS Valve, FURNISH Counter, Backsplash, Lavy | | - LV | POA |
| Sensor Operated Valve w/plug in style transformer | | - SO | POA |
| Concealed H & C Foot Pedal Operated Air-Control Valve | | - VF | POA |
| MISCELLANEOUS | | | |
| Bedpan Lugs on Toilet | | - BL | POA |
| Bedpan Washer Drain | | - BWD | POA |
| Hemo-Dialysis Box Single Valve (in lieu of storage compartment) | | - DB1 | POA |
| Hemo-Dialysis Box Single Valve, S/S Ball Valve w/T-Handle (in lieu of storage compartment) | | - DB1SV | POA |
| Hemo-Dialysis Box Dual Valve (in lieu of storage compartment) | | - DB2 | POA |
| Hemo-Dialysis Box Dual Valve, S/S Ball Valves w/T-Handle (in lieu of storage compartment) | | - DB2SV | POA |
| Storage Shelf (Not available when Dialysis is requested) | | - SS | POA |
| Swing Up Grab Bar | | - SUG | POA |
| Exposed Paper Holder | | - EP | POA |
| Enclosed Paper Holder (Not available w/Stainless Steel or Corian Basin) | | - PHE | POA |

MODEL CARE-WARE 4030BIS Series
WHITEHALLSWIVETTE FREE STANDING MODELS WITH
BED PAN WASHER CABINET & BUILT-IN SEAT

MODEL NO. 4030BIS

47" wide cabinet, hidden, pivoting stainless steel toilet, hydraulic flush valve with pushbutton, lavy, deck mounted centerset faucet with wrist blade handles and 10" rigid gooseneck spout, bedpan washer cabinet with handheld bedpan washer with positive shut-off, countertop and cabinet. This unit is free-standing and includes a built-in seat. The unit is configured with a back wall waste connection.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|------------------------|-----------------------|---------|------------------|-----------------|------------|
| Back Wall Waste Outlet | | 4030BIS | 385 | 150.0 | POA |
| Side Wall Waste Outlet | | 4032BIS | 385 | 150.0 | POA |
| Floor Waste Outlet | | 4035BIS | 385 | 150.0 | POA |

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|---|-----------------------|-----------|--------------------|
| TOILET | | | |
| Specify Waste Location with the Model Base Number | | | |
| 4030BIS (Back Wall); 4032BIS (Side Wall - Same Side as Toilet); 4035BIS (Floor) | | | |
| L (Left) indicates toilet location in opened position when facing the fixture. | | - L | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| R (Right) indicates toilet location in opened position when facing the fixture. | | - R | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| Powder Coating -, exterior ONLY (NOT INTERIOR OF TOILET BOWL) | | - EGE | POA |
| Waste Outlet 3" in lieu of standard 2-3/8" | | - WO3 | POA |
| TOILET FLUSHING | | | |
| Default Toilet Flush Valve Supplied: Hydraulic Accuated (-ULF 1.6 gpf/6.1Lpf) | | - ULF | N/C |
| 3.5 gpf/13.3 Lpf Flush Valve | | - 3.5 GPF | N/C |
| Flush Cycle Interrupt (Toilet will not flush unless toilet is in | | - FCI | POA |
| concealed position) includes Exposed Toilet Paper Holder | | | |
| High Efficiency Toilet Flushing (1.28 gpf/4.8 Lpf) | | - HET | POA |
| CABINET | | | |
| Default cabinet material is MDF. Solid color laminate (typically Wilson Art - must specify color) applied on exterior. Back side of cabinet door is melamine laminate. Cabinet interior is stainless steel. | | - LCC | N/C |
| Powder Coating - stainless steel cabinet interior | | - EG | POA |
| Polyethelyne Color Cabinet Material | | - OCP | POA |

MODEL CARE-WARE 4030BIS Series
WHITEHALL

SWIVETTE FREE STANDING MODELS WITH
BED PAN WASHER CABINET & BUILT-IN SEAT

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|---|-----------------------|----------|--------------------|
| COUNTER, BACKSPLASH, LAVY | | | |
| Backsplash on Back Wall Only | | - 1 | N/C |
| Backsplash on Right Hand (Opposite Left Toilet) | | - 2 | POA |
| Backsplash on Left Hand (Opposite Right Toilet) | | - 3 | POA |
| Backsplash on both Right & Left for Alcove Installation | | - 4 | POA |
| Anti-Microbial Additive on Resin & Corterra | | - AMA | POA |
| Integral Cast Solid Surface Counter, Backsplash, Lavy | | - CCL | POA |
| Integral Cast Solid Surface Counter, Backsplash & Stainless Steel Lavy | | - CCT | POA |
| Integral Corian Counter, Backsplash & Stainless Steel Lavy | | - CNCT | POA |
| Integral Corian Counter, Backsplash, Lavy | | - CNCTL | POA |
| Integral Stainless Steel Counter, Backsplash, Lavy | | - CS | POA |
| Extended Countertop | | - EC | POA |
| Enviro-Glaze Lavy | | - EG | POA |
| Less Countertop, Furnish Lavy and Valve | | - LCT | POA |
| Less Countertop, and Lavy, Furnish Valve | | - LCTL | POA |
| Less Countertop, Lavy and Valve | | - LCTLV | POA |
| Less Lavy and Valve, Furnished with Countertop | | - LLV | POA |
| Resin Countertop Material | | - OCR | POA |
| Embedded Stainless Steel Basin | | - ESB | N/C |
| LAVY VALVE | | | |
| Default Lavy Valve: Deck-mounted hot and cold mixing valve with wrist blade handles and a 10" (256 mm) rigid gooseneck faucet | | - CSG | N/C |
| Battery Operated (-SO) | | - SO-BAT | POA |
| Laminar Flow Nozzle | | - LFN | POA |
| Lavatory Hose Spray | | - LS | POA |
| LESS Valve, FURNISH Counter, Backsplash, Lavy | | - LV | POA |
| Sensor Operated Valve w/plug in style transformer | | - SO | POA |
| Concealed H & C Foot Pedal Operated Air-Control Valve | | - VF | POA |
| MISCELLANEOUS | | | |
| Bedpan washer cabinet with handheld washer | | | N/C |
| Integral seat provided | | | N/C |
| Bedpan Lugs | | - BL | POA |
| Bedpan Washer Drain | | - BWD | POA |
| Cushioned Seat Pad | | - CSP | POA |
| Swing Up Grab Bar | | - SUG | POA |
| Exposed Paper Holder | | - EP | POA |
| Enclosed Paper Holder (Not available w/Stainless Steel or Corian Basin) | | - PHE | POA |
| Exposed Paper Holder | | - EP | POA |
| Enclosed Paper Holder (Not available w/Stainless Steel or Corian Basin) | | - PHE | POA |

MODEL CARE-WARE 4040 Series
WHITEHALL

37" WIDE WOOD FRAME VERSALETTE



MODEL NO. 4040

37" wood frame cabinet, stainless steel wall mounted toilet, pivoting padded seat cover with back rest, hydraulic flush valve with pushbutton, bedpan washer cabinet with handheld bedpan washer with positive shut-off. No lavy, no faucet. The waste connection location is determined via the options selected.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|----------------|-----------------------|-------|------------------|-----------------|------------|
| 37" Versalette | | 4040 | 200 | 150.0 | POA |

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|--|-----------------------|-----------|--------------------|
| TOILET | | | |
| Toilet Mount: Off-Floor (requires carrier by others); Waste Location: Wall | | - OFFW | |
| Toilet Mount: On-Floor; Waste Location: Wall | | - ONFW | |
| Toilet Mount: On-Floor; Waste Location: Floor | | - ONFF | |
| L (Left) indicates toilet location in opened position when facing the fixture. | | - L | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| R (Right) indicates toilet location in opened position when facing the fixture. | | - R | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| Powder Coating -,exterior ONLY (NOT INTERIOR OF TOILET BOWL) | | - EGE | POA |
| Waste Outlet 3" in lieu of standard 2-3/8" | | - WO3 | POA |
| TOILET FLUSHING | | | |
| Default Toilet Flush Valve Supplied: Hydraulic Accuated (-ULF 1.6 gpf/6.1Lpf) | | - ULF | N/C |
| 3.5 gpf/13.3 Lpf Flush Valve | | - 3.5 GPF | N/C |
| Infectious Control Flush includes Exposed Toilet Paper Holder | | - FCI | POA |
| (Toilet will NOT flush unless toilet is inconcealed position) | | | |
| High Efficiency Toilet Flushing (1.28 gpf/4.8 Lpf) | | - HET | POA |
| CABINET | | | |
| The cabinet is fabricated with MDF. Solid color laminate (typically Wilson Art - must specify color) applied on exterior. Back side of cabinet door is melamine laminate. Cabinet interior is stainless steel. | | - LCC | N/C |
| Cabinet includes closing compartment housing bed-pan washer and toilet paper holder | | | |
| Polyethelyne Color Cabinet Material | | - OCP | POA |

MODEL CARE-WARE 4040 Series
WHITEHALL

37" WIDE WOOD FRAME VERSALETTE

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|--|-----------------------|---------|--------------------|
| COUNTER, BACKSPLASH, LAVY | | | |
| Backsplash on Back Wall Only | | - 1 | N/C |
| Backsplash on Right Hand (Corner) | | - 2 | POA |
| Backsplash on Left Hand (Corner) | | - 3 | POA |
| Backsplash on both Right & Left | | - 4 | POA |
| Integral Cast Solid Surface Counter, Backsplash, Lavy | | - CCL | POA |
| Integral Cast Solid Surface Counter, Backsplash & Stainless Steel Lavy | | - CCT | POA |
| Integral Corian Counter, Backsplash & Stainless Steel Lavy | | - CNCT | POA |
| Integral Corian Counter, Backsplash, Lavy | | - CNCTL | POA |
| Integral Stainless Steel Counter, Backsplash, Lavy | | - CS | POA |
| Embedded Stainless Steel Basin | | - ESB | N/C |
| Extended Counter (with material selected) | | - EC | POA |
| Powder Coating - Stainless Steel Lavy | | - EG | POA |
| LESS Counter, FURNISH Stainless Stl. Lavy & Valve | | - LCT | POA |
| LESS Counter, Backsplash, Lavy FURNISH Valve | | - LCTL | POA |
| LESS Counter, Basksplash, Lavy, Valve | | - LCTLV | POA |
| LESS Lavy and Valve, FURNISH Counter & Backsplash | | - LLV | POA |
| Cast Translucent Color Resin Counter | | - OCR | POA |
| MISCELLANEOUS | | | |
| Bedpan Lugs | | - BL | POA |
| Bedpan Washer Drain | | - BWD | POA |
| Hemo-Dialysis Box Single Valve (mounted opposite side wall from toilet) | | - DB1 | POA |
| Hemo-Dialysis Box Single Valve, S/S Ball Valve w/T-Handle (in lieu of storage compartment) | | - DB1SV | POA |
| Hemo-Dialysis Box Dual Valve (mounted opposite side wall from toilet) | | - DB2 | POA |
| Hemo-Dialysis Box Dual Valve, S/S Ball Valves w/T-Handle (in lieu of storage compartment) | | - DB2SV | POA |
| Swing Up Grab Bar | | - SUG | POA |

MODEL CARE-WARE 4042 Series
WHITEHALL

41" VERSALETTE



MODEL NO. 4042

A 41-inch wide wood framed cabinet with stainless steel toilet, lavy and center faucet. The cabinet contains a bed pan washer, and the padded seat and backrest serve as a bedside seat when not in use. This unit provides a convenient and sanitary solution for patients who may have trouble getting to a restroom located across the room.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|----------------|-----------------------|-------|------------------|-----------------|------------|
| 41" Versalette | | 4042 | 200 | 150.0 | POA |

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|--|-----------------------|-----------|--------------------|
| TOILET | | | |
| Toilet Mount: Off-Floor (requires carrier by others); Waste Location: Wall | | - OFFW | N/C |
| Toilet Mount: On-Floor; Waste Location: Wall | | - ONFW | N/C |
| Toilet Mount: On-Floor; Waste Location: Floor | | - ONFF | N/C |
| L (Left) indicates toilet location in opened position when facing the fixture. | | - L | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| R (Right) indicates toilet location in opened position when facing the fixture. | | - R | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| Powder Coating -, exterior ONLY (NOT INTERIOR OF TOILET BOWL) | | - EGE | POA |
| Waste Outlet 3" in lieu of standard 2-3/8" | | - WO3 | POA |
| TOILET FLUSHING | | | |
| Default Toilet Flush Valve Supplied: Hydraulic Accuated (-ULF 1.6 gpf/6.1 Lpf) | | - ULF | N/C |
| 3.5 gpf/13.3 Lpf Flush Valve | | - 3.5 GPF | N/C |
| Infectious Control Flush includes Exposed Toilet Paper Holder | | - FCI | POA |
| (Toilet will NOT flush unless toilet is inconcealed position) | | | |
| High Efficiency Toilet Flushing (1.28 gpf/4.8 Lpf) | | - HET | POA |
| CABINET | | | |
| The cabinet is fabricated with MDF. Solid color laminate (typically Wilson Art - must specify color) applied on exterior. Back side of cabinet door is melamine laminate. Cabinet interior is stainless steel. | | - LCC | N/C |
| Cabinet includes closing compartment housing bedpan washer and toilet paper holder | | | |
| Polyethelyne Color Cabinet Material | | - OCP | POA |

MODEL CARE-WARE 4042 Series
WHITEHALL

41" VERSALETTE

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|---|--------------------|----------|--------------------|
| COUNTER, BACKSPLASH, LAVY | | | |
| Backsplash on Back Wall Only | | - 1 | N/C |
| Backsplash on Right Hand (Opposite Left Toilet) | | - 2 | POA |
| Backsplash on Left Hand (Opposite Right Toilet) | | - 3 | POA |
| Backsplash on both Right & Left for Alcove Installation | | - 4 | POA |
| Anti-Microbial Additive on Resin & Corterra | | - AMA | POA |
| Integral Cast Solid Surface Counter, Backsplash, Lavy | | - CCL | POA |
| Integral Cast Solid Surface Counter, Backsplash & Stainless Steel Lavy | | - CCT | POA |
| Integral Corian Counter, Backsplash & Stainless Steel Lavy | | - CNCT | POA |
| Integral Corian Counter, Backsplash, Lavy | | - CNCTL | POA |
| Integral Stainless Steel Counter, Backsplash, Lavy | | - CS | POA |
| Extended Countertop | | - EC | POA |
| Enviro-Glaze Lavy | | - EG | POA |
| Less Countertop, Furnish Lavy and Valve | | - LCT | POA |
| Less Countertop, and Lavy, Furnish Valve | | - LCTL | POA |
| Less Countertop, Lavy and Valve | | - LCTLV | POA |
| Less Lavy and Valve, Furnished with Countertop | | - LLV | POA |
| Resin Countertop Material | | - OCR | POA |
| Embedded Stainless Steel Basin | | - ESB | N/C |
| LAVY VALVE | | | |
| Default Lavy Valve: Deck-mounted hot and cold mixing valve with wrist blade handles and a 10" (256 mm) rigid gooseneck faucet | | - CSG | N/C |
| Battery Operated (-SO) | | - SO-BAT | POA |
| Laminar Flow Nozzle | | - LFN | POA |
| Lavatory Hose Spray | | - LS | POA |
| LESS Valve, FURNISH Counter, Backsplash, Lavy | | - LV | POA |
| Sensor Operated Valve w/plug in style transformer | | - SO | POA |
| Concealed H & C Foot Pedal Operated Air-Control Valve | | - VF | POA |
| MISCELLANEOUS | | | |
| Bedpan washer cabinet with handheld washer | | | N/C |
| Integral seat provided | | | N/C |
| Bedpan Lugs | | - BL | POA |
| Bedpan Washer Drain | | - BWD | POA |
| Cushioned Seat Pad | | - CSP | POA |
| Swing Up Grab Bar | | - SUG | POA |
| Exposed Paper Holder | | - EP | POA |
| Enclosed Paper Holder (Not available w/Stainless Steel or Corian Basin) | | - PHE | POA |
| Exposed Paper Holder | | - EP | POA |
| Enclosed Paper Holder (Not available w/Stainless Steel or Corian Basin) | | - PHE | POA |

MODEL CARE-WARE 4044 Series
WHITEHALL

47" WIDE WOOD FRAME VERSALETTE

**MODEL NO. 4044**

47-inch wide wood framed cabinet with stainless steel toilet, lavy and center faucet. The cabinet contains a bed pan washer, and the padded seat and backrest serve as a bedside seat when not in use. This unit provides a convenient and sanitary solution for patients who may have trouble getting to a restroom located across the room.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|----------------|--------------------|-------|---------------|--------------|------------|
| 47" Versalette | | 4044 | 200 | 150.0 | POA |

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|--|--------------------|-----------|--------------------|
| TOILET | | | |
| Toilet Mount: Off-Floor (requires carrier by others); Waste Location: Wall | | - OFFW | N/C |
| On-Floor Toilet, Wall Outlet Waste | | - ONFW | N/C |
| On-Floor Toilet, Floor Outlet Waste | | - ONFF | N/C |
| L (Left) indicates toilet location in opened position when facing the fixture. | | - L | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| R (Right) indicates toilet location in opened position when facing the fixture. | | - R | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| Enviro-Glaze Toilet, Exterior Only (NOT INTERIOR OF TOILET BOWL) | | - EGE | POA |
| Waste Outlet 3" in lieu of standard 2-3/8" | | - WO3 | POA |
| TOILET FLUSHING | | | |
| Default Toilet Flush Valve Supplied: Hydraulic Actuated (-ULF 1.6 gpf/6.1 Lpf) | | - ULF | N/C |
| 3.5 gpf/13.3 Lpf Flush Valve | | - 3.5 GPF | N/C |
| High Efficiency Toilet Flushing (1.28 gpf/4.8 Lpf) | | - HET | POA |
| Infectious Control Flush includes Exposed Toilet Paper Holder | | - FCI | POA |
| CABINET | | | |
| Polyethylene Color Cabinet Material Interior of cabinet is laminated with a stainless-resistant melamine laminate. Solid color high pressure laminate is applied on the exterior (Color to be specified: typically Wilson Art) Base molding is by others. | | - LCC | N/C |
| Polyethylene Color Cabinet Material | | - OCP | POA |
| Enviro-Glaze Cabinet Interior | | - EG | POA |

Effective November 1st, 2022

www.whitehallmfg.com

626-968-6681

| MODEL CARE-WARE 4044 Series WHITEHALL | | 47" WIDE WOOD FRAME VERSALETTE | |
|---|--------------------|--------------------------------|--------------------|
| OPTIONS | | + ADD PRICE | |
| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
| COUNTER, BACKSPLASH, LAVY | | | |
| Backsplash on Back Wall Only | | - 1 | N/C |
| Backsplash on Right Hand (Corner) | | - 2 | POA |
| Backsplash on Left Hand (Corner) | | - 3 | POA |
| Backsplash on both Right & Left | | - 4 | POA |
| Anti-Microbial Additive on Resin & Corterra | | - AMA | POA |
| Corterra Countertop with Integral Corterra Lavy | | - CCL | POA |
| Corterra Countertop with Stainless Steel Lavatory | | - CCT | POA |
| Corian Countertop with Stainless Steel Lavy | | - CNCT | POA |
| Corian Countertop with Integral Corian Lavy | | - CNCTL | POA |
| Stainless Steel Counter with Integral Lavatory | | - CS | POA |
| Embedded Stainless Steel Basin | | - ESB | N/C |
| Extended Countertop | | - EC | POA |
| Enviro-Glaze Lavy | | - EG | POA |
| Less Countertop, Furnish Lavy and Valve | | - LCT | POA |
| Less Countertop, and Lavy, Furnish Valve | | - LCTL | POA |
| Less Countertop, Lavy and Valve | | - LCTLV | POA |
| Less Lavy and Valve, Furnished with Countertop | | - LLV | POA |
| Resin Countertop Material | | - OCR | POA |
| LAVY VALVE | | | |
| Default Lavy Valve: Deck-mounted hot and cold mixing valve with wrist blade handles and a 10" (256 mm) rigid gooseneck faucet | | - SO-BAT | N/C |
| Battery Operated (-SO) | | - LFN | POA |
| Laminar Flow Nozzle | | - LS | POA |
| Lavatory Hose Spray | | - LV | POA |
| Less Valve, Furnish with Countertop and Lavy | | - SO | POA |
| Sensor Operated Valve w/plug in style transformer | | - VF | POA |
| Concealed H & C Foot Pedal Operated Air-Control Valve | | - VF | POA |
| MISCELLANEOUS | | | |
| Bedpan washer cabinet with handheld washer | | | N/C |
| Toilet Paper Holder (in Bedpan Washer Cabinet) | | | N/C |
| Pivoting Padded Seat/Toilet Cover | | | N/C |
| Bedpan Lugs | | - BL | POA |
| Bedpan Washer Drain | | - BWD | POA |
| Hemo-Dialysis Box Single Valve (mounted opposite side wall from toilet) | | - DB1 | POA |
| Hemo-Dialysis Box Single Valve, S/S Ball Valve w/T-Handle (in lieu of storage compartment) | | - DB1SV | POA |
| Hemo-Dialysis Box Dual Valve (mounted opposite side wall from toilet) | | - DB2 | POA |
| Hemo-Dialysis Box Dual Valve, S/S Ball Valves w/T-Handle (in lieu of storage compartment) | | - DB2SV | POA |
| Swing Up Grab Bar | | - SUG | POA |

MODEL CARE-WARE 4047 Series

WHITEHALL

40" WIDE STEEL FRAME VERSALETTE





MODEL NO. 4047

40-inch stainless steel frame cabinet, stainless steel toilet with a bed pan washer. Not only does this unit serve as a bedside seat when not in use, but also has additional storage space and the solid surface Corterra countertop and built in sink provides an extra work surface. This unit provides a convenient and sanitary solution for patients who may have trouble getting to a restroom located across the room.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|----------------|--------------------|-------|---------------|--------------|------------|
| 40" Versalette | | 4047 | 200 | 150.0 | POA |

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|--|--------------------|-----------|--------------------|
| TOILET | | | |
| Toilet Mount: Off-Floor (requires carrier by others); Waste Location: Wall | | - OFFW | N/C |
| On-Floor Toilet, Wall Outlet Waste | | - ONFW | N/C |
| On-Floor Toilet, Floor Outlet Waste | | - ONFF | N/C |
| L (Left) indicates toilet location in opened position when facing the fixture. | | - L | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| R (Right) indicates toilet location in opened position when facing the fixture. | | - R | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| Enviro-Glaze Toilet, Exterior Only (NOT INTERIOR OF TOILET BOWL) | | - EGE | POA |
| Waste Outlet 3" in lieu of standard 2-3/8" | | - WO3 | POA |
| TOILET FLUSHING | | | |
| Default Toilet Flush Valve Supplied: Hydraulic Accuated (-ULF 1.6 gpf/6.1Lpf) | | - ULF | N/C |
| 3.5 gpf/13.3 Lpf Flush Valve | | - 3.5 GPF | N/C |
| High Efficiency Toilet Flushing (1.28 gpf/4.8 Lpf) | | - HET | POA |
| Infectious Control Flush includes Exposed Toilet Paper Holder | | - FCI | POA |
| CABINET | | | |
| Default Cabinet Material is Medium Density Fiber Board with Stainless Steel Frame Interior of cabinet is laminated with a stainless-resistant melamine laminate. Solid color high pressure laminate is applied on the exterior (Color to be specified: typically Wilson Art) The kick plates are stainless steel. | | - LCC | N/C |
| Polyethelyne Color Cabinet Material | | - OCP | POA |

MODEL CARE-WARE 4047 Series
WHITEHALL

40" WIDE STEEL FRAME VERSALETTE

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|--|-----------------------|----------|--------------------|
| COUNTER, BACKSPLASH, LAVY | | | |
| Default countertop material is birch plywood with bullnose front edge; Laminate is applied onto the surface (typically Wilison Art -must specify color) . 3" (76.2 mm) backspash specified similariy | | - LCT | N/C |
| Backsplash on Back Wall Only | | - 1 | N/C |
| Backsplash on Right Hand (Corner) | | - 2 | POA |
| Backsplash on Left Hand (Corner) | | - 3 | POA |
| Backsplash on both Right & Left | | - 4 | POA |
| Integral Cast Solid Surface Counter, Backsplash, Lavy | | - CCL | POA |
| Integral Cast Solid Surface Counter, Backsplash, Stainless Steel Lavy | | - CCT | POA |
| Integral Corian Counter, Backsplash, Stainless Steel Lavy | | - CNCT | POA |
| Integral Corian Counter, Backsplash, Lavy | | - CNCTL | POA |
| Integral Stainless Steel Counter, Backsplash, Lavy | | - CS | POA |
| Embedded Stainless Steel Basin | | - ESB | N/C |
| Extended Countertop | | - EC | POA |
| Enviro-Glaze Lavy | | - EG | POA |
| LESS Counter, FURNISH Stainless Stl. Lavy & Valve | | - LCT | POA |
| LESS Counter, Backsplash,Lavy FURNISH Valve | | - LCTL | POA |
| LESS Counter, Basksplash, Lavy, Valve | | - LCTLV | POA |
| LESS Lavy and Valve, FURNISH Counter & Backsplash | | - LLV | POA |
| Cast Translucent Color Resin Counter | | - OCR | POA |
| LAVY VALVE | | | |
| Default Lavy Valve: Deck-mounted hot and cold mixing valve with wrist blade handle and a 10" (256 mm) rigid gooseneck faucet | | - CSG | N/C |
| Battery Operated (-SO) | | - SO-BAT | POA |
| Laminar Flow Nozzle | | - LFN | POA |
| Lavatory Hose Spray | | - LS | POA |
| LESS Valve, FURNISH Counter, Backsplash, Lavy | | - LV | POA |
| Sensor Operated Valve w/plug in style transformer | | - SO | POA |
| Concealed H & C Foot Pedal Operated Air-Control Valve | | - VF | POA |
| MISCELLANEOUS | | | |
| Bedpan Lugs | | - BL | POA |
| Bedpan Washer Drain | | - BWD | POA |
| Hemo-Dialysis Box Single Valve | | - DB1 | POA |
| Hemo-Dialysis Box Single Valve, S/S Ball Valve w/T-Handle (in lieu of storage compartment) | | - DB1SV | POA |
| Hemo-Dialysis Box Dual Valve | | - DB2 | POA |
| Hemo-Dialysis Box Dual Valve, S/S Ball Valves w/T-Handle (in lieu of storage compartment) | | - DB2SV | POA |
| Swing Up Grab Bar | | - SUG | POA |

MODEL CARE-WARE 4049 Series
WHITEHALL

47" WIDE STEEL FRAME VERSALETTE



MODEL NO. 4049

47" stainless steel frame cabinet features stainless steel On-Floor toilet, pivoting padded seat cover with backrest, hydraulic flush valve with pushbutton, bedpan washer cabinet with handheld bedpan washer with positive shut-off, lavy, center set faucet with wrist blade handles and 10" rigid spout, Corterra® solid surface countertop. The waste connection is determined via the options.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|----------------|-----------------------|-------|------------------|-----------------|------------|
| 47" Versalette | | 4049 | 200 | 150.0 | POA |

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|--|-----------------------|-----------|--------------------|
| TOILET | | | |
| Toilet Mount: Off-Floor (requires carrier by others); Waste Location: Wall | | - OFFW | N/C |
| On-Floor Toilet, Wall Outlet Waste | | - ONFW | N/C |
| On-Floor Toilet, Floor Outlet Waste | | - ONFF | N/C |
| L (Left) indicates toilet location in opened position when facing the fixture. | | - L | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| R (Right) indicates toilet location in opened position when facing the fixture. | | - R | N/C |
| Lavy is always located on side opposite the toilet. | | | |
| Enviro-Glaze Toilet, Exterior Only (NOT INTERIOR OF TOILET BOWL) | | - EGE | POA |
| Waste Outlet 3" in lieu of standard 2-3/8" | | - WO3 | POA |
| TOILET FLUSHING | | | |
| Default Toilet Flush Valve Supplied: Hydraulic Accuated (-ULF 1.6 gpf/6.1Lpf) | | - ULF | N/C |
| 3.5 gpf/13.3 Lpf Flush Valve | | - 3.5 GPF | N/C |
| High Efficiency Toilet Flushing (1.28 gpf/4.8 Lpf) | | - HET | POA |
| Infectious Control Flush includes Exposed Toilet Paper Holder | | - FCI | POA |
| CABINET | | | |
| Default Cabinet Material is Medium Density Fiber Board with Stainless Steel Frame Interior of cabinet is laminated with a stainless-resistant melamine laminate. Solid color high pressure laminate is applied on the exterior (Color to be specified: typically Wilson Art) The kick plates are stainless steel. | | - LCC | N/C |
| Polyethelyne Color Cabinet Material | | - OCP | POA |

MODEL CARE-WARE 4049 Series
WHITEHALL

47" WIDE STEEL FRAME VERSALETTE

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|--|-----------------------|----------|--------------------|
| COUNTER, BACKSPLASH, LAVY | | | |
| Backsplash on Back Wall Only | | - 1 | N/C |
| Backsplash on Right Hand (Corner) | | - 2 | POA |
| Backsplash on Left Hand (Corner) | | - 3 | POA |
| Backsplash on both Right & Left | | - 4 | POA |
| Integral Cast Solid Surface Counter, Backsplash, Lavy | | - CCL | POA |
| Integral Cast Solid Surface Counter, Backsplash, Stainless Steel Lavy | | - CCT | POA |
| Integral Corian Counter, Backsplash, Stainless Steel Lavy | | - CNCT | POA |
| Integral Corian Counter, Backsplash, Lavy | | - CNCTL | POA |
| Integral Stainless Steel Counter, Backsplash, Lavy | | - CS | POA |
| Embedded Stainless Steel Basin | | - ESB | N/C |
| Extended Countertop | | - EC | POA |
| Enviro-Glaze Lavy | | - EG | POA |
| LESS Counter, FURNISH Stainless Stl. Lavy & Valve | | - LCT | POA |
| LESS Counter, Backsplash, Lavy FURNISH Valve | | - LCTL | POA |
| LESS Counter, Backsplash, Lavy, Valve | | - LCTLV | POA |
| LESS Lavy and Valve, FURNISH Counter & Backsplash | | - LLV | POA |
| Cast Translucent Color Resin Counter | | - OCR | POA |
| LAVY VALVE | | | |
| Default Lavy Valve: Deck-mounted hot and cold mixing valve with wrist blade handle and a 10" (256 mm) rigid gooseneck faucet | | - CSG | N/C |
| Battery Operated (-SO) | | - SO-BAT | POA |
| Laminar Flow Nozzle | | - LFN | POA |
| Lavatory Hose Spray | | - LS | POA |
| LESS Valve, FURNISH Counter, Backsplash, Lavy | | - LV | POA |
| Sensor Operated Valve w/plug in style transformer | | - SO | POA |
| Concealed H & C Foot Pedal Operated Air-Control Valve | | - VF | POA |
| MISCELLANEOUS | | | |
| Bedpan Lugs | | - BL | POA |
| Bedpan Washer Drain | | - BWD | POA |
| Hemo-Dialysis Box Single Valve | | - DB1 | POA |
| Hemo-Dialysis Box Single Valve, S/S Ball Valve w/T-Handle (in lieu of storage compartment) | | - DB1SV | POA |
| Hemo-Dialysis Box Dual Valve | | - DB2 | POA |
| Hemo-Dialysis Box Dual Valve, S/S Ball Valves w/T-Handle (in lieu of storage compartment) | | - DB2SV | POA |
| Grab Bar, 23" Deck Mounted | | - GB | POA |
| Swing Up Grab Bar | | - SUG | POA |

MODEL CARE-WARE 4050 Series
WHITEHALL

SWINGETTE MODELS



MODEL NO. 4050

30" wide cabinet, hidden on-floor stainless steel blow-out jet toilet, hydraulic flush valve with pushbutton, lavy, deck mounted centerset faucet with wrist blade handles and a 10" rigid gooseneck spout, vinyl clad aluminum cabinet exterior with laminated countertop. This unit is configured with back wall waste connection.

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | WEIGHT (LBS.) | FREIGHT CODE | LIST PRICE |
|--------------------|-----------------------|-------|------------------|-----------------|------------|
| Wall Waste Outlet | | 4050 | 160 | 150.0 | POA |
| Floor Waste Outlet | | 4055 | 160 | 150.0 | POA |

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|---|-----------------------|-----------|--------------------|
| TOILET | | | |
| Specify Waste Location with the Model Base Number 4050 (Back Wall); 4055 (Floor) | | | |
| L (Left) indicates the direction the Lavy Cabinet opens when facing the fixture. | | - L | N/C |
| R (Left) indicates the direction the Lavy Cabinet opens when facing the fixture. | | - R | N/C |
| Powder Coating -, exterior ONLY (NOT INTERIOR OF TOILET BOWL) | | - EGE | POA |
| Waste Outlet 3" in lieu of standard 2-3/8" | | - WO3 | POA |
| TOILET FLUSHING | | | |
| Default Toilet Flush Valve Supplied: Hydraulic Accuated (-ULF 1.6 gpf/6.1Lpf) | | - ULF | N/C |
| 3.5 gpf/13.3 Lpf Flush Valve | | - 3.5 GPF | N/C |
| Infectious Control Flush includes Exposed Toilet Paper Holder (Toilet will NOT flush unless toilet is in-concealed position) | | - FCI | POA |
| High Efficiency Toilet Flushing (1.28 gpf/4.8 Lpf) | | - HET | POA |
| CABINET | | | |
| Exterior cabinet material is vinylclad aluminum. Solid color laminate (typically Wilson Art - must specify color) applied on exterior. | | | N/C |
| Default Cabinet Material is Medium Density Fiber Board with Stainless Steel Frame | | | |
| Interior of cabinet is laminated with a stainless-resistant melamine laminate. | | | |
| Solid color high pressure laminate is applied on the exterior (For -DB and/or -BW color selection) (Color to be specified: typically Wilson Art) The kick plates are stainless steel. | | - LCC | N/C |
| Polyethelyne Color Cabinet Material | | - OCP | POA |

MODEL CARE-WARE 4050 Series
WHITEHALL

SWINGETTE MODELS

OPTIONS

+ ADD PRICE

| DESCRIPTION | TYPICALLY IN-STOCK | MODEL | + ADDITIONAL PRICE |
|--|-----------------------|----------|--------------------|
| COUNTER, BACKSPLASH, LAVY | | | |
| Anti-Microbial Additive on Resin & Corterra | | - AMA | POA |
| Corterra Countertop with Integral Corterra Lavy | | - CCL | POA |
| Corterra Countertop with Stainless Steel Lavatory | | - CCT | POA |
| Corian Countertop with Stainless Steel Lavy | | - CNCT | POA |
| Corian Countertop with Integral Corian Lavy | | - CNCTL | POA |
| Stainless Steel Counter with Integral Lavatory | | - CS | POA |
| Embedded Stainless Steel Basin | | - ESB | N/C |
| Extended Countertop | | - EC | POA |
| Enviro-Glaze Lavy | | - EG | POA |
| Less Countertop, Furnish Lavy and Valve | | - LCT | POA |
| Less Countertop, and Lavy, Furnish Valve | | - LCTL | POA |
| Less Countertop, Lavy and Valve | | - LCTLV | POA |
| Less Lavy and Valve, Furnished with Countertop | | - LLV | POA |
| Resin Countertop Material | | - OCR | POA |
| LAVY VALVE | | | |
| Default Lavy Valve: Deck-mounted hot and cold mixing valve with wrist blade handle and a 10" (256 mm) rigid gooseneck faucet | | - CSG | N/C |
| Battery Operated (-SO) | | - SO-BAT | POA |
| Laminar Flow Nozzle | | - LFN | POA |
| Lavatory Hose Spray | | - LS | POA |
| Less Valve, Furnish with Countertop and Lavy | | - LV | POA |
| Sensor Operated Valve w/plug in style transformer | | - SO | POA |
| Concealed H & C Foot Pedal Operated Air-Control Valve | | - VF | POA |
| MISCELLANEOUS | | | |
| Bedpan Lugs | | - BL | POA |
| Bedpan Washer (including Extended 10-1/2" Depth Cabinet) | | - BW | POA |
| Bedpan Washer Drain | | - BWD | POA |
| Hemo-Dialysis Box Single Valve (including Extended Cabinet) | | - DB1 | POA |
| Hemo-Dialysis Box Single Valve, S/S Ball Valve w/T-Handle (in lieu of storage compartment) | | - DB1SV | POA |
| Hemo-Dialysis Box Dual Valve (including Extended Cabinet) | | - DB2 | POA |
| Hemo-Dialysis Box Dual Valve, S/S Ball Valves w/T-Handle (in lieu of storage compartment) | | - DB2SV | POA |
| Swing Up Grab Bar | | - SUG | POA |

WHITEHALL® REHABILITATION PRODUCTS



Whitehall Manufacturing®
Manufacturer of Healthcare and Rehabilitation Products since 1946



STAINLESS STEEL TRAINING STAIRS

STRENGTH
STEP BY STEP

**TS-100
CUSTOM TRAINING STAIRS:**
All stainless steel construction. Steps descend from both sides. Anti-slip material adhered to tread.

TS-200
Top platform measures 24" x 35"
Overall measurement: 120"L x 35"W x 60"H
Weight capacity: 800 lbs
KYSB095-001 TS-200

STAINLESS STEEL
ANTI-SLIP MATERIAL

Whitehall Manufacturing.
healing patients
for over 70 years.

SS STAINLESS STEEL
Product longevity
over use of wood

INFECTION CONTROL
Stainless steel won't
harbor bacteria

B BARIATRIC
CAPABILITIES



TS-300
All stainless steel construction. Anti-slip material adhered to tread. Provides three 4 in. risers on one side and two 6 in. risers on the other side.
Top platform measures 24" x 30"
Overall measurement: 64"L x 30"W x 65"H
Weight capacity: 800 lbs.
KYSBH300-001 TS-300



TS-400
All stainless steel construction. Steps descend from only one end. Anti-slip material adhered to tread. Features three 6 inch risers.
Top platform measures 24" x 30"
Overall measurement: 65"L x 30"W x 60"H
Weight capacity: 800 lbs.
KYSBH400-001 TS-400



Training Stairs

Standard Features

- All Stainless Steel Construction
- 1-1/2" Diameter Handrails
- Steps descend from both sides
- Slip Resistant Material adhered to Tread



TS-400

TRAINING STAIRS

| Model # | Description (mm's) | Ship Weight | List Unit Price |
|---------|--------------------------------|-------------|-----------------|
| TS-100 | Custom Training Stairs | Varies | POA |
| TS-200 | 119" L x 34-1/4" W x 59-5/8" H | 860 lb. | POA |
| TS-300 | 64" L x 34-1/4" W x 55-3/16" H | 302 lb. | POA |
| TS-400 | 64" L x 34-1/4" W x 59-5/8" H | TBD | POA |



TS-200



TS-300



Cold tanks

Whirlpool tanks without thermometers or turbines

Whitehall Manufacturing is proud to announce the new Cold Tub Therapy line. Cold tubs are fabricated from heavy gauge type-304 stainless steel and are seamlessly welded for leak-free & easy-to-maintain designs and are polished to a satin finish. Available in a wide variety of tank size capacities. Ideal for athletes, pediatric and geriatric applications, cold tubs are built to last and are available in optional powder coated colors and custom logos.



Cold Tanks

| Model # | Capacity | Overall Tank Dimension L" x W" x H" (mm) | Ship Weight | Freight Class | List Price |
|------------|-------------------|---|-------------|---------------|------------|
| 85-S-S-TO | 86 gal (321.8 L) | 49 x 20 x 25" (1,219 x 508 x 635) | | | POA |
| 90-S-S-TO | 89 gal (321.8 L) | 52 x 20 x 25" (1,219 x 508 x 635) | | | POA |
| 110-S-S-TO | 92 gal (321.8 L) | 55 x 20 x 25" (1,219 x 508 x 635) | | | POA |
| 60-H-S-TO | 95 gal (321.8 L) | 58 x 20 x 25" (1,219 x 508 x 635) | | | POA |
| 75-H-S-TO | 97 gal (321.8 L) | 60 x 20 x 25" (1,219 x 508 x 635) | | | POA |
| 90-H-S-TO | 99 gal (321.8 L) | 62 x 20 x 25" (1,219 x 508 x 635) | | | POA |
| 105-H-S-TO | 101 gal (321.8 L) | 64 x 20 x 25" (1,219 x 508 x 635) | | | POA |
| 75-L-S-TO | 103 gal (321.8 L) | 66 x 20 x 25" (1,219 x 508 x 635) | | | POA |
| 90-L-S-TO | 105 gal (321.8 L) | 68 x 20 x 25" (1,219 x 508 x 635) | | | POA |
| 105-L-S-TO | 107 gal (321.8 L) | 70 x 20 x 25" (1,219 x 508 x 635) | | | POA |



Options for Whitehall Whirlpools

| Option | Description | Ship Weight | Freight Class | List Price |
|-------------|--|------------------|---------------|------------|
| - ADH | Auxiliary drain hose assembly / Mobile Whirlpool | 5 lb. (2 kg) | N/A | POA |
| - AS 1 | Adjustable suspension seat | 10 lb. (5 kg) | N/A | POA |
| - AS 2 | Adjustable suspension seat | 10 lb. (5 kg) | N/A | POA |
| - AS 3 | Adjustable suspension seat | 10 lb. (5 kg) | N/A | POA |
| - EG | Enviro Glaze / All Whirlpool | N/A | N/A | POA |
| - GFI | Ground fault interrupter / All equipment | 5 lb. (2 kg) | N/A | POA |
| - HR | Head rest, Adjustable / Lo-Boy Whirlpool | 15 lb. (7 kg) | N/A | POA |
| - LOGO | Applied logos / Team - facility - company logos | N/A | N/A | POA |
| - MXT15-OTG | Thermostatic mixing valve 15 gpm; includes thermometer | 25 lbs (11 kg) | 70 | POA |
| - MXWH | Washout hose attachment for MXT valve | 8 lbs (4 kg) | 70 | POA |
| - PHS-10 | Bath Stretcher Lift | 237 lbs (108 kg) | N/A | POA |
| - PHS-20 | Bath Chair Lift | 187 lbs (85 kg) | N/A | POA |
| - PHS-30 | Combination Chair & Stretcher Lift | 237 lbs (108 kg) | N/A | POA |
| - RS | Reclining seat / Lo-Boy whirlpools | 15 lbs (7 kg) | N/A | POA |
| - SDO | Separate drain & overflow assy. | N/A | N/A | POA |
| - SDP | Separate drain pump | N/A | N/A | POA |
| - TTS 1 | Tank top seat / 20" wide whirlpools | 50 lbs (23 kg) | 77.5 | POA |
| - TTS 2 | Tank top seat / 24" wide whirlpools | 55 lbs (25 kg) | 77.5 | POA |



P Series - Podiatry Whirlpools

| Model # | Capacity | Overall Tank Dimension L" x W" x H" (mm) | Ship Weight | Freight Class | List Price |
|--|-----------------|---|-----------------|---------------|------------|
| P-10-S | 10 gal (37.9 L) | 22 x 13 x 12" (559 x 330 x 305) | 105 lb. (48 kg) | 125 | POA |
| P-15-S | 15 gal (56.8 L) | 25 x 13 x 15" (635 x 330 x 381) | 130 lb. (59 kg) | 125 | POA |
| Optional 220 V Requirement | | | | | |
| 220 Volt Add to Above Price FOR ALL ABOVE WHIRLPOOLS Specify: <input type="checkbox"/> 50 Hertz <input type="checkbox"/> 60 Hertz | | | | add | \$267 |

Note: Comes complete w/ 1/2 horsepower turbine on raising & lowering assembly, and dual scale.

FOR PROFESSIONAL USE ONLY

(Fahrenheit/Celsius) thermometer; -M = Mobile; -MH = Mobile w/ Handle;
-MU = Mobile w/ Undercarriage; -S = Stationary

Team/Company Logo and/or Enviro-Glaze® (powder coat)
are available at additional POA cost



E Series - Extremity Whirlpools

| Model # | Capacity | Overall Tank Dimension L" x W" x H" (mm) | Ship Weight | Freight Class | List Price |
|----------------------------|------------------|---|-----------------|------------------|---------------|
| E-15-S | 15 gal (56.8 L) | 25 x 13 x 15" (635 x 330 x 381) | 130 lb. (59 kg) | 125 | POA |
| E-22-S | 22 gal (83.3 L) | 28 x 15 x 18" (711 x 381 x 457) | 125 lb. (57 kg) | 125 | POA |
| E-22-SP | 22 gal (83.3 L) | 28 x 15 x 18" (711 x 381 x 457) | 140 lb. (64 kg) | 125 | POA |
| E-27-M | 27 gal (102.2 L) | 28 x 15 x 21" (711 x 381 x 533) | 130 lb. (59 kg) | 125 | POA |
| E-27-S | 27 gal (102.2 L) | 28 x 15 x 21" (711 x 381 x 533) | 140 lb. (64 kg) | 125 | POA |
| E-45-M | 45 gal (170.3 L) | 32 x 15 x 25" (813 x 381 x 635) | 145 lb. (66 kg) | 125 | \$7,737 |
| E-45-S | 45 gal (170.3 L) | 32 x 15 x 25" (813 x 381 x 635) | 155 lb. (70 kg) | 125 | POA |
| Optional 220 V Requirement | | | | | |
| 220 Volt req. | | | | add | \$267 |

Note: 220 Volt version of the turbine is available at additional cost (see above). Specify 50 or 60 hertz.
Note: Comes complete w/ 1/2 horsepower turbine on raising & lowering assembly, and dual scale.
(Fahrenheit/Celsius) thermometer; -M = Mobile; -MH = Mobile w/ Handle; MU = Mobile w/ Undercarriage;
-S = Stationary; Logo & Enviro-Glaze (powder coating) Available Team/Company Logo and/or
Enviro-Glaze® (powder coat) are available at additional POA cost.



Model E-27-S



S Series - Sports Whirlpools

| Model # | Capacity | Overall Tank Dimension L" x W" x H" (mm) | Ship Weight | Freight Class | List Price |
|----------------------------|-------------------|---|------------------|------------------|---------------|
| S-85-S | 85 gal (321.8 L) | 48 x 20 x 25" (1,219 x 508 x 635) | 220 lb. (100 kg) | 150 | POA |
| S-90-S | 90 gal (340.7 L) | 46 x 24 x 25" (1,169 x 610 x 635) | 220 lb. (100 kg) | 150 | POA |
| S-110-S | 110 gal (416.4 L) | 56 x 24 x 25" (1,422 x 610 x 635) | 250 lb. (114 kg) | 150 | POA |
| Optional 220 V Requirement | | | | | |
| 220 Volt req. | | | | add | \$267 |

Note: 220 Volt version of the turbine is available at additional cost (see above). Specify 50 or 60 hertz.
Note: Comes complete w/ 1/2 horsepower turbine on raising & lowering assembly, and dual scale.
(Fahrenheit/Celsius) thermometer; -M = Mobile; -SL = Stationary w/ Legs; -S = Stationary Model have
a combination Drain & Overflow Assembly (All other model do not). Team/Company Logo and/or
Enviro-Glaze® (powder coat) are available at additional POA cost.

H Series - Hi-Boy Whirlpools

| Model # | Capacity | Overall Tank Dimension L" x W" x H" (mm) | Ship Weight | Freight Class | List Price |
|----------------------------|-------------------|---|------------------|------------------|---------------|
| H-60-S | 60 gal (227.1 L) | 36 x 20 x 28" (914 x 508 x 711) | 180 lb. (82 kg) | 150 | POA |
| H-75-S | 75 gal (283.9 L) | 42 x 20 x 28" (1,067 x 508 x 711) | 210 lb. (95 kg) | 150 | POA |
| H-90-S | 90 gal (340.7 L) | 48 x 20 x 28" (1,219 x 508 x 711) | 220 lb. (100 kg) | 150 | POA |
| H-105-S | 105 gal (397.5 L) | 48 x 24 x 28" (1,219 x 610 x 711) | 235 lb. (107 kg) | 150 | POA |
| Optional 220 V Requirement | | | | | |
| 220 Volt req. | | | | add | \$267 |

Note: 220 Volt version of the turbine is available at additional cost (see above). Specify 50 or 60 hertz.
Note: Comes complete w/ 1/2 horsepower turbine on raising & lowering assembly, and dual scale.
(Fahrenheit/Celsius) thermometer; -M = Mobile; -S = Stationary; -SL = Stationary w/ Legs
Team/Company Logo and/or Enviro-Glaze (powder coat) are available at additional POA cost.



L Series - Lo-Boy Whirlpools

| Model # | Capacity | Overall Tank Dimension L" x W" x H" (mm) | Ship Weight | Freight Class | List Price |
|----------------------------|-------------------|---|------------------|------------------|---------------|
| L-75-S | 75 gal (283.9 L) | 52 x 24 x 18" (1,321 x 610 x 457) | 210 lb. (95 kg) | 150 | POA |
| L-90-S | 90 gal (340.7 L) | 60 x 24 x 18" (1,524 x 610 x 457) | 230 lb. (104 kg) | 150 | POA |
| L-105-S | 105 gal (397.5 L) | 66 x 24 x 18" (1,676 x 610 x 457) | 270 lb. (123 kg) | 150 | POA |
| Optional 220 V Requirement | | | | | |
| 220 Volt req. | | | add | | \$267 |

Note: 220 Volt version of the turbine is available at additional cost (see above). Specify 50 or 60 hertz.
Note: Comes complete w/ 1/2 horsepower turbine on raising & lowering assembly, and dual scale.
(Fahrenheit/Celsius) thermometer; -M = Mobile; -SL = Stationary w/ Legs; - S = Stationary Model have
a combination Drain & Overflow Assembly (All other model do not). Team/Company Logo and/or
Enviro-Glaze® (powder coat) are available at additional POA cost.

SB Series - Slant Back Whirlpool

| Model # | Capacity | Overall Tank Dimension L" x W" x H" (mm) | Ship Weight | Freight Class | List Price |
|----------------------------|-------------------|---|------------------|------------------|---------------|
| SB-100-S | 100 gal (378.5 L) | 76 x 40 x 21" (1,930 x 1,016 x 533) | 240 lb. (109 kg) | 150 | POA |
| Optional 220 V Requirement | | | | | |
| 220 Volt req. | | | add | | \$267 |

Note: 220 Volt version of the turbine is available at additional cost (see above). Specify 50 or 60 hertz.
Note: -M = Mobile; - S = Stationary



Model SB-100-S Stationary



F Series - Full Body Immersion Tanks POA = Price on Application

| Model # | Capacity | Overall Tank Dimension L" x W" x H" (mm) | Ship Weight | Freight Class | List Price |
|----------------------------|--------------------|--|-------------------|------------------|---------------|
| F-260-S | 260 gal (984.2 L) | 95 x 41 x 22" (2,413 x 1,041 x 559) Rectangular Tank | 700 lb. (318 kg) | N/A | POA |
| F-300-S | 300 gal (1135.6 L) | 89 x 50 x 22" (2,261x 1,270 x 559) Rectangular Tank | 1000 lb. (454 kg) | N/A | POA |
| F-270-S | 270 gal (1022.1 L) | 93 x 64 x 22" (2,362 x 1,626 x 559) Hubbard Tank (Small) | 700 lb. (318 kg) | N/A | POA |
| F-425-S | 425 gal (1608.8 L) | 106 x 77 x 22" (2,692 x 1,956 x 559) Hubbard Tank (Larger) | 1400 lb. (636 kg) | N/A | POA |
| Optional 220 V Requirement | | | | | |
| 220 Volt req. | | | add | | \$267 |

Note: 220 Volt version of the turbine is available at additional cost (see above). Specify 50 or 60 hertz.
Note: Comes complete w/ two sliding 1/2 horsepower turbine (except one turbine on F-260-S) raising
& lowering assembly, and dual scale (Fahrenheit/Celsius) thermometer.



Model F-300-S



Model F-425-S

Disinfecting Shower / Mixing Unit

| Model # | Description | Ship Weight | Freight Class | List Price |
|---------|-----------------------------|-------------------|---------------|------------|
| DU-1 | Off-Floor, Wall Outlet Unit | 70 lb. (32 kg) | 70 | POA |

Disinfecting Shower/Mixing Units are used in conjunction with Full Body Immersion Tanks. They come complete with Mixing Valve (must specify GPM rating).

- Some Options Available:
- Quick Disconnect Connections
 - Stainless Steel Filler Hose
 - Enviro-Glaze® colors



Model DU-1



TERMS, CONDITIONS OF SALES, WARRANTY

Terms and Conditions

Prices

Prices of Manufacturer's products ("Products") are subject to change without notice. Quotations are conditioned upon acceptance by Distributor within 30 days of date of quotation unless otherwise stated therein and are subject to correction for typographic or clerical errors. Sales order confirmation will be considered accepted by Distributor if objection is not submitted in writing to Manufacturer's Customer Service within (1) one week of receipt. All prices exclude sales, use, occupation, license, excise and other taxes in respect to manufacture or delivery. Unless a proper exemption certificate is furnished to Manufacturer, all such taxes shall be paid by the Distributor to Manufacturer.

Terms and Conditions of Payment

Terms of payment are Net 30 from date of invoice. Past due accounts will be subject to a service charge equal to the lesser of 2% per month or the highest rate allowed by applicable law from the date of the invoice. If any proceedings be instituted by or against Distributor under any bankruptcy or insolvency law, or if Distributor shall fail to make timely payment on this or any other order, or if, in Manufacturer's judgment, Distributor's financial situation justifies such action, Manufacturer may, at its election, require payment in advance or cancel the order as to any unshipped item and require payment of its reasonable cancellation charges. If Distributor delays completion of manufacture, Manufacturer may elect to require payment according to percentage of completion. Product held for Distributor shall be at Distributor's risk and expense. In all cases, regardless of partial payment, title to the Products shall remain in Manufacturer until payment for the Products (including any notes given therefor) has been made in full. Should legal action be necessary to enforce payment of an unpaid invoice, Distributor will be liable to Manufacturer for any court or other related costs, including reasonable attorney fees. All orders are subject to credit check and approval prior to shipment. Minimum invoice amount \$50 net. A \$300 minimum opening order is required on hot and cold pack product lines for new accounts.

Imports and Exports

If no agreement is in place between Distributor and Manufacturer, the Distributor is responsible for import and compliance applicable to the products purchased per local regulations. Distributor is responsible for obtaining an import license prior to the placement of an order.

Distributor is responsible for following best practices per the U.S. Department of Commerce (<https://www.bis.doc.gov/index.php/compliance-a-training/export-management-a-compliance/transshipment-best-practices>)

Return Goods Authorization

No Products shall be returned without a Return Goods Authorization (RGA) from Manufacturer's Customer Service. Returns must reference the RGA number and be shipped freight prepaid or the shipment will not be accepted. Credit issued for the return will apply only to future shipments and will be subject to a 35% handling charge. Any cost associated with restoring any Product to saleable condition will be deducted from the credit and any outgoing freight charges paid by Whitehall. Non-stock and custom fabricated Products are non-returnable. RGA credit will not be issued for less than \$100.00 unless the Product is proven defective. Distributor shall segregate non-conforming or damaged Products to be returned in a secure space to quarantine such Products prior to obtaining an RGA or a disposition decision from Manufacturer.

Delivery

Shipments are F.O.B. Manufacturer's facility in City of Industry, California or other designated shipping point determined by Manufacturer. Any shipment or delivery dates quoted by the Manufacturer are estimates. The Manufacturer shall be obligated to use reasonable efforts to meet such dates. The Manufacturer will in no event be liable for any delays in delivery or failure to give notice of delay, or for any other failure to perform hereunder due to causes beyond the reasonable control of the Manufacturer. Such causes shall include, but not be limited to acts of God, the elements, acts or omissions of manufacturers or suppliers of the Products or parts thereof, acts or omissions of Distributor or civil and military authorities, fires, labor disputes or any other inability to obtain the Products, parts thereof, or necessary power, labor, materials or supplies. Manufacturer will be entitled to refuse to make, or to delay any shipments of the Products if Distributor shall fail to pay when due any payment owed by it to the Manufacturer, whether under this or any other contract between the Manufacturer and Distributor. Shipments are normally sent prepay or charge. A \$9.00 surcharge, per package is added to small parcel shipments.

Claims and Shortages

F.O.B. Manufacturer's facility shipments are the full responsibility of the Distributor. Losses or damages must be reported to the carrier immediately. Manufacturer will file freight claims on orders if the Distributor complies with the following within (5) five days of receipt of shipment: inspect shipment immediately, have delivering carrier inspect shipment, file inspection report with carrier, and send a copy to Manufacturer. No claim for failure to receive a shipment or shortage will be honored unless Manufacturer is notified immediately upon receipt of invoice or within five working days of receipt of shipment, whichever is sooner.

Non Stock / Custom Product and Product Revisions

Orders for non-stock and custom Products are not subject to cancellation.

Manufacturer reserves the right to change designs, dimensions, and Products without notice.

Origin & FAR Compliance

SUPPLIER reserves the right to furnish either foreign or domestic material unless otherwise specified by the customer at the time of quotation and noted on the subsequent purchase order. Requirements for product compliance and certification with the Buy American Act, Buy America Act, and any other Federal Acquisition Regulation shall be noted on the purchase order. Failure to document domestic and federal procurement requirements on the purchase order shall result in PURCHASER assuming all liability and replacement costs for products determined to be non-compliant.

Force Majeure

Morris Group International companies will not be liable for any failure or delay in performing an obligation that is due to any of the following causes: acts of God, accident, riots, war, terrorist act, epidemic, pandemic, quarantine, civil commotion, breakdown of communication facilities, breakdown of web host, breakdown of internet service provider, natural catastrophes, governmental acts or omissions, changes in laws or regulations, national strikes, fire, explosion, transportation issues or generalized lack of availability of raw materials or energy.

Limited Warranty

Manufacturer warrants that its Products are free from defects in material or workmanship under normal use and service for a period of one year from date of shipment to Distributor. Manufacturer's sole liability under this warranty shall be discharged by replacement or repair of defective material, provided Manufacturer is notified in writing within one year from date of shipment. This warranty will not be honored if the turbines are being used with any models other than Company's tank. This warranty does not cover installation or labor charges and does not apply to materials which have been damaged by other causes such as mishandling or improper care or abnormal use. The repair or replacement of the defective Products shall constitute the sole remedy of the Distributor and the sole obligation of Manufacturer under this warranty. MANUFACTURER SHALL NOT BE LIABLE UNDER ANY CIRCUMSTANCES FOR INCIDENTAL, CONSEQUENTIAL, SPECIAL EXEMPLARY, PUNITIVE, OR INCIDENTAL DAMAGES, OR FOR ANY DAMAGES FOR LOST PROFITS, OR FOR ANY DAMAGES ARISING FROM ANY DELAY IN THE REPAIR OR REPLACEMENT OF DEFECTIVE PRODUCTS. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Product maintenance instructions are issued with each Product, and disregard or non-compliance with these instructions will constitute an abnormal use condition and void the warranty. Stainless steel Products must be protected on jobsites during construction and must be properly maintained after the water has been introduced into the Product , or Manufacturer's limited warranty is void.

Please be sure to register your warranty for all Thermalators, Splint Pans and Whirlpools here: Whitehall Warranty Form. If the Product is not registered, the Product warranty is void.

If you have any questions or require technical assistance, please call 800-591-9280 (Live phone assistance between 5.45 AM – 4.00 PM Pacific Time).

Trademarks

Distributor shall have a non-exclusive license to use the logos and trademarks of Manufacturer in connection with its resale of the Products in accordance with this Agreement. Except for the rights granted herein, Distributor shall not acquire any other rights in the Manufacturer's logos or trademarks.

Effective January 2021


Whitehall reserves the right to change designs, dimensions, and products without notice.






WHITEHALL® REHABILITATION PRODUCTS

All Pricing in US\$ Effective November 1, 2022



WHITEHALL® REHABILITATION PRODUCTS

All Pricing in US\$ Effective November 1, 2022





15125 Proctor Avenue • City of Industry, CA 91746 USA

Tel: (800) 782-7706 or (626) 968-6681 • Fax: (626) 855-4860 • info@whitehallmfg.com

Whitehall Sales • (800)591-9660 or (626)937-2541 • sales@whitehallmfg.com

WWW.WHITEHALLMFG.COM



WHITEHALL MANUFACTURING®

P.O. Box 3527 • City of Industry, CA 91744 USA

Local 626-968-6681 • Fax 626-855-4862
E-mail Info@WhitehallRehabilitation.com

WWW.WHITEHALLREHABILITATION.COM

MEMBER OF



MORRIS GROUP
INTERNATIONAL

L1P00019TD22

9/22